

Building (ACT Appendix to the Building Code) Determination 2012

Disallowable Instrument DI2012–248

made under the

Building Act 2004, s 136 (2) (Building Code)

EXPLANATORY STATEMENT

Background—building code and its appendices

The *Building Act 2004* (the Act), section 136 (Building code), gives effect to the Building Code of Australia (the building code or BCA) including the ACT additional requirements as published in the appendices of volume one and volume two of the BCA. The Act also entitles the relevant Minister to make ACT appendices to the published building code. The building code and its appendices form part of ACT law. Appendices can vary or add to the BCA insofar as a jurisdiction enacts them.

The building code applies throughout Australia and is divided into 2 volumes. Volume 1 deals with class 2 to class 9 buildings, as classified under the code, which includes apartments, commercial residential buildings such as motels, and non-residential buildings. Volume 2 deals with class 1 and class 10 buildings, which include standard houses and non-habitable buildings such as garages, sheds, swimming pools and structures. A third volume, the Plumbing Code of Australia, together with BCA volumes 1 and 2 comprise the National Construction Code.

Each published volume of the building code consists of main text and a series of additions for each State and Territory and the Commonwealth. The building code, including the State and Territory additions, is published annually by the Australian Building Codes Board (the ABCB). The ACT is represented on the ABCB along with representatives from all States, the Northern Territory, the Commonwealth Government and building industry bodies.

Section 136 (2) of the Act entitles the Minister to make ACT appendices to the building code to provide a mechanism for the ACT to depart from, add to, or vary the building code from time to time. The ACT appendices only apply to the ACT and Jervis Bay Territory, and can vary or add to the provisions of the building code.

The *Building (ACT Appendix to the Building Code) Determination 2012* (“the determination”) revokes relevant previous ACT appendices and makes new appendices for both volumes of the 2012 edition of the building code (BCA 2012). The determination automatically provides the ACT appendices for future editions of the BCA subsequent to BCA 2012 unless revoked etc. BCA 2012 was published in early 2012 but commenced in law in the ACT on 1 May 2012.

Problems addressed by the determination

Commonwealth concessions on disability access

BCA 2012 contains disability access provisions that generally align with the *Disability (Access to Premises — Buildings) Standards 2010*, (premises standards) determined under the *Disability Discrimination Act 1992* (Cwlth). In some cases that represents an increase in regulatory stricture over the disability access provisions provided in BCA 2010. States, Territories the Commonwealth agreed that BCA 2011 and subsequent BCAs would have provisions that if complied with would achieve compliance with the premises standards, and BCAs from 2011 and onward have achieved that.

However, the BCA generally only has provisions that apply to new construction rather than to extensions, alterations or modifications of existing buildings, but the premises standards have provisions that apply in those existing building cases. The premises standards also have concessions on full compliance with their access provisions when they are applied to certain lifts and toilets in existing buildings and to certain small scale short-term accommodation buildings. The concessions are not reflected in BCA 2012, as it was expected such administrative arrangements would be placed in State or Territory building laws rather than in the BCA.

However, it is more convenient administratively and for industry to place those concessions into the ACT appendix of BCA 2012, rather than have them appear in a separate regulation. The determination has the effect of reflecting the concessions in the ACT appendix to the BCA, to apply in the same circumstances that the concessions apply in the premises standards. The intention is that if circumstances exist that permit the application of the concession provide by the premises standards, then the determination places a corresponding concession into the BCA.

The above-mentioned concessions for small-scale short term accommodation buildings apply to the following kinds of Class 1b buildings—

- (i) an existing building with 3 or less bedrooms used for rental accommodation; or
- (ii) a building that comprises 3 or less single dwellings that are:
 - (A) on the same allotment; and
 - (B) used for short-term holiday accommodation.

Those concessions are not reflected in the BCA, so the determination provides concessions that mirror those for Class 1b buildings in the premises standards. Class 1b buildings are defined in both the premises standards and the BCA as follows:

The classification of a building or part of a building is determined by the purpose for which it is designed, constructed or adapted to be used. Class 1b—

(i) a boarding house, guest house, hostel or the like—

(A) with a total area of all floors not exceeding 300 m² measured over the enclosing walls of the Class 1b; and

(B) in which not more than 12 persons would ordinarily be resident; or

(ii) 4 or more single dwellings located on one allotment and used for short-term holiday accommodation, which are not located above or below another dwelling or another Class of building other than a private garage.

Increased stricture on house sustainability

As directed by the Council of Australian Governments, (COAG), BCA 2010 had greater stricture than BCA 2009 in respect of energy efficiency and other sustainability provisions. In particular, BCA 2010's vol 2 provisions about house energy efficiency include requirements to achieve a performance level notionally equivalent to at least a 6-star energy efficiency rated (EER) construction, an approximate 25 percent increase from BCA 2009 for the ACT. BCA 2011 and 2012 continue that increased stricture, and it is expected to continue in future BCA editions unless Governments agree to increase stricture.

Applicability to Canberra's climate

Due to the diversity of Australia's climate, the building code has differing energy efficiency requirements for different climatic regions or zones. The ACT is mainly in zone 7 (typically cold winter minimums and high summer maximums), with some rural mountainous ACT areas in zone 8 (mainly the ACT's alpine areas subject to annual snow).

The move from notional minimum 5-star EER equivalence to notional minimum 6-star EER equivalence for BCA 2010 onward has significantly increased inter alia the required thermal performance of windows in zone 7. In particular, excessive areas of low performing windows in a house can contribute to significant heat losses in the ACT's cold seasons, and conversely contribute to excessive solar heat gain in the summer. Both are adverse outcomes on energy use, contributing to increased energy usage for space heating and cooling.

Conversely, well orientated, sized and shaded higher performing windows can contribute to beneficial solar heat gain in winter, as the ACT has abundant sunny days in winter, with enough potential solar heat gain to significantly offset some of the need for other forms of space heating during the sunny parts of cool autumn, spring and winter days.

BCA not drafted to cater for house extensions or alterations but ACT law forces compliance nevertheless

The BCA is drafted to only apply to construction of whole new buildings. It does not have provisions that specifically cater for upgrading, altering or extending buildings.

Historically, the Act has required all building work (unless exempted) to be done in a way that is likely to produce a building (or part of a building) that complies with the building code, particularly under the Act's sections 42 (1) (a) and (b) and section 49. That requirement applies to building new houses as well as extending or altering pre-existing houses. The Act also requires whole buildings to be brought into compliance with the building code when the building is substantially altered, as prescribed.

The *Building (General) Regulation 2008*, section 23, prescribes for the Act's section 29 (2) (a), circumstances where pre-existing buildings must be brought into BCA compliance when the building is substantially altered (for example by a large extension to it). The regulation also prescribes (at sections 24 to 29) that certain provisions of the code do not have to be met when bringing the unaltered part of the pre-existing buildings into code compliance, because it unlikely to be cost-effective or practical to do so.

Certain house extensions are unable to reasonably comply

The *Building (General) Regulation 2008* also prescribed a transitional arrangement that allowed time to adjust to the increased stricture of BCA 2010. Access to the transition expired at the end of 30 June 2010. From that expiration date, it was recognised that BCA 2010's increased stricture may be problematic for making many ACT house extensions comply where optimal window orientation was difficult to achieve. The problems were due to site and design constraints, or where glazing in the unaltered part of houses had a significantly detrimental effect on the overall performance of glazing in the extended house. The issues continue with the adoption of editions of the BCA from BCA 2010 onwards.

Window thermal performance critical

Concessions in place prior to BCA 2010, including omitting certain windows from certain house extension assessments, or using very high-thermal-performance windows in the new part of the building did not always produce cost effective outcomes. Discussion with energy efficiency experts from the secretariat for the Australian Building Codes Board (ABCB) confirmed the ACT Government's conclusion that for the ACT, glazing size and orientation is particularly critical and in most, if not all, circumstances house extension that cannot provide some northerly orientated windows are unable to comply with editions of the BCA from 2010 onwards. That is mainly because of the net solar heat gain needed by BCA 2010 and subsequent editions, for winter space heating.

From BCA 2010 onwards, BCA vol 2's "deemed-to-comply" provisions include as one method of demonstrating compliance, a requirement that the thermal performance of glazed units (window units) must be assessed to estimate their solar heating and heat loss effects and for the result to be within prescribed limits. Those limits are stricter in the 2010 and subsequent versions of the BCA than for BCA 2009. The requirement applies to all glazing in each storey of a building to be considered, as the overall performance of a storey can be influenced by all glazing in the storey.

Site constraints preventing BCA compliance

Site constraints can prevent some house extension from being able to practically provide northerly orientated windows. For example, a pre-existing house that has a northerly aspect and occupies all the available northerly frontage of the land only has its southerly aspect available to extend the ground storey of the house. Any opportunity to incorporate northerly windows in such a southerly extension is often overshadowed by the pre-existing part of the house, reducing or preventing solar penetration. Industry reports that some home-owners who become aware of not being able to cost-effectively extend such houses instead move to a new house, which foregoes the opportunity to, and provides disincentive to, enhance the thermal performance of older building stocks.

Applying BCA to house extensions means pre-existing glazing must also comply

A significant portion of the ACT's housing stock was constructed prior to 1990, and was therefore not required to meet any energy efficiency standards. Much of that stock has had minimal upgrades to its energy efficiency. Altering or extending such stock presents opportunity to improve and enhance the pre-existing house and the overall level of performance of the building. However, pre-existing houses with poorly orientated windows that are poorly sized and of poor thermal performance can make it unfeasible for an extension to the house to meet much of the energy efficiency provisions of BCA 2010 onwards because it is impractical for the extension to compensate for the poor performance of the pre-existing part of the house. That problem has been exacerbated by the increased stricture of the energy efficiency provisions of BCA 2010 and subsequent editions over those of BCA 2009.

BCA does not cater for extending non-BCA-compliant pre-existing heating or cooling services in buildings

The BCA has sustainability provisions about the energy efficiency and energy source of certain kinds of heating or cooling services in buildings, such as hot water heaters, space heaters and air conditioners. Where a house is altered or extended it is usually not cost effective to decommission the existing building's services and replace them only to make the extension comply with the BCA. Therefore, the determination provides concessions that provide for where pre-existing services can be augmented or extended to service the building's extension or addition as well as continuing to service the pre-existing part of the building, even though the service may not comply with the BCA's sustainability requirements because it was installed before those requirements existed.

For example, the determination provides limited capability to run an insulated hot water pipe from a pre-existing hot water system to serve a hand basin in an ensuite bathroom extension to the pre-existing building, or to add an air-condition duct to the pre-existing air-conditioning system to serve a bedroom extension. The concession is subject to prescribed parameters, such as requiring the pipework or ductwork of the service extension to meet BCA requirements about thermal efficiency to reduce thermal losses, and thus enhance energy efficiency. The pre-existing service may only not comply with the BCA's relevant sustainability provisions if it was installed before the provisions applied.

Energy efficiency solutions developed using expert opinion

The determination's energy efficiency provisions were developed with the assistance of building construction and building energy efficiency experts from the ACT Government, the ABCB secretariat, and the Commonwealth Scientific and Industrial Research Organisation (CSIRO), including people involved in developing software used to model house energy efficiency and window thermal performance.

Other historical provisions

The determination also provides for the ACT appendices published by the ABCB with the BCA to form part of the ACT appendices. They have changes little over the years and provide for local requirements specific for the ACT, such as for control of litter on building sites, requirements for waste collection from premises, notices in fire stairs, relating to ACT emergencies laws, swimming pool safety, and installation requirements for certain chimneys, flues, and storage tanks.

Objects of provisions

Building litter

Objectives of the provisions about building site litter are as follows:

- prevent windblown litter from building sites fouling roads and public land; and
- safeguard people from injury caused by infection or contamination from solid waste.

Waste removal

An objective of the provisions about building waste removal is to ensure that waste removal facilities in certain premises can be adequately accessed and collected by the ACT's municipal garbage trucks.

Notices in fire stairs

An objective of the provisions about notices on fire isolated stairs is to help safeguard building occupants by drawing stair user's attention to the offence that may be committed by—

- placing anything in the stairway or any associated passageway leading to the exterior of the building which may impede the free passage of persons; or
- interfering with or causing obstruction or impediment to the normal operation of fire doors providing access to the stairway; or
- removing, damaging or otherwise interfering with the notice.

Swimming pool safety

Objectives of the provisions about swimming pools are to enhance swimming pool safety by requiring prescribed—water filtration, means of pool egress, floor slope, capability of emptying pool water to the sewer, and signage about pool water depths.

Installation requirements for certain chimneys, flues, and storage tanks.

Objectives of the provisions are to prescribe technical standards for industrial fuel-fired appliances and for tanks for flammable or combustible liquid storage and other associated fittings. Such appliances include industrial boilers. Such tanks include petrol and diesel fuel tanks and heating oil tanks.

Energy efficiency

A main objective of the energy efficiency provisions of the determination is to assist to provide options for BCA compliance where the existing solutions provided under the BCA do not sufficiently cater for house extensions. Other objectives include providing resolution options for the following:

- The ACT's cold winters and hot summers can make it difficult to make extensions to older houses energy efficient, but the additional provisions will help make it easier and cheaper for windows and thermal insulation to comply with the BCA.

- The extra provisions will also help stop inefficient house extensions from reducing the overall energy efficiency of houses, thereby reducing construction costs, reducing ongoing heating and cooling cost, reducing emissions from energy production, and helping the ACT community improve and enhance existing housing stock.
- Protecting the level of energy efficiency that pre-existing houses already achieve so that, notionally, house extensions do not reduce the energy efficiency of the pre-existing part of the house to a level below the efficiency that the house was required to achieve when constructed, or below that which it currently achieves.
- Providing practical options to help make house extensions achieve or approach the energy efficiency requirements of new houses built under BCA 2011, despite some extensions opening onto pre-existing parts of houses of poor efficiency.
- Producing net benefits to society that outweigh the cost of compliance with the provisions.
- Ensuring that pre-existing glazing in the unaltered part of an extended house does not necessarily have to be replaced or upgraded in order to make an extension to the house comply with the BCA.
- Applying the BCA's concept of allowing whole houses to demonstrate compliance by an energy rating, to be adapted to certain house extensions.
- Rewarding investment in high performance window treatments or external window shutters to pre-existing windows by allowing the thermal enhancement provided by the treatments or shutters to be taken account of, using performance values derived from the energy rating software referenced in the BCA.
- Providing objective, quantified and measurable descriptions of relevant matters, such as the characteristics of window treatments, to assist designers and building certifiers apply and check for compliance with the provisions.
- Clarifying that certain provisions of the *Building (General) Regulation 2008* that make concessions on complying with the BCA are available for all sizes of house extensions, provided the concession's alternative compliance requirements are met.
- Allowing limited use of pre-existing building heating and cooling systems to serve an altered or extended part of the building.

Disability access

The main objective of the disability access provision is to align the building code with the comparable provisions of the premises standards, particularly concessions of otherwise full compliance, so that neither renders the other ineffective.

Cost and other regulatory impacts

The ABCB has undertaken and published on its web site (www.abcb.gov.au) a comprehensive regulatory impact analysis and produced a regulatory impact statement (RIS) for the increased regulatory stricture provided by BCA 2010 (which is carried over into subsequent BCA editions). The determination is consistent with the concepts and matters covered by the RIS and is intended to reduce compliance burdens (particularly costs) without substantive change to net regulatory outcomes of increased energy efficiency of buildings. The other historical provisions continue longstanding requirements, and therefore have no new cost impacts. The disability provisions provide concessions on compliance and will therefore reduce compliance costs.

Retrospectivity of commencement

The determination provides that it is taken to have commenced on 1 May 2012, which is before its notification day. That is necessary because—

industry expects continuity of the provisions that prescribe how to make extensions to existing buildings comply with the building code's energy efficiency provisions, as was provided for in the predecessor of the determination, which ceases to be in force from the start of 1 May 2010. The predecessor only applies in respect of the 2011 edition of the building code, which automatically ceases to be adopted from the start of 1 May 2012. Therefore the determination needs to continue the relevant energy efficiency provisions with effect from 1 May 2012; and

similarly, industry expects continuity of the provisions that prescribe the disability access concessions.

The retrospective commencement will not operate to the disadvantage of a person by adversely affecting the person's rights, or imposing liabilities on the person. Rather, the determination generally provides concessions on otherwise full regulatory compliance, which will reduce constriction costs and regulatory burdens.

Failure to have the provisions commence from 1 May 2012 will self-evidently adversely affect industry and property owners because of inability to make their building comply with the relevant energy efficiency provisions or disability access provisions. Commencement on 1 May 2012 is necessary to coincide with the adoption of BCA 2012 on that date.

Provisions of the determination

Section 1 names the determination as the *Building (ACT Appendix to the Building Code) Determination 2012*.

Section 2 provides that the declaration is taken to have commenced on 1 May 2012. It is intended that it commence on that day irrespective of when it was notified on the ACT legislation register.

The retrospective commencement will not operate to the disadvantage of a person by adversely affecting the person's rights, or imposing liabilities on the person. Commencement on 1 May 2012 is necessary to coincide with the adoption of BCA 2012 on that date and the commencement on that date of the premise standards.

It is not intended that the determination automatically expire upon commencement of subsequent editions of the BCA. Rather, it is intended that the ACT appendices made under the determination apply to BCA 2012 and subsequent BCA editions unless a law or legal instrument provides to the contrary, such as by a similar future instrument revoking the determination and making a new set of ACT appendices.

Section 3 provides that the Minister revokes disallowable instrument DI2011-86 (*Building (ACT Appendix to the Building Code—2011) Determination 2011*). This is necessary as that instrument related to BCA 2012, which automatically ceased to be adopted from 1 May 2012. It is not intended that the determination automatically expire upon BCA 2012 ceasing to be adopted, but rather that the determination continue to apply to subsequent BCA editions unless a law or legal instrument provides to the contrary.

Section 4 makes the Australian Capital Territory Appendix to the the building code. It provides that that appendix is the Australian Capital Territory Appendix to the building code, as amended by schedule 1 to the determination. It is intended to apply to the version of the building code that is in force from time to time, rather than apply only to BCA 2012.

It is intended to codify the indicative versions of the ACT appendices to the building code that are published from time to time by the ABCB with yearly publication of the building code, but with an amendment to those appendices, as per schedule 1 to the determination.

Under the *Building Act 2004*, s 136 (1) the building code is the Building Code of Australia published by the ABCB. However, that Act's 136 (2) entitles the Minister to make ACT appendices to the code. The determination exercises that entitlement.

Section 5 is intended to disapply the requirement of the *Legislation Act 2001*, section 47 (5), so as the published version of the ACT appendices that accompany the published version of the, and that are relied on by the determination, do not have to be notified on the ACT legislation register.

The building code is subject to copyright, making it inappropriate to notify on the legislation register. The BCA including accompanying published indicative State and Territory appendices are available on the ABCB web site at www.abcb.gov.au.

Section 6 is to make the community aware of how they can freely access the building code and its appendices, considering that access to the code is generally otherwise by paid purchase or subscription.

Provisions in the published version of BCA 2012 that the determination gives effect to

These provisions have been long standing provisions in previous versions of the BCA, and are expected to also be provided in future versions of the BCA. It is intended that provisions that are identified here as Deemed-to-Satisfy provisions, are additional to the relevant Deemed-to Satisfy provisions in the BCA that are near where the provisions are inserted into the BCA.

Part A1 of BCA vol 1 inserts **ACT Specification A1.3** into the BCA vol, Table 1 of Specification A1.3. That specification mentions several Australian Standards that the ACT appendix relies upon, and the ‘Development Control Code for Best Practice Waste Management in the ACT’, which the ACT appendix also relies upon.

Part A2 of BCA vol 1 adds the following clauses to the BCA vol—

ACT AO2, which provides that objective of Part A2 are also to prevent windblown litter from building sites fouling roads and public land, and to safeguard people from injury caused by infection or contamination from solid waste. The BCA provides that objective clauses are not mandatory, but are for guidance only.

ACT AF2.1, which is a functional statement that prescribes that building litter must be prevented from spreading around and beyond the allotment boundary. The BCA provides that functional statements are not mandatory, but are for guidance only.

ACT AF2.2, which is a functional statement that prescribes that buildings must be provided with space and facilities for the collection, and safe, hygienic holding prior to disposal of solid waste arising from the intended use of the building. The BCA provides that functional statements are not mandatory, but are for guidance only.

ACT AP2.1, which is a Performance Requirement that prescribes that sufficient containers must be provided on building sites to store building waste that is likely to become windblown. The BCA provides that if a performance requirement is applicable to a building it is mandatory to comply with the performance requirements.

ACT AP2.2, which is a Performance Requirement that prescribes that provision must be made within buildings for the collection and temporary holding of solid waste. The design must accommodate screening, volume of waste, disposal, logistics and access. The BCA provides that if a performance requirement is applicable to a building it is mandatory to comply with the performance requirements.

ACT A2.0, which is a ‘Deemed-to-Satisfy Provision’, which prescribes that Performance Requirements ACT AP2.1 to ACT AP2.2 are satisfied by complying with ACT A2.101 to ACT A2.102. The BCA provides that where a building solution complies with a Deemed-to Satisfy provisions, the solution is deemed to comply with the respective Performance requirement, but Deemed-to Satisfy provisions are not mandatory provisions, as other methods can be used to satisfy the respective performance requirements of the BCA.

ACT A2.101 (Control of litter on building sites), which is a ‘Deemed-to-Satisfy Provision’ that prescribes that on-site building waste must be stored in suitable size plastic or metal bins and removed from the allotment at regular intervals. It also provides that for the purpose of clause ACT A2.101, building waste includes plastic containers, plastic and paper wrappings, or any waste that can be carried by wind. The BCA provides that where a building solution complies with a Deemed-to Satisfy provisions, the solution is deemed to comply with the respective Performance requirement, but Deemed-to Satisfy provisions are not mandatory provisions, as other methods can be used to satisfy the respective performance requirements of the BCA.

ACT A2.102 (Waste management), which is a ‘Deemed-to-Satisfy Provision’ that prescribes that garbage facilities must be designed and constructed in accordance with the Development Control Code for Best Practice Waste Management in the ACT.

The Development Control Code for Best Practice Waste Management in the ACT is available from:

http://www.tams.act.gov.au/live/recycling-waste/centres/construction_and_demolition_recycling_facilities/developmentcontrolcode.

It prescribes requirements for garbage collection, including—

- size of hoppers
- size of enclosures
- location of enclosures
- washdown provisions
- environmental protection signage
- public and environmental health requirements
- waste/recyclables collection and transport
- collection vehicle characteristics and operation limitations
- waste collection vehicle access and turning provisions
- kerbside collection — estate development proposal requirements
- provision for vehicle movements
- basement storage and collection requirements.

The BCA provides that where a building solution complies with a Deemed-to Satisfy provisions, the solution is deemed to comply with the respective Performance requirement, but Deemed-to Satisfy provisions are not mandatory provisions, as other methods can be used to satisfy the respective performance requirements of the BCA.

Part D1 of BCA vol 1 adds the following clauses to BCA vol 1:

ACT D1.101 (Notices on fire-isolated stairs), which is a Deemed-to-Satisfy provision that prescribes the wording and other characteristic of the signage that is required in *fire isolated stairways* in buildings. The BCA defines the term *fire isolated stairway*. The clause is necessary to help safeguard building occupants by drawing stair user's attention to the offence that may be commissioned by—

- placing anything in the stairway or any associated passageway leading to the exterior of the building which may impede the free passage of persons; or
- interfering with or causing obstruction or impediment to the normal operation of fire doors providing access to the stairway; or
- removing, damaging or otherwise interfering with the notice.

The BCA provides that where a building solution complies with a Deemed-to Satisfy provisions, the solution is deemed to comply with the respective Performance requirement, but Deemed-to Satisfy provisions are not mandatory provisions, as other methods can be used to satisfy the respective performance requirements of the BCA.

ACT D1.102 (Access for people with disabilities), which is a a Deemed-to-Satisfy provision, draws uses attention to the need to check for changes to the ACT appendices.

Part G1 of vol 1 adds the following clauses to the BCA vol 1—

ACT G1.1(f), which is a Deemed-to-Satisfy provision that prescribes that indoor or outdoor permanent bathing, wading and swimming pools of water capacity exceeding 10 m³ must—

- be of the water recirculation type in which the water circulation is maintained through the pool by a pump, with the water drawn from the pool being clarified and disinfected before being returned to the pool; and
- have means of egress provided in the form of ladders, steps in the floor of the pool or a ramp; and
- be capable of being completely emptied and any discharge or overflow and pool backwash filter must be connected to the sewer drainage system.

The BCA provides that where a building solution complies with a Deemed-to Satisfy provisions, the solution is deemed to comply with the respective Performance requirement, but Deemed-to Satisfy provisions are not mandatory provisions, as other methods can be used to satisfy the respective performance requirements of the BCA.

ACT G1.1(g), which is a Deemed-to-Satisfy provision that prescribes that pools in or forming part of buildings other than Class 1 buildings—

- (i) where in any part of the pool the depth is less than 1500 mm, the floor grade must not exceed a slope of 1 in 20; and

(ii) permanent signs must be displayed on the side of the pool (or adjacent concourse for flush concourse waterline pools), showing the depth at 300 mm change intervals for the length of the pool and the depth at the deep and shallow ends.

The BCA provides that where a building solution complies with a Deemed-to Satisfy provision, the solution is deemed to comply with the respective Performance requirement, but Deemed-to Satisfy provisions are not mandatory provisions, as other methods can be used to satisfy the respective performance requirements of the BCA.

ACT 1 of BCA vol 2 is intentionally blank.

ACT 2 (Control of litter on building sites), of BCA vol 2 adds the following clauses to BCA vol 2:

ACT 2.1, which prescribes the Objective, Functional Statement and Performance Requirement in relation to litter on building sites. See the corresponding explanations above for building site litter provisions in BCA vol 1 for further explanation of the ACT 2.1 provisions.

ACT 2.2, which is a Deemed-to-Satisfy provision that satisfies performance requirement ACT 2.1. See the corresponding explanations above for building site litter provisions in BCA vol 1 for further explanation of the ACT 2.2 provisions.

ACT 3 (Waste management), of BCA vol 2 adds the following clauses to BCA vol 2:

ACT 3.1, which prescribes the Objective, Functional Statement and Performance Requirement in relation to collection of waste from buildings. See the corresponding explanations above for waste collection provisions in BCA vol 1 for further explanation of the ACT 3.1 provisions.

ACT 3.2, which is a Deemed-to-Satisfy provision that satisfies performance requirement ACT 3.1. See the corresponding explanations above for waste collection provisions in BCA vol 1 for further explanation of the ACT 3.2 provisions.

ACT 6 (Swimming pool construction), of BCA vol 2 adds clause **ACT 6.1** to BCA vol 2, which is a Deemed-to-Satisfy provision that prescribes requirements about swimming pool water recirculation, egress and discharge. See the corresponding explanations above for swimming pool water recirculation, egress and discharge provisions in BCA vol 1 for further explanation of the ACT 6.1 provisions.

ACT 7 (Sustainability), of BCA vol 2 provides a note about possible additional provisions that are not found in the ACT appendix to the BCA as published. This is to warn that addition provisions might have been made in law for the ACT appendices that were not made in time to be published with the BCA. Nevertheless, any such additional provisions may have legal force.

Schedule 1

The first item in the schedule inserts into vol 1 of BCA 2011 a new part D3 that deals with access for people with a disability. It provides new clauses ACT DP0.1 (Existing passenger lift or toilet concession), ACT DP0.2 (Lift concession) and ACT DP0.3 (Toilet concession).

The 2nd item in the schedule substitutes the version of clause ACT 7 (Sustainability) published in BCA 2010 with a new clause ACT 7 (Sustainability). The unsubstituted clause merely contained a note, whereas the substitute new clause contains notes, explanatory information and substantive provisions, including:

Clause ACT 7.1.1 (Application of Part 3.12)

Clause ACT 7.1.2 (Heating and cooling loads)

Clause ACT 7.1.3 (Building fabric—application of Part 3.12.1)

Clause ACT 7.1.4 (External glazing—application of Part 3.12.2)

Figure ACT 7.1.1 (Examples of compliance with ACT 7.1.2 (a) (ii) and (b))

Table ACT 7.1.4.1 (Glazing unit U-Values).

The fact that the determination makes the ACT appendices to BCA 2011 inconsistent with the indicative ACT appendices published BCA 2011 does not affect the validity of the ACT appendices made under the determination.

Summary of substantive provisions of schedule 1.

ACT Part D3 provides concessions on full compliance with certain BCA 2011 provisions about passenger lifts or toilets. The concessions mirror those of premises standards, section 4.4 and 4.5.

ACT Part 7.1 is intended to help make designs for house extensions comply with the intent of the BCA's main energy efficiency provisions. It provides a range of extra options to achieve, compliance, in addition to the BCA's options. Some of the options cannot be used in combination with others, but other can be used in combination, as explained in the respective clauses. The options provide for:

- Allowing an extension to the house meeting certain criteria to be assessed using house energy rating software, rather than that software only being applicable to the whole of a house (see clause **ACT 7.1.2**).
- Allowing the house extension to meet the elemental provisions (insulation levels, window performance, sealing, etc) of the BCA's energy efficiency provisions, rather than the BCA's house energy rating requirements (see clause **ACT 7.1.3**).
- Allowing the effect of window treatments such as blinds, curtains and pelmets to be taken account of when assessing the thermal performance of pre-existing windows (see clause **ACT 7.1.4 (a)**).
- Excluding assessment of thermal performance of a pre-existing window if it is treated with a solar control film (see clause **ACT 7.1.4 (b)** and the dispensation under the ACT's *Building (General) Regulation 2008*, section 29 (1), which is

about windows not having to comply with the BCA if they have the prescribed film applied).

- Excluding assessment of thermal performance of a pre-existing window if it is thermally isolated from windows that must be assessed (see clause **ACT 7.1.4 (b)** and the dispensation under the ACT's *Building (General) Regulation 2008*, section 29 (2), which is about isolated windows not having to comply with the BCA if they are separated from windows that have to be assessed by prescribed walls, floors, ceilings and doors).
- Allowing the use of the ABCB 2009 (or later) glazing calculator or later to determine window thermal performance compliance where northerly glazing is impractical to provide in a house extension (see clause **ACT 7.1.4 (c)**).

Detailed explanation of new clauses

New **Part D3** inserts a place holder heading (Access for people with a disability) enabling the insertion of new clauses **ACT DP0.1** to **ACT DP0.3**.

The premises standards contain an access code that has provisions that correspond to certain provisions in Part D of BCA 2011. The premises standards, section 4.4 and 4.5 provide concessions that in effect do not require certain lifts or sanitary compartments to be enlarged to comply with the respective dimensions in the access code, in specified circumstances.

Clauses ACT DP0.1 to **ACT DP0.3** intend to apply those concessions to the corresponding BCA requirements when they are applied to relevant lifts or toilets that comply with the respective terms of the concession in the premises standards.

New **clause ACT 7** retains the title of the substituted clause—"Sustainability".

The new note under the heading to new clause **ACT 7** reiterates with enhanced wording the substituted note.

Clause ACT 7.1.1 (Application of Part 3.12) stipulates where BCA part 3.12 (which is about energy efficiency) must be applied to additions and extensions to buildings, and where it need not, and the alternative compliance requirements where BCA part 3.12 is not complied with. An intention is that BCA part 3.12 apply as far as practical and that where an aspect of BCA part 3.12 does not apply, clause **ACT 7** provides alternative compliance requirements for the aspect that must be complied with.

Clause ACT 7.1.2 (Heating and cooling loads) permits the energy rating scheme and protocol mentioned in BCA clause 3.12.0.1 to apply to certain house extensions, or to part of a house that is less than the entire thermal envelope of the house. The BCA stipulates that the scheme and protocol mentioned in BCA clause 3.12.0.1 are intended to only apply to whole houses, not to only an addition or extension to a house, nor to part of a house that is less than the entire thermal envelope of the house. Clause **ACT 7.1.2** overrides that restriction for house extensions.

The protocol and rating scheme are suitable to apply to attached houses to rate one or the other attached house separately. Thus, they can produce reasonably reliable information about an extension to a house if the extension is comparable to adding an additional house to the pre-existing house to form 2 attached houses.

If only an addition or extension to a house is rated, the rating is not necessarily a reflection of the house's overall rating. Although area correction factors are included in relevant energy rating software, the accuracy of ratings can decrease with reduced size and number of rooms rated. Therefore, ACT 3.12.6.2 limits use of a rating to large additions or extensions, or smaller extensions that incorporate enough pre-existing floor areas to achieve⁴ at least a total of 100m² of floor area.

As the energy rating scheme mentioned in BCA clause 3.12.0.1 is intended to apply to a whole building, an assessment using the prescribed software in its regulatory mode must include a kitchen zone. In order to avoid the pretence of applying false heating and cooling loads to a zone, clause ACT 3.12.6.2 is limited to house additions or extensions containing a kitchen in the rated area. This can include a pre-existing or new kitchen area.

Clause ACT 3.12.6.2 permits small parts of a pre-existing house to be incorporated into the addition or extension, to take account of draft-proof barriers that are not located at the interface between the pre-existing building and the addition or extension. The clause stipulates that the construction details of any pre-existing part incorporated into an addition or extension for rating purposes must not be assessed as having the same relevant details as the remainder of the addition or extension unless they are actually the same in both. For example, if the pre-existing part is bounded by an internal wall with no bulk thermal insulation added, that wall must not be assessed as having the same properties as the remainder of the insulated bounding walls, unless they actually have the same properties, (see Figure ACT 7.1.1 in the determination).

Clause ACT 7.1.2 (d) is intended to act as a regulatory ratchet mechanism, preventing the energy efficiency of a house from being lowered beyond the prescribed minimum by the effects of a house extension or alteration.

Clause ACT 7.1.3 addresses the problem of applying the BCA's elemental provisions to a house extension that opens onto the unaltered part of a less energy efficient house. The BCA's elemental provisions are an alternative to demonstrating compliance with a house energy rating report, and include requirements to include stated minimum levels of thermal insulation in elements such as walls, roofs and floors, and to seal the building, and for windows to achieve a stated minimum level of thermal performance. Clause ACT 7.1.3 makes it clear that the BCA requirement to achieve a continuous thermal barrier does not apply to an open interface between the unaltered part of the building and the extension to the building.

Clause ACT 7.1.4 (a) enables the enhanced thermal performance of certain window treatments to be taken account of when assessing the thermal performance of certain pre-existing windows. The respective enhanced levels are stated in Table ACT 7.1.4.1. To use Table ACT 7.1.4.1, the total U-Value (thermal conductance) of the glazing unit, or its R Value (thermal insulation, which is the inverse of the total U-value) is selected from the left of the table. Higher performing windows have a lower total U-Value. The window treatment that the glazing unit has, or will have, is referenced across the top of the table, and under it corresponding to the glazing unit's total U-value (or its R value) appears the enhanced total U-value for the glazing unit with the window treatment. The

notes to the table describe key characteristics of the stated window treatments (blinds, curtains, heavy drapes, and pelmets).

Clause ACT 7.1.4 (b) applies certain dispensations from the *Building (General) Regulation 2008* to certain pre-existing windows that must be assessed to determine BCA compliance. Those dispensations include the provisions of *Building (General) Regulation 2008*, section 29 (1), which are about windows not having to comply with the BCA if they have the prescribed solar control film applied, and section 29 (2), which is about isolated windows not having to comply with the BCA if they are thermally separated from windows that have to be assessed.

Clause ACT 7.1.4 (c) allows the use of the ABCB glazing calculator that was applicable immediately before or after commencement of BCA 2010, to determine window thermal performance compliance where northerly orientated glazing is impractical to provide in a house extension. The ABCB glazing calculators published for BCA 2010 and later editions is more strict on requiring northerly glazing than the previous calculator. To offset the lack of northerly glazing, and the use of a glazing calculator less strict than the one for BCA 2010-on, clause ACT 7.1.4 (c) (iv) requires thermal insulation has been added to the roof of the unaltered part of the building, as per BCA clause 3.12.1.2, as it applies to roofs with an upper surface solar absorptance value of not more than 0.4. The intention is that that absorptance factor can be used regardless of the actual absorptance factor, to reduce the potential cost and impracticalities of providing that insulation.

Industry has indicated that the effect of clause ACT 7.1.4 will be the most effective measure for resolving problems with making southerly orientated houses extensions comply with BCA 2010. Site constraints can force extensions to have a southerly orientation. For example, a pre-existing house that has a northerly aspect and occupies all the available northerly frontage of the land only has its southerly aspect available to extend the house at ground level, and any opportunity to incorporate northerly windows in such a southerly extension are often overshadowed by the pre-existing part of the house, reducing or preventing, solar penetration.