



Australian Capital Territory  
**Gazette**

**SPECIAL GAZETTE**

**No. S98, Thursday 26 May 1994**

**ELECTRICITY AND WATER ACT 1988  
DETERMINATION OF CHARGE**

**NO. 1 OF 1994**

**DETERMINATION:**

The Australian Capital Territory Electricity and Water Authority (ACTEW) under Section 48 of the **Electricity and Water Act 1988**, makes the following determination fixing the charge that is to be payable to ACTEW for or in connection with the supply of services as required under the Canberra Sewerage and water Supply Regulations in force under the Electricity and Water Act 1988. The charge determined hereunder comes into effect on and from 1 July 1994.

**1. CHARGE**

For the sale of unmetered water referred  
to in Regulation 92A of the Regulations 64c

ELECTRICITY AND WATER ACT 1988  
DETERMINATION OF CHARGES

## NO. 2 OF 1994

The Australian Capital Territory Electricity and Water Authority (ACTEW) under Section 48 of the Electricity and Water Act 1988, makes the following determination fixing the charges that are payable to ACTEW for, or in connection with, the supply of electricity, with effect on and from 1 July 1994.

**General**

This Determination prescribes the monetary rates of charges that are payable to ACTEW for or in connection with supply of electricity to consumers.

**1. DOMESTIC**

The domestic charge shall be:

- a supply charge per month or part thereof \$4.00
- All consumption 7.94c per kWh

**1.1**

Where domestic consumption for a billing period is less than 100kWh on a monthly basis for meters read during 1994/95 only, the calculated charge for electricity consumed, excluding the supply charge, shall be discounted by 10%.

**2. GENERAL**

The general charge shall be:

- a supply charge per month or part thereof \$6.00
- All consumption 12.72c per kWh

**2.1**

Where general consumption for a billing period is less than 120kWh on a monthly basis for meters read during 1994/95 only, the calculated charge for electricity consumed, excluding the supply charge, shall be discounted by 25%.

**3. COMMUNITY SERVICES DISCOUNT**

The community services charge shall be:

- a supply charge per month or part thereof \$6.00

The community services discount on the General energy rates shall be at the rate of 10%.

**4. OFF-PEAK 1/2**

The off-peak 1/2 charge shall be at the rate of:

- All consumption 3.97c per kWh

**5. OFF-PEAK 3**

The off-peak 3 charge shall be at the rate of:

- All consumption 4.50c per kWh

**6. STREETLIGHTING**

The streetlighting charge shall be:

- a supply charge per month or part thereof \$6.00
- All consumption 9.71c per kWh

**7. BUSINESS INCENTIVE TIME OF USE**

The business incentive TOU charge shall be:

- a supply charge per month or part thereof \$25.00
- For energy at peak times (as defined) 18.00c per kWh
- For energy at shoulder times (as defined) 18.00c per kWh
- For energy at off-peak times (as defined) 6.00c per kWh

**LOW VOLTAGE TIME OF USE DEMAND**

The LV time-of-use demand charge shall be:

- a supply charge per month or part thereof \$200.00
- For maximum demand at any time  
a charge per month of \$8.00 per kVA
- For energy at peak times (as defined) 11.80c per kWh
- For energy at shoulder times (as defined) 10.70c per kWh
- For energy at off-peak times (as defined) 3.97c per kWh

**9. HIGH VOLTAGE TIME OF USE DEMAND**

The HV time-of-use demand charge shall be:

- a supply charge per month or part thereof \$400.00
- For maximum demand at any time  
a charge per month of \$7.50 per kVA
- For energy at peak times (as defined) 10.60c per kWh
- For energy at shoulder times (as defined) 9.50c per kWh
- For energy at off-peak times (as defined) 3.65c per kWh

**10. MISCELLANEOUS ENERGY CHARGES**

Telemetric Services

- Water Reservoirs \$6.10 per month
- Flood Warning Alarm Systems \$8.40 per month

Telephone Boxes, Lighting (STD) \$8.90 per month

Cathodic Protection Rectifiers \$9.80 per month

Telephone Remote Customer Multiplexers (RCM)

- rated at 300 Watts or less \$36.00 per month
- rated above 300 Watts 12.00c per watt  
per month

## 11. APPLICATION OF RATES

11.1 The charge applicable for supply to each installation shall be in accordance with the following classification of premises, places and purposes:

11.2 **Domestic Charge** shall be applicable to installations at private dwellings, excluding serviced apartments, but including:

- living quarters for members and staff of religious orders;
- living quarters on farms;
- charitable homes;
- retirement villages;
- residential sections of nursing homes and hospitals;
- residential sections of boarding schools and educational institutions;
- churches-buildings or premises which are used principally for public worship; and
- approved caravan sites.

Serviced apartments are premises which from time to time are available for hire for accommodation for periods which may be less than one month and where service available to the apartments includes provision and laundering of bed linen

In respect of multiple dwellings of **three or more dwelling units**, the domestic charge will only be applicable where each dwelling unit is given a separately metered supply and the account is in the name of the occupant.

When a portion of a premises is used principally for domestic purposes, loads not exceeding five kilowatts, which are used for other than domestic purposes may be supplied at the domestic charge. For this purpose, the loading of equipment shall be taken to be:

- for permanently connected equipment, the actual rating of the equipment;
- for light fittings, 60 watts per light fitting;
- for plug sockets -
  - sockets rated 10 amperes or 10 amperes per phase:  
500 watts or 500 watts per phase;
  - sockets rated other than 10 amperes: the wattage rating shall be taken as 50 times the current rating of the socket.

11.3 **General Charge** shall be applicable to all installations which are not eligible for any other defined charge and shall include:

- installations on farms which are not living quarters and have loads exceeding five kilowatts(as defined above);
- nursing homes and hospitals, excluding residential sections;
- boarding schools and educational institutions, excluding residential sections;
- motels, hotels, serviced apartments and any form of accommodation used to house temporary residents for periods of less than one month at caravan parks or other temporary accommodation sites;
- shops, offices, warehouses, factories, professional rooms; and
- social or sporting club facilities not used for domestic accommodation.

- 11.4 **Temporary Supply** (e.g. for building purposes) may be rendered at the discretion of ACTEW provided that ACTEW shall estimate the cost for single or three phase installation, of installing, dismantling, connecting and disconnecting mains, lines and apparatus. The cost so estimated shall be lodged before connection will be effected. The rate chargeable for power used shall be at the **General Charge**.
- 11.5 **A Community Services Discount** on the **General Charge** shall be applicable to installations at premises or properties which are used, owned or operated by non-profit organisations.

An eligible organisation is a public benevolent institution as defined under subsection 78(1)(a)(ii) of the Income Tax Assessment Act, to which donations of \$2 upwards are tax deductible. In addition, it must be a non-profit organisation which is not in receipt of subsidies to defray operating costs

Organisations covered by this rate are Scout and Guide halls; Community halls and Church halls used by non-profit organisations, centres for the use of the aged, infirm, destitute or physically handicapped; but not including educational institutions or hospitals

- 11.6 **Off-Peak Charges** are available for customers other than those on a **Streetlighting or Demand principal charge**. They are applicable to permanent heat (or cold) storage installations of a design and rating acceptable to ACTEW, which absorb their major energy during restricted times, but which may be boosted at the principal charge at other times.

**Off-Peak Charge 1/2 (Standard Off-Peak)** shall provide operation for a minimum of 6 hours and a maximum of 8 hours within any one day, between 2200 hours (10.00pm) and 0700 hours (7.00am).

**Off-Peak Charge 3 (Extended Off-Peak)** shall provide operation for a total of 13 hours in any one day. The said 13 hours shall be comprised of 8 hours between 2200 hours (10.00pm) and 0700 hours (7.00am) and 5 hours between 0900 hours (9.00am) and 1700 hours (5.00pm).

The actual settings on the time switch will be nominated by ACTEW. Times referred to in this clause are in Australian Eastern Standard Time.

Both Off-Peak charges are applicable to:

- Water heating storage units for which a test certificate has been issued indicating compliance with Australian Standard 1056 and having lower or upper and lower elements but with any upper element connected to the principal charge. Rated delivery shall be not less than 160 litres;
- Water heating storage units where electricity is used to supplement other forms of energy (e.g. solar);
- Storage space heating or cooling including under-floor concrete slab heating systems;
- Swimming pool heating.

- "New Age" water heating units as defined below are eligible for operation on the Off-Peak 1/2 charge:
- Twin element water heater storage units for which a test certificate has been issued indicating compliance with Australian Standard 1056 used for hot water (excluding the use of hot water for space heating) in single unit, self-contained residential premises supplied at the Domestic Charge, sized according to the table below:

House size - Potential Bedrooms	Minimum Delivery (litres)
2 or less	250
3	315
4 or more	400

(A potential bedroom is deemed to be a room defined as a bedroom by the ACT Building Manual.)

Elements shall be rated at 4.8kW and interlocked to prevent simultaneous operation. Both will be connected to the Off-Peak 1/2 charge. The lower element shall be normally energised at the prescribed Off-Peak hours whereas the upper element will take supply at any time when the rising level of cold inlet water activates its thermostat;

- 11.7 **Streetlighting Charge** shall be applicable to the night time lighting of streets and public ways and places;
- 11.8 **Demand Charges.** Subject to an applicant first demonstrating his need for supply, and to installation by him at his premises at his own cost of all necessary equipment together with adequate accommodation for the installation and proper maintenance of that installation all to the satisfaction of ACTEW, Time of Use Demand (or obsolete Maximum Demand) supply may be made available to that installation:
- High Voltage Time of Use Demand Charge may be available to consumers taking supply at a nominal voltage not less than 1,000 volts.

#### **Demand Charge Time Periods**

- **Peak Hours Period** is defined as from 0700 hours (7.00am) to 0900 hours (9.00am) and from 1700 hours (5.00pm) to 2000 hours (8.00pm) on working weekdays.
- **Shoulder Hours Period** is defined as from 0900 hours (9.00am) to 1700 hours (5.00pm) and from 2000 hours (8.00pm) to 2200 hours (10.00pm) on working weekdays.
- **Off-Peak Hours Period** is defined as all other times.

Times referred to in this clause for Demand Charges are Australian Eastern Standard Time or Summer Time as declared from time to time for the Australian Capital Territory.

- 11.9 An **Application/Connection Charge** will apply to all new applications for supply of electricity.

A higher charge applies for applications lodged after 2.30pm on a working day where connection to supply is required prior to the next working day; and for applications lodged after-hours requiring connection prior to business hours on the next working day.

Business Hours: 8.30am to 4 45pm, Monday to Friday with the exception of Public Holidays.

After Hours: All other times.

12. **METER READINGS**

Meter readings (other than readings taken at the termination of supply) shall be taken to the nearest ten kilowatt hours (kWh).

**ELECTRICITY AND WATER ACT 1988**  
**DETERMINATION OF CHARGES**  
**NO. 3 OF 1994**

**DETERMINATION:**

The Australian Capital Territory Electricity and Water Authority (ACTEW) under Section 48 of the Electricity and Water Act 1988, makes the following determination fixing the charges that are to be payable to ACTEW for or in connection with the supply of sewerage services, for the rating year commencing on 1 July 1994.

In this determination "supply" includes "or the availability of supply".

**1. GENERAL**

- 1.1 This instrument determines the monetary rates of charges that are payable to ACTEW for or in connection with the supply of sewerage services in accordance with the Sewerage Rates Act 1968
- 1.2 The \$271 charge includes a component of \$40 for specific environmental works as advised to the community in previous years.

**2. SCHEDULE OF CHARGES**

- 2.1 For the supply of sewerage services to a Class 1 parcel of chargeable land  
**271.00**
- 2.2 For the supply of sewerage services to each residential unit contained in a building or buildings erected on a Class 2 parcel of chargeable land  
**271.00**
- 2.3 For the supply of sewerage services to each residential unit contained in a building erected on a Class 3 parcel of chargeable land which is, on the first day of a rating year, held under a weekly or fortnightly tenancy from the Commonwealth.  
**271.00**
- 2.4 For the supply of sewerage services to a Class 4 parcel of chargeable land described by sub-sections 6(1)(d)(i), (ii) and (v) of the Sewerage Acts 1968  
**271.00**
- together with  
for each flushing cistern or flush valve situated on the parcel of chargeable land in excess of two flushing cisterns or flush valves.  
**135.00**



- 2.5 For the supply of sewerage services to a Class 4 parcel of chargeable land described by sub-sections 6(1)(d)(iii) and (iv) of the Sewerage Rates Act 1968
- 271.00
- together with 271.00
- for each flushing cistern or flush valve situated on the parcel of chargeable land in excess of two flushing cisterns or flush valves.
- 2.6 For the supply of sewerage services to a Class 5 parcel of chargeable land
- 271.00
- together with 271.00
- for each flushing cistern or flush valve situated on the parcel of chargeable land in excess of two flushing cisterns or flush valves

ELECTRICITY AND WATER ACT 1988  
DETERMINATION OF CHARGE

## NO. 4 OF 1994

The Australian Capital Territory Electricity and Water Authority (ACTEW) under Section 48 of the **Electricity and Water Act 1988**, makes the following determination fixing the charges that are payable to ACTEW for, or in connection with, the supply of electricity, with effect on and from 1 July 1994.

1. ELECTRICITY SERVICE CHARGES	\$
Application/Connection - Business Hours	33.00
- After Hours	40.00
Special Reading	33.00
Attendance (Debt Collection)	15.00 first visit, 20.00 for each subsequent visit in any one year
Reconnection Charge (After disconnection for non payment)	25.00
Temporary Supply Installation	
- Single Phase overhead not less than	112.00
- Three Phase overhead not less than	122.00
- Free standing underground not less than	430.00
<b>New temporary supply charges:</b>	
- Single Phase underground not less than	112.00
- Three Phase underground not less than	122.00
Change position of service mains	112.00 per visit
Removal and reconnection of service	112.00 per visit
Installation Inspection - Retest	51.00
Meter Test (Deposit)	38.00
 2. <b>Miscellaneous Charges</b>	
Issue of an Electrical Compliance Certificate	25.00
Issue of an Electrical Compliance Certificate (at the same time as a plumbing compliance certificate)	20.00
Approval of electrical plans	50.00
Issue of copies of electrical drawings	10.00
Dishonoured Cheque (administration charge)	6.00 per account
Minimum charge of	20.00 per cheque
 <b>New Charge</b>	
Direct Debit Reject (administration charge)	5.00 per reject

**ELECTRICITY AND WATER ACT 1988**  
**DETERMINATION OF CHARGE**  
**NO. 5 OF 1994**

**DETERMINATION:**

The Australian Capital Territory Electricity and Water Authority (ACTEW) under Section 48 of the **Electricity and Water Act 1988**, makes the following determination fixing the charge that is to be payable to ACTEW for the bulk supply of water to Queanbeyan City Council for the financial year 1994/95

**1. CHARGE**

For the sale of water to Queanbeyan City Council -  
34 cents per kilolitre

**ELECTRICITY AND WATER ACT 1988  
DETERMINATION OF CHARGES  
NO. 6 OF 1994**

**DETERMINATION:**

The Australian Capital Territory Electricity and Water Authority (ACTEW) under Section 48 of the *Electricity and Water Act 1988*, makes the following determination in respect of services relating to Water Mains. The charges determined hereunder come into effect on and from 1 July 1994.

<b>SERVICE</b>	<b>CHARGE \$</b>
<b>1. CONNECTION TO EXISTING MAIN</b>	
1.1 Tapping into Cast Iron or Ductile Iron main	
20mm diameter tapping	200.00
25mm diameter tapping	215.00
1.2 Tapping into Main where Tapping Band is required (20 and 25mm)	
100mm diameter main	295.00
150mm diameter main	300.00
225mm diameter main	320.00

The above charges apply to one site visit only. If subsequent visits are necessary due to inadequate excavation etc, an additional charge of \$35.00 per visit will apply.

**2. INSERTION OF A TEE CONNECTION INTO AN EXISTING MAIN**

2.1 With a flanged branch	
100mm diameter main	1435.00
150mm diameter main	1640.00
225mm diameter main	2150.00
300mm diameter main	2735.00

**Note:** Refer to Item 3 for charge for stop cocks and valves on branch connections.

2.2 Additional charge with a flanged socket	
100mm diameter	50.00
150mm diameter	90.00
225mm diameter	225.00
300mm diameter	340.00

3. SUPPLY & INSTALLATION OF STOP VALVE OR STOP COCKS

3.1 Where installed at same time as tee connection (item 2 1)

40mm brass stop cock	190.00
50mm brass stop cock	215.00
65mm brass stop cock	280.00
80mm brass stop cock	330.00
100mm cast iron stop valve	410.00
150mm cast iron stop valve	560.00
225mm cast iron stop valve	1400.00
300mm cast iron stop valve	2025.00

3.2 Where installed on an existing flanged tee connection

Charges in 3.1 above plus	430.00
---------------------------	--------

3.3 Installation of stop valves in existing mains and service lines

100mm diameter cast iron stop valve	1385.00
150mm diameter cast iron stop valve	1515.00
225mm diameter cast iron stop valve	2955.00
300mm diameter cast iron stop valve	3615.00

**Note:** Valve covers, indicators etc are not included. However these must be fixed by the Contractor where any cast iron valve is installed

4. REMOVAL OF END CAP AND CONNECTION TO MAIN

100mm diameter	1190.00
150mm diameter	1310.00
225mm diameter	2100.00
300mm diameter	2350.00

**Note:** Above charges include supply of gibault type joints only. These charges do not include the pipes which are to be supplied by the Contractor.

Excavation behind and removal of anchor blocks prior to connection will be carried out by ACTEW.

Where end caps are greater than 5m apart an additional charge may be made for excavation by ACTEW.

5. END CAPPING OF MAIN

5.1 Installation of Single End Cap

100mm diameter	870.00
150mm diameter	885.00
225mm diameter	1025.00
300mm diameter	1105.00

5.2	Installation of Double End Caps (back to back) As above, plus the cost of an additional end cap at the charge shown below.	
	100mm diameter	35.00
	150mm diameter	35.00
	225mm diameter	75.00
	300mm diameter	160.00
5.3	Installation of temporary double end caps, removal, recovery & reconnection	
	100mm diameter	1405.00
	150mm diameter	1550.00
	225mm diameter	2275.00
	300mm diameter	2540.00

**6. REMOVAL OF CAST IRON SOCKETED TEE CONNECTION, CROSS CONNECTION OR STOP VALVE**

	100mm diameter	785.00
	150mm diameter	915.00
	225mm diameter	1640.00
	300mm diameter	1905.00

**Note:** The make-up piece of pipe is included in the applicable charge.

**7. SUPPLY AND INSTALLATION OF SOCKETED TAPER**

	150mm x 100mm diameter	70.00
	225mm x 100mm diameter	240.00
	225mm x 150mm diameter	240.00
	300mm x 100mm diameter	400.00
	300mm x 150mm diameter	400.00
	300mm x 225mm diameter	400.00

**Note** These charges apply to tapers which are required as part of work associated with Items 2, 3, 5, 6 and 9.

**8. INSTALLATION OF FIRE HYDRANT**

8.1	Where insertion of hydrant tee is required	
	100mm diameter tee	1345.00
	150mm diameter tee	1485.00
	225mm diameter tee	2305.00
	300mm diameter tee	2700.00
8.2	Installation on an existing tee connection	605.00

8.3	Additional hydrant riser	
	100mm to 375mm long	30.00
	450mm to 600mm long	90 00

**Note** Hydrant covers and indicators etc, are to be supplied and fixed by the Contractor.

**9.0 INSERTION OF SOCKETED BEND ON EXISTING MAIN**

100mm diameter	1165 00
150mm diameter	1260.00
225mm diameter	1940 00
300mm diameter	2405 00

**Note** These charges do not apply where a bend is required to correct misalignment errors immediately adjacent to new connections. In this case, bends where approved, are to be supplied by the Contractor.

**10.0 TESTING OF MAIN**

**Basic Charge**  
 This includes 4 hours hire of equipment & operators 615 00

**Hourly Rate**  
 This will apply to all hours worked over and above the minimum time of 4 hours  
 - Normal hours 130 00

**Note** In case of test failure, the basic charge will apply to every subsequent test.

**11.0 SUPPLY AND FIX STOP VALVE LOCKING COVER 255.00**

**Note** This charge includes the installation and removal at a later date.

**12. INSTALLATION OF METERED OVERHEAD FILLING POINT**

12.1 By connection to existing hydrant tee 1460.00

12.2 Where a new tee connection has to be inserted in the main

<b>Main Diameter</b>	
100mm	3090.00
150mm	3310.00
225mm	4175.00
300mm	4540.00

12.3	A reduction applies where the standpipe and support is supplied by the Contractor	265.00
------	---	--------

12.4	A reduction also applies to an unmetered standpipe	90.00
------	--	-------

**Note** The above charges include a provision for removal on completion of project, and urgent and minor maintenance once erected. However, where major damage occurs the cost of repairs may be charged direct to the Contractor for whom the installation was made.

### 13.0 DISCONNECTION OF WATER SERVICE

**Note** The following charges make allowance for excavation, backfilling and restoration of area.

13.1	Service 20mm to 32mm diameter, (including main cock connection)	430.00
13.2	Service 32mm to 150mm diameter (including flanged tee connection)	605.00
13.3	Service 100mm or 150mm on mains of following sizes	
	100mm diameter main	1270.00
	150mm diameter main	1360.00
	225mm diameter main	1715.00
	300mm diameter main	1920.00

**Note** This involves removal of tee connection and main restoration.



ELECTRICITY AND WATER ACT 1988  
DETERMINATION OF CHARGES  
NO. 7 OF 1994

The Australian Capital Territory Electricity and Water Authority (ACTEW) under Section 48 of the *Electricity and Water Act 1988*, makes the following determination fixing the charges that are payable to ACTEW for or in connection with sewer and stormwater main connections. The charges determined hereunder come into effect on and from 1 July 1994.

SERVICE	CHARGE \$
1. SEWER MAINS	
1.1 100mm diameter junction into 150mm diameter main	440.00
1.2 100mm diameter junction into 225mm diameter main	665.00
1.3 100mm diameter junction into 300mm diameter main	900.00
1.4 Breaking into existing 150mm, 225mm or 300mm diameter main at a new manhole	625.00
1.5 Connection to existing standard manhole without drop 100mm or 150mm diameter	830.00
225mm diameter	925.00
1.6 150mm connection to existing standard manhole including external drop of up to 2 metres	2900.00
Rate for each additional metre of drop	135.00
1.7 225mm connection to existing standard manhole including external drop of up to 2 metres	2940.00
Rate for each additional metre of drop	155.00
1.8 Provide 100mm or 150mm diameter collar out of existing standard sewer manhole for house connection without drop	720.00
1.9 Connecting main to end of existing main or collar out existing manhole 150mm diameter	515.00
225mm diameter	590.00
1.10 100mm diameter PVC temporary connection to standard sewer manhole including removal of PVC pipe from manhole at completion of project	500.00

1 11	Alterations to height of manhole. Raise or lower manhole up to 300mm where the only alteration is to the neck of the manhole and the total length of neck and ring does not exceed 450mm	320.00
1 12	Supply and fit oversize manhole ring requiring alteration to manhole cone	430.00
1 13	Supply and fit "Gatic" type cover to an existing manhole	515.00
2.	<b>STORMWATER MAINS</b>	
2 1	100mm or 150mm diameter branch in 300mm or larger main	245.00
2 2	100mm, 150mm or 225mm diameter junction in 225mm diameter main	665.00
2.3	100mm, 150mm or 225mm diameter collar in existing standard stormwater manhole or sump	505.00
	Convert kerb inlet sumps to mountable type:	
2.4	Model P and Q - single	1045.00
2.5	Model P, Q and R - double	1150.00

**ELECTRICITY AND WATER ACT 1988**  
**DETERMINATION OF CHARGES**  
**NO. 8 OF 1994**

The Australian Capital Territory Electricity and Water Authority (ACTEW) under Section 48 of the **Electricity and Water Act 1988**, makes the following determination fixing the charges that are payable to ACTEW for, or in connection with, the supply of water, for the rating year commencing 1 July 1994.

**1. GENERAL**

- 1.1 This instrument determines the monetary rates of charges that are payable to ACTEW for or in connection with the supply of water in accordance with the **Water Rates Act 1959**.
- 1.2 This determination is made with the expectation that the "prescribed quantity of water" will be one kilolitre from 1 July 1994.
- 1.3 References to supply include "or availability of supply."

**2. APPLICATION OF CHARGES**

- 2.1 **Standard Charge** shall be applicable to supply to a parcel of land referred to in Section 6 of the **Water Rates Act 1959**.
- 2.2 **Multiple Domestic Charge** shall be applicable to supply to a parcel of land referred to in Section 7 of the **Water Rates Act 1959**.
- 2.3 **Units and Common Property Charge** shall be applicable to supply to a parcel of land referred to in Section 7A of the **Water Rates Act 1959**.
- 2.4 **University of Canberra Charge** shall be applicable to supply to a parcel of land referred to in Section 7B of the **Water Rates Act 1959**.
- 2.5 **Australian National University Charge** shall be applicable to supply to a parcel of land referred to in Section 7C of the **Water Rates Act 1959**.
- 2.6 **Unmetered Charge** shall be applicable to supply to a parcel of land referred to in Section 8 of the **Water Rates Act 1959**.
- 2.7 **Unconnected Charge** shall be applicable to supply to a parcel of land referred to in Section 9 of the **Water Rates Act 1959**.
- 2.8 **Short Tenancy Charge** shall be applicable to supply to a parcel of land referred to in Section 14 of the **Water Rates Act 1959**.

## 3. SCHEDULE OF CHARGES

## 3.1 Standard

The standard charge shall be at the rate of:

Supply charge to each parcel of land in each charging year	\$130.00
and for the first 350 kilolitres of water supplied in excess of the prescribed quantity of water	28 cents per kilolitre
and for all kilolitres of water supplied in excess of 351 kilolitres	64 cents per kilolitre
or in the case of water supplied to a school or church or ecclesiastical establishment for all kilolitres supplied in excess of 351 kilolitres	32 cents per kilolitre

3.2 Multiple Domestic (as defined in section 7 of the *Water Rates Act 1959* -as amended)

The multiple domestic charge shall be at the rate of:

Supply charge to each residential unit in each charging year	\$180.00
--	----------

## 3.3 Units and Common Property

The units and common property charge shall be at the rate of:

Supply charge to each residential unit in each charging year	\$130.00
and for the first 350 kilolitres of water consumed in excess of the prescribed quantity of water	28 cents per kilolitre
and for all kilolitres of water consumed in excess of 351 kilolitres	64 cents per kilolitre

## 3.4 University of Canberra

The University of Canberra charge shall be at the rate of:

Supply charge to each parcel of land in each charging year	\$130.00
and for the first 350 kilolitres of water supplied in excess of the prescribed quantity of water	28 cents per kilolitre
and for all kilolitres of water supplied in excess of 351 kilolitres	64 cents per kilolitre

- 3.5 **Australian National University**  
The Australian National University charge shall be at the rate of.
- |  |                        |
|--|------------------------|
| Supply charge to each parcel of land in each charging year                                       | \$130.00               |
| and for the first 350 kilolitres of water supplied in excess of the prescribed quantity of water | 28 cents per kilolitre |
| and for all kilolitres of water supplied in excess of 351 kilolitres                             | 64 cents per kilolitre |
- 3.6 **Unmetered Charge**  
The unmetered charge shall be at the rate of
- |  |          |
|--|----------|
| Supply charge to each parcel of land in each charging year | \$130.00 |
|--|----------|
- 3.7 **Unconnected Charge**  
The unconnected charge shall be at the rate of
- |   |          |
|---|----------|
| Supply charge to each parcel of land in each charging year. | \$130.00 |
|---|----------|
- 3.8 **Short Tenancy Charge**  
The short tenancy charge shall be at the sum of
- (i) an amount calculated in accordance with the formula  
$$\frac{AB}{365}$$
 where A is the number of days in the relevant period of tenancy; and B is \$130.00; and
- (ii) for the first 350 kilolitres of water supplied in excess of the quantity of water calculated in accordance with the following formula  
$$\frac{AC}{365}$$
 where A is the number of days in the relevant period of tenancy; and C is the prescribed quantity of water, and
- |  |                        |
|--|------------------------|
| (iii) for all kilolitres of water supplied in excess of 351 kilolitres | 64 cents per kilolitre |
|--|------------------------|