



Australian Capital Territory Gazette

SPECIAL GAZETTE

No. S94, Friday 19 May 1995

**ELECTRICITY AND WATER ACT 1988
DETERMINATION OF CHARGES
NO. 1 OF 1995**

The Australian Capital Territory Electricity and Water Authority (ACTEW) under Section 48 of the Electricity and Water Act 1988, makes the following determination fixing the charges that are payable to ACTEW for, or in connection with, the supply of electricity, with effect on and from 1 July 1995.

General

This Determination prescribes the monetary rates of charges that are payable to ACTEW for or in connection with supply of electricity to consumers.

1. **DOMESTIC**
The domestic charge shall be:
 - a supply charge per month \$5.50
 - All consumption 7.99c per kWh

2. **GENERAL**
The general charge shall be:
 - a supply charge per month \$8.00
 - All consumption 12.99c per kWh

3. **COMMUNITY SERVICES DISCOUNT (Obsolete)**
The community services charge shall be:
 - a supply charge per month \$8.00The community services discount on the General energy rates shall be at the rate of 6.5%

4. **OFF-PEAK 1/2**
The off-peak 1/2 charge shall be at the rate of:
All consumption 4.00c per kWh

5. **OFF-PEAK 3**
The off-peak 3 charge shall be at the rate of:
All consumption 4.80c per kWh

- 6. STREETLIGHTING**
The streetlighting charge shall be:
- a supply charge per month \$8.00
- The streetlighting discount on the General energy rates shall be at the rate of 20%
- 7. BUSINESS INCENTIVE TIME OF USE**
The business incentive TOU charge shall be:
- a supply charge per month \$25.00
- For energy at peak times (as defined) 19.00c per kWh
- For energy at shoulder times (as defined) 15.00c per kWh
- For energy at off-peak times (as defined) 6.00c per kWh
- 8. LOW VOLTAGE TIME OF USE DEMAND**
The LV time-of-use demand charge shall be:
- a supply charge per month \$200
- For maximum demand at any time a charge per month of \$7.50 per kVA
- For energy at peak times (as defined) 12.40c per kWh
- For energy at shoulder times (as defined) 10.90c per kWh
- For energy at off-peak times (as defined) 4.00c per kWh
- 9. HIGH VOLTAGE TIME OF USE DEMAND**
The HV time-of-use demand charge shall be:
- a supply charge per month \$400
- For maximum demand at any time a charge per month of \$6.50 per kVA
- For energy at peak times (as defined) 11.60c per kWh
- For energy at shoulder times (as defined) 10.20c per kWh
- For energy at off-peak times (as defined) 3.95c per kWh
- 10. MISCELLANEOUS ENERGY CHARGES**
Small unmetered loads with assessed ratings of:
- 50 Watts or less \$10.50 per month
- more than 50 but not exceeding 150 W \$21.00 per month
- more than 150 but not exceeding 300 W \$37.00 per month
- more than 300 but not exceeding 600 W 12.20c per watt per month
- 11. APPLICATION OF RATES**
- 11.1** The charge applicable for supply to each installation shall be in accordance with the following classification of premises, places and purposes:

- 11.2** Domestic Charge shall be applicable to installations at private dwellings, excluding serviced apartments, but including:
- . living quarters for members and staff of religious orders;
 - . living quarters on farms;
 - . charitable homes;
 - . retirement villages;
 - . residential sections of nursing homes and hospitals;
 - . residential sections of boarding schools and educational institutions;
 - . churches - buildings or premises which are used principally for public worship; and
 - . approved caravan sites.

Serviced apartments are premises which from time to time are available for hire for accommodation for periods which may be less than one month and where service available to the apartments includes provision and laundering of bed linen.

In respect of multiple dwellings of three or more dwelling units, the domestic charge will only be applicable where each dwelling unit is given a separately metered supply and the account is in the name of the occupant.

When a portion of a premises is used principally for domestic purposes, loads not exceeding five kilowatts, which are used for other than domestic purposes may be supplied at the domestic charge. For this purpose, the loading of equipment shall be taken to be:

- . for permanently connected equipment, the actual rating of the equipment;
- . for light fittings, 60 watts per light fitting;
- . for plug sockets -
 - ♦ sockets rated 10 amperes or 10 amperes per phase:
500 watts or 500 watts per phase;
 - ♦ sockets rated other than 10 amperes: the wattage rating shall be taken as 50 times the current rating of the socket.

- 11.3** General Charge shall be applicable to all installations which are not eligible for any other defined charge and shall include:
- installations on farms which are not living quarters and have loads exceeding five kilowatts (as defined above);
 - nursing homes and hospitals, excluding residential sections;
 - boarding schools and educational institutions, excluding residential sections;
 - motels, hotels, serviced apartments and any form of accommodation used to house temporary residents for periods of less than one month at caravan parks or other temporary accommodation sites;
 - shops, offices, warehouses, factories, professional rooms; and
 - social or sporting club facilities not used for domestic accommodation.

- 11.4** Temporary Supply (e.g. for building purposes) may be rendered at the discretion of ACTEW provided that ACTEW shall estimate the cost for single or three phase installation, of installing, dismantling, connecting and disconnecting mains, lines and apparatus. The cost so estimated shall be lodged before connection will be effected. The rate chargeable for power used shall be at the General Charge.

- 11.5** The Community Services Discount on the General Charge is obsolete. It shall only be available to existing installations receiving this discount.

4 Electricity and Water Act 1988

- 11.6 Off-Peak Charges are available only to customers taking all other energy at Domestic or General Rates. They are applicable to permanent heat (or cold) storage installations of a design and rating acceptable to ACTEW, which absorb their major energy during restricted times, but which may be boosted at the principal charge at other times.

Off-Peak Charge 1/2 (Standard Off-Peak) shall provide operation for a minimum of 6 hours and a maximum of 8 hours within any one day, between 2200 hours (10.00pm) and 0700 hours (7.00am).

Off-Peak Charge 3 (Extended Off-Peak) shall provide operation for a total of 13 hours in any one day. The said 13 hours shall be comprised of 8 hours between 2200 hours (10.00pm) and 0700 hours (7.00am) and 5 hours between 0900 hours (9.00am) and 1700 hours (5.00pm).

The actual settings on the time switch will be nominated by ACTEW. Times referred to in this clause are in Australian Eastern Standard Time.

Both Off-Peak charges are applicable to:

- Water heating storage units for which a test certificate has been issued indicating compliance with Australian Standard 1056 and having lower or upper and lower elements but with any upper element connected to the principal charge. Rated delivery shall be not less than 160 litres;
- Water heating storage units where electricity is used to supplement other forms of energy (e.g. solar);
- Storage space heating or cooling including under-floor concrete slab heating systems;
- Swimming or spa pool heating, and associated auxiliaries, but not to spa baths.

"New Age" water heating units as defined below are eligible for operation on the Off-Peak 1/2 charge:

- Twin element water heater storage units for which a test certificate has been issued indicating compliance with Australian Standard 1056 used for hot water (excluding the use of hot water for space heating) in single unit, self-contained residential premises supplied at the Domestic Charge, sized according to the table below:

House size - Potential Bedrooms	Minimum Delivery (litres)
2 or less	250
3	315
4 or more	400

(A potential bedroom is deemed to be a room defined as a bedroom by the ACT Building Manual.)

Elements shall be rated at 4.8kW and interlocked to prevent simultaneous operation. Both will be connected to the Off-Peak 1/2 charge. The lower element shall be normally energised at the prescribed Off-Peak hours whereas the upper element will take supply at any time when the rising level of cold inlet water activates its thermostat;

- 11.7 The Streetlighting Discount on the General Charge shall be applicable to the night time lighting of streets and public ways and places;

- 11.8 **Time of Use Demand Charges.** Subject to an applicant first demonstrating his need for supply, and to provision by him at his premises at his own cost of all necessary equipment together with adequate accommodation for the installation and proper maintenance of that installation all to the satisfaction of ACTEW, Time of Use Demand supply may be made available to that installation:

High Voltage Time of Use Demand Charge may be available to consumers taking supply at a nominal voltage not less than 11,000 volts.

Time of Use Charge Time Periods

- **Peak Hours Period** is defined as from 0700 hours (7.00am) to 0900 hours (9.00am) and from 1700 hours (5.00pm) to 2000 hours (8.00pm) on working weekdays.
- **Shoulder Hours Period** is defined as from 0900 hours (9.00am) to 1700 hours (5.00pm) and from 2000 hours (8.00pm) to 2200 hours (10.00pm) on working weekdays.
- **Off-Peak Hours Period** is defined as all other times.

Times referred to in this clause for **Time of Use Charges** are Australian Eastern Standard Time or Summer Time as declared from time to time for the Australian Capital Territory.

12. METER READINGS & APPLICATION OF CHARGES

Meter readings (other than readings taken at the termination of supply) shall be taken to the nearest ten kilowatt hours (kWh).

Supply and Miscellaneous Energy Charges shall be applied per point of supply. Until a date to be announced, they shall be charged per month or part thereof. Subsequent to that date they shall be applied daily.

**ELECTRICITY AND WATER ACT 1988
DETERMINATION OF CHARGES
NO. 2 OF 1995**

The Australian Capital Territory Electricity and Water Authority (ACTEW) under Section 48 of the Electricity and Water Act 1988, makes the following determination fixing the charges that are payable to ACTEW for, or in connection with, the supply of water, for the rating year commencing 1 July 1995.

1. GENERAL

- 1.1 This instrument determines the monetary rates of charges that are payable to ACTEW for or in connection with the supply of water in accordance with the Water Rates Act 1959.
- 1.2 This determination is made with the expectation that the "prescribed quantity of water" will remain at one kilolitre from 1 July 1995
- 1.3 References to supply include "or availability of supply."

2. APPLICATION OF CHARGES

- 2.1 **Standard Charge** shall be applicable to supply to a parcel of land referred to in Section 6 of the Water Rates Act 1959.
- 2.2 **Multiple Domestic Charge** shall be applicable to supply to a parcel of land referred to in Section 7 of the Water Rates Act 1959.
- 2.3 **Units and Common Property Charge** shall be applicable to supply to a parcel of land referred to in Section 7A of the Water Rates Act 1959.
- 2.4 **University of Canberra Charge** shall be applicable to supply to a parcel of land referred to in Section 7B of the Water Rates Act 1959.
- 2.5 **Australian National University Charge** shall be applicable to supply to a parcel of land referred to in Section 7C of the Water Rates Act 1959.
- 2.6 **Unmetered Charge** shall be applicable to supply to a parcel of land referred to in Section 8 of the Water Rates Act 1959.
- 2.7 **Unconnected Charge** shall be applicable to supply to a parcel of land referred to in Section 9 of the Water Rates Act 1959.
- 2.8 **Short Tenancy Charge** shall be applicable to supply to a parcel of land referred to in Section 14 of the Water Rates Act 1959.

3. SCHEDULE OF CHARGES

3.1 Standard

The standard charge shall be at the rate of:

Supply charge to each parcel of land in each charging year	\$130.00
and for the first 350 kilolitres of water supplied in excess of the prescribed quantity of water	30 cents per kilolitre
and for all kilolitres of water supplied in excess of 351 kilolitres	70 cents per kilolitre
or in the case of water supplied to a school or church or ecclesiastical establishment for all kilolitres supplied in excess of 351 kilolitres	35 cents per kilolitre

3.2 Multiple Domestic (as defined in section 7 of the *Water Rates Act 1959* -as amended)

The multiple domestic charge shall be at the rate of:

Supply charge to each residential unit in each charging year	\$183.00
--	-----------------

3.3 Units and Common Property

The units and common property charge shall be at the rate of:

Supply charge to each residential unit in each charging year	\$130.00
and for the first 350 kilolitres of water consumed in excess of the prescribed quantity of water	30 cents per kilolitre
and for all kilolitres of water consumed in excess of 351 kilolitres	70 cents per kilolitre

3.4 University of Canberra

The University of Canberra charge shall be at the rate of:

Supply charge to each parcel of land in each charging year	\$130.00
and for the first 350 kilolitres of water supplied in excess of the prescribed quantity of water	30 cents per kilolitre
and for all kilolitres of water supplied in excess of 351 kilolitres	70 cents per kilolitre

- 3.5 Australian National University**
The Australian National University charge shall be at the rate of:
- | | |
|--|-------------------------------|
| Supply charge to each parcel of land in each charging year | \$130.00 |
| and for the first 350 kilolitres of water supplied in excess of the prescribed quantity of water | 30 cents per kilolitre |
| and for all kilolitres of water supplied in excess of 351 kilolitres | 70 cents per kilolitre |
- 3.6 Unmetered Charge**
The unmetered charge shall be at the rate of:
- | | |
|--|-----------------|
| Supply charge to each parcel of land in each charging year | \$130.00 |
|--|-----------------|
- 3.7 Unconnected Charge**
The unconnected charge shall be at the rate of:
- | | |
|---|-----------------|
| Supply charge to each parcel of land in each charging year. | \$130.00 |
|---|-----------------|
- 3.8 Short Tenancy Charge**
The short tenancy charge shall be at the sum of:
- (i) an amount calculated in accordance with the formula $\frac{AB}{365}$ where A is the number of days in the relevant period of tenancy; and B is \$130.00; and
- (ii) for the first 350 kilolitres of water supplied in excess of the quantity of water calculated in accordance with the following formula $\frac{AC}{365}$ where A is the number of days in the relevant period of tenancy; and C is the prescribed quantity of water, and
- | | |
|------------------------|-------------------------------|
| 30 cents per kilolitre | 30 cents per kilolitre |
|------------------------|-------------------------------|
- (iii) for all kilolitres of water supplied in excess of 351 kilolitres
- | | |
|------------------------|-------------------------------|
| 70 cents per kilolitre | 70 cents per kilolitre |
|------------------------|-------------------------------|

**ELECTRICITY AND WATER ACT 1988
DETERMINATION OF CHARGES
NO. 3 OF 1995**

DETERMINATION:

The Australian Capital Territory Electricity and Water Authority (ACTEW) under Section 48 of the Electricity and Water Act 1988, makes the following determination fixing the charges that are to be payable to ACTEW for or in connection with the supply of sewerage services, for the rating year commencing on 1 July 1995.

In this determination "supply" includes "or the availability of supply".

GENERAL

- 1.1 This instrument determines the monetary rates of charges that are payable to ACTEW for or in connection with the supply of sewerage services in accordance with the Sewerage Rates Act 1968.
- 1.2 The \$278 charge includes a component of \$40 for specific environmental works as advised to the community in previous years.

2. SCHEDULE OF CHARGES

	\$
2.1 For the supply of sewerage services to a Class 1 parcel of chargeable land	278.00
2.2 For the supply of sewerage services to each residential unit contained in a building or buildings erected on a Class 2 parcel of chargeable land	278.00
2.3 For the supply of sewerage services to each residential unit contained in a building erected on a Class 3 parcel of chargeable land which is, on the first day of a rating year, held under a weekly or fortnightly tenancy from the Commonwealth.	278.00
2.4 For the supply of sewerage services to a Class 4 parcel of chargeable land described by sub-sections 6(1)(d)(i), (ii) and (v) of the Sewerage Rates Act 1968	278.00
together with for each flushing cistern or flush valve situated on the parcel of chargeable land in excess of two flushing cisterns or flush valves.	139.00

- | | | |
|-----|---|--------|
| 2.5 | For the supply of sewerage services to a Class 4 parcel of chargeable land described by sub-sections 6(1)(d)(iii) and (iv) of the Sewerage Rates Act 1968 | 278.00 |
| | together with | 278.00 |
| | for each flushing cistern or flush valve situated on the parcel of chargeable land in excess of two flushing cisterns or flush valves. | |
| 2.6 | For the supply of sewerage services to a Class 5 parcel of chargeable land | 278.00 |
| | together with | 278.00 |
| | for each flushing cistern or flush valve situated on the parcel of chargeable land in excess of two flushing cisterns or flush valves. | |

ELECTRICITY AND WATER ACT 1988
DETERMINATION OF CHARGE
NO. 4 OF 1995

DETERMINATION:

The Australian Capital Territory Electricity and Water Authority (ACTEW) under Section 48 of the Electricity and Water Act 1988, makes the following determination fixing the charge that is to be payable to ACTEW for the bulk supply of water to Queanbeyan City Council for the financial year 1995/96.

1. CHARGE

For the sale of water to Queanbeyan City Council - 38 cents per kilolitre

ELECTRICITY AND WATER ACT 1988
DETERMINATION OF CHARGE
NO. 5 OF 1995

DETERMINATION:

The Australian Capital Territory Electricity and Water Authority (ACTEW), under Section 48 of the Electricity and Water Act 1988 makes the following determination fixing the charge that is payable to ACTEW for or in connection with the supply of services as required under the Canberra Sewerage and Water Supply Regulations in force under the Electricity and Water Act 1988. This charge will come into effect on and from 1 July 1995.

1. CHARGE

- 1.1 For the sale of unmetered water referred
to in Regulation 92A of the Regulations 70c

ELECTRICITY AND WATER ACT 1988
DETERMINATION OF CHARGES
NO. 6 OF 1995

DETERMINATION:

The Australian Capital Territory Electricity and Water Authority (ACTEW) under Section 48 of the Electricity and Water Act 1988, makes the following determination in respect of services relating to Water Mains. The charges determined hereunder come into effect on and from 1 July 1995.

SERVICE	CHARGE \$
---------	-----------

1. CONNECTION TO EXISTING MAIN

1.1 Tapping into Cast Iron or Ductile Iron main

20mm diameter tapping	205.00
25mm diameter tapping	220.00

1.2 Tapping into Main where Tapping Band is required (20 and 25mm)

100mm diameter main	305.00
150mm diameter main	310.00
225mm diameter main	330.00

The above charges apply to one site visit only. If subsequent visits are necessary due to inadequate excavation etc, an additional charge of \$35.00 per visit will apply.

2. INSERTION OF A TEE CONNECTION INTO AN EXISTING MAIN

2.1 With a flanged branch

100mm diameter main	1480.00
150mm diameter main	1690.00
225mm diameter main	2215.00
300mm diameter main	2815.00

Note: Refer to Item 3 for charge for stop cocks and valves on branch connections.

2.2 Additional charge with a flanged socket

100mm diameter	50.00
150mm diameter	90.00
225mm diameter	230.00
300mm diameter	350.00

3. SUPPLY & INSTALLATION OF STOP VALVE OR STOP COCKS**3.1 Where installed at same time as tee connection (item 2.1)**

40mm brass stop cock	195.00
50mm brass stop cock	220.00
65mm brass stopcock	290.00
80mm brass stop cock	340.00
100mm cast iron stop valve	420.00
150mm cast iron stop valve	575.00
225mm cast iron stop valve	1440.00
300mm cast iron stop valve	2085.00

3.2 Where installed on an existing flanged tee connection:

Charges in 3.1 above plus	443.00
---------------------------	--------

3.3 Installation of stop valves in existing mains and service lines

100mm diameter cast iron stop valve	1425.00
150mm diameter cast iron stop valve	1560.00
225mm diameter cast iron stop valve	3045.00
300mm diameter cast iron stop valve	3725.00

Note: Valve covers, indicators etc are not included. However these must be fixed by the Contractor where any cast iron valve is installed

4. REMOVAL OF END CAP AND CONNECTION TO MAIN

100mm diameter	1225.00
150mm diameter	1350.00
225mm diameter	2165.00
300mm diameter	2420.00

Note: Above charges include supply of gibault type joints only. These charges do not included the pipes which are to be supplied by the Contractor.

Excavation behind and removal of anchor blocks prior to connection will be carried out by ACTEW.

Where end caps are greater than 5m apart an additional charge may be made for excavation by ACTEW.

5 END CAPPING OF MAIN**5.1 Installation of Single End Cap**

100mm diameter	895.00
150mm diameter	910.00
225mm diameter	1055.00
300mm diameter	1140.00

- 5.2 Installation of Double End Caps (back to back).
As above, plus the cost of an additional end cap at
the charge shown below.

100mm diameter	35.00
150mm diameter	35.00
225mm diameter	75.00
300mm diameter	165.00

- 5.3 Installation of temporary double end caps,
removal, recovery & reconnection

100mm diameter	1445.00
150mm diameter	1595.00
225mm diameter	2345.00
300mm diameter	2615.00

**6. REMOVAL OF CAST IRON SOCKETED TEE CONNECTION, CROSS
CONNECTION OR STOP VALVE**

100mm diameter	810.00
150mm diameter	940.00
225mm diameter	1690.00
300mm diameter	1960.00

Note: The make-up piece of pipe is included in the applicable charge.

7. SUPPLY AND INSTALLATION OF SOCKETED TAPER

150mm x 100mm diameter	70.00
225mm x 100mm diameter	245.00
225mm x 150mm diameter	245.00
300mm x 100mm diameter	410.00
300mm x 150mm diameter	410.00
300mm x 225mm diameter	410.00

Note These charges apply to tapers which are required as
part of work associated with Items 2, 3, 5, 6 and 9.

8. INSTALLATION OF FIRE HYDRANT

- 8.1 Where insertion of hydrant tee is required

100mm diameter tee	1385.00
150mm diameter tee	1530.00
225mm diameter tee	2375.00
300mm diameter tee	2780.00

- 8.2 Installation on an existing tee connection 625.00

Note The charge for 8.1 and 8.2 applies only when fixing a hydrant to main laid at
standard depth. Where the main exceeds this depth, additional risers can be
supplied at the rates indicated below in 8.3.

8.3	Additional hydrant riser	
	100mm to 375mm long	31.00
	450mm to 600mm long	93.00

Note Hydrant covers and indicators etc, are to be supplied and fixed by the Contractor.

9.0 INSERTION OF SOCKETED BEND ON EXISTING MAIN

100mm diameter	1200.00
150mm diameter	1300.00
225mm diameter	2000.00
300mm diameter	2475.00

Note These charges do not apply where a bend is required to correct misalignment errors immediately adjacent to new connections. In this case, bends where approved, are to be supplied by the Contractor.

10.0 TESTING OF MAIN

Basic Charge	
This includes 4 hours hire of equipment & operators	635.00
Hourly Rate	
This will apply to all hours worked over and above the minimum time of 4 hours	
- Normal hours	135.00

Note In case of test failure, the basic charge will apply to every subsequent test.

11.0 SUPPLY AND FIX STOP VALVE LOCKING COVER 265.00

Note This charge includes the installation and removal at a later date.

12. INSTALLATION OF METERED OVERHEAD FILLING POINT

12.1	By connection to existing hydrant tee	1505.00
12.2	Where a new tee connection has to be inserted in the main	
	Main Diameter	
	100mm	3185.00
	150mm	3410.00
	225mm	4300.00
	300mm	4675.00
12.3	A reduction applies where the standpipe and support is supplied by the Contractor.	275.00
12.4	A reduction also applies to an unmetered standpipe.	95.00

Note The above charges include a provision for removal on completion of project, and urgent and minor maintenance once erected. However, where major damage occurs the cost of repairs may be charged direct to the Contractor for whom the installation was made.

13.0 DISCONNECTION OF WATER SERVICE

Note The following charges make allowance for excavation, backfilling and restoration of area.

13.1	Service 20mm to 32mm diameter (including main cock connection)	450.00
13.2	Service 32mm to 150mm diameter (including flanged tee connection)	625.00
13.3	Service 100mm or 150mm on mains of following sizes	
	100mm diameter main	1310.00
	150mm diameter main	1400.00
	225mm diameter main	1765.00
	300mm diameter main	1980.00

Note This involves removal of tee connection and main restoration.

These service charges are minimum charges for work on basic installations, carried out in normal business hours unless otherwise stated. Charges for work of greater complexity, or outside these hours will be determined individually.

ELECTRICITY AND WATER ACT 1988
DETERMINATION OF CHARGES
NO. 7 OF 1995

The Australian Capital Territory Electricity and Water Authority (ACTEW) under Section 48 of the Electricity and Water Act 1988, makes the following determination fixing the charges that are payable to ACTEW for or in connection with sewer and stormwater main connections. The charges determined hereunder come into effect on and from 1 July 1995.

SERVICE	CHARGE
1. SEWER MAINS	\$
1.1 100mm diameter junction into 150mm diameter main	455.00
1.2 100mm diameter junction into 225mm diameter main	685.00
1.3 100mm diameter junction into 300mm diameter main	925.00
1.4 Breaking into existing 150mm, 225mm or 300mm diameter main at a new manhole	645.00
1.5 Connection to existing standard manhole without drop	
100mm or 150mm diameter	855.00
225mm diameter	955.00
1.6 150mm connection to existing standard manhole including external drop of up to 2 metres	2985.00
Rate for each additional metre of drop	140.00
1.7 225mm connection to existing standard manhole including external drop of up to 2 metres	3030.00
Rate for each additional metre of drop	160.00
1.8 Provide 100mm or 150mm diameter collar out of existing standard sewer manhole for house connection without drop	745.00

	\$
1.9	Connecting main to end of existing main or collar out existing manhole
	150mm diameter 530.00
	225mm diameter 610.00
1.10	100mm diameter PVC temporary connection to standard sewer manhole including removal of PVC pipe from manhole at completion of project 515.00
1.11	Alterations to height of manhole. Raise or lower manhole up to 300mm where the only alteration is to the neck of the manhole and the total length of neck and ring does not exceed 450mm 330.00
1.12	Supply and fit oversize manhole ring requiring alteration to manhole cone 445.00
1.13	Supply and fit "Gatic" type cover to an existing manhole 530.00
2.	STORMWATER MAINS
2.1	100mm or 150mm diameter branch in 300mm or larger main 250.00
2.2	100mm, 150mm or 225mm diameter junction in 225mm diameter main 685.00
2.3	100mm, 150mm or 225mm diameter collar in existing standard stormwater manhole or sump 520.00
	Convert kerb inlet sumps to mountable type:
2.4	Model P and Q - single 1075.00
2.5	Model P, Q and R - double 1185.00

These service charges are minimum charges for work on basic installations, carried out in normal business hours unless otherwise stated. Charges for work of greater complexity, or outside these hours will be determined individually.

ELECTRICITY AND WATER ACT 1988
DETERMINATION OF CHARGE
NO. 8 OF 1995

The Australian Capital Territory Electricity and Water Authority (ACTEW) under Section 48 of the Electricity and Water Act 1988, makes the following determination fixing the charges that are payable to ACTEW for, or in connection with, the supply of electricity, with effect on and from 1 July 1995.

1. ELECTRICITY SERVICE CHARGES	\$
For Application/Connection, Special reading, Reconnection after disconnection for non-payment or initial Attendance(Debt Collection)	
- Business Hours	\$34.00
- After Hours	\$51.00
Attendances (Debt Collection) within a year of a previous attendance	
- Business Hours	\$68.00
Temporary Supply Installation	
- Single Phase overhead	\$210.00
- Three Phase overhead	\$270.00
- Free standing underground	\$510.00
- Single Phase underground	\$195.00
- Three Phase underground	\$215.00
Change position of service mains, per site visit	\$210.00
Removal and reconnection of service, per site visit	\$145.00
Provision of underground point of entry box	\$255.00
Upgrade service from single to three phase at customer's request	\$405.00
Installation Inspection - Retest	\$61.00
Meter Test (Deposit)	\$45.00

These Service Charges are minimum charges for work on basic installations, carried out in normal business hours unless otherwise stated. Charges for work of greater complexity or outside these hours will be determined individually.

The Application/Connection Charge applies to all new applications for supply of electricity. A higher charge applies for applications lodged after 2.30pm on a working day where connection to supply is required prior to the next working day; and for applications lodged after-hours requiring connection prior to business hours on the next working day.

Business Hours: 8.30am to 4.45pm, Monday to Friday with the exception of Public Holidays.

After Hours: All other times.

MISCELLANEOUS CHARGES	1995/96
Issue of an Electrical Compliance Certificate	\$25.00
Issue of an Electrical Compliance Certificate (at the same time as a plumbing compliance certificate)	\$20.00
Approval of electrical plans	\$50.00
Issue of copies of electrical drawings (per sheet)	\$10.00
Dishonoured Cheque (administration charge) the greater of	\$10.00 per account
or	\$25.00 per cheque
Direct Debit Reject (administration charge)	\$5.00 per reject