


# **Gungahlin Precinct Map and Code**

includes
Gungahlin Town Centre





### **Assessment Tracks**

The following tables identify the additional prohibited development and additional merit track development for blocks and parcels shown in the Gungahlin Precinct Map (identified as PDn or MTn). Development that is exempt from requiring development approval, other prohibited development and the minimum assessment track applicable to each development proposal is set out in the relevant zone development table.

The following tables constitute part of the relevant zone development table.

Table 1 – Additional prohibited development

Additional prohibited development		
Suburb precinct map label Zone Developme		
DD4	CFZ	retirement village
PD1	OFZ.	supportive housing

Table 2 - Additional merit track development

Additional merit track development that may be approved subject to assessment		
Suburb precinct map label	Zone	Development
MT1	CZ1	produce market
MT2	CZ3	correction facility
	CZ5	craft workshop
MTO		drink establishment
MT3		indoor entertainment facility
		tourist resort

# **Gungahlin Precinct Code**

### **Contents**

Introduction	ntroduction6				
Additional rules	and o	criteria	7		
RC1 – Gungahli	n Tow	n Centre	7		
Land use and s	ubdivi	ision	9		
Element 1:	Land	use zones in future urban area	9		
Element 2:	Subd	livision	10		
	2.1	Road network			
	2.2	Pedestrian and cyclist network			
	2.3	Bushfire protection			
General develo		controls			
Element 3:		rictions on use			
	3.1	Ground floor use – CZ5			
	3.2	Ground floor use – CZ5 – floor area limit			
Element 4:		ling and site controls			
	4.1	Height of buildings			
Element 5:		form			
	5.1 5.2	Building design - general  Public transport stations and adjacent development			
Element 6:		ing and site access			
Element 6:	6.1	Sites for public car parking			
	6.3	Restrictions on driveway access			
Element 7:		nity			
Lioinone 7.	7.1	Design of Hibberson Street public realm			
	7.2	Design of Gungahlin Place public realm	20		
	7.3	Active frontage			
	7.4	Landscape	22		
Area specific co	ontrols	S	24		
Precinct 1a – Re	etail c	ore	25		
Element 8:					
	8.1	Ground floor use			
	8.2	Protection of retail expansion opportunities			
	8.3	Development in Gungahlin Place			
	8.4	Distribution and coordination of retail			
Element 9:		lings			
	9.1 9.2	Building envelope  Protection of solar access for activities on south side of Hibberson Street			
	9.2	Setbacks			
Flomont 10:		form			
Lieilieilt 10.	10.1	Building Design			
	10.2	Awnings			
Precinct 1h - Re	etail c	ore mixed use	30		
LIGHTOHL III.	11.1	Ground floor use			
		Scale of retail activity			
		Serviced apartment and residential use			
Element 12:	Build	lings	31		
	12.1	Building envelope and setbacks			

Element 13:	Built form		
	13.1 Building Design		
	13.2 Awnings	33	
Precinct 2a - O	ffice core	34	
Element 14:	Use		
	14.1 Protection of office development		
	14.2 Street level uses		
Element 15:	Buildings		
	15.1 Building envelope and setbacks		
Element 16:	Built form		
	16.1 Location of public entrances		
	·		
	ffice park		
Element 17:	Use		
	17.1 Street level uses		
Element 18:	Buildings		
	18.1 Building height		
Element 19:	Built form		
	19.1 Location of public entrances		
	ervices and Trades		
Element 20:	Buildings		
	20.1 Height and setbacks		
Element 21:	Built form		
	21.1 Building design	40	
Precinct 3b - M	lajor community and recreation facilities	41	
Element 22:	Buildings		
	22.1 Height and setbacks	41	
Element 23:	Built form		
	23.1 Building design		
Element 24:	Amenity		
	24.1 Open space	42	
Precinct 4a - So	outhern transition	43	
	Buildings		
	25.1 Building envelope		
	25.2 Redevelopment of sections 21 and 22 Gungahlin		
	25.3 Bushfire		
Element 26:	Built form		
	26.1 Building design		
	orthern transition		
Element 27:	Buildings		
	27.1 Building envelope and setbacks		
Element 28:	Built form	47	
	28.1 Building design		
RC2 - Mixed us	se commercial development area		
Element 2:	Use		
	2.1 Ground floor use		
	2.2 Ground floor use – floor area limit		
Element 3:	Buildings		
	3.1 Number of storeys		
Other ongoing	provisions	50	
OP1 – Gungahlin residential area50			
-			

# **Figures**

Figure 1		7
Figure 2	Location of land available for zoning as Community Facility CFZ zone	9
Figure 3	Road hierarchy	10
Figure 4	Trunk walking and cycling network	11
Figure 5	Bushfire protection	13
Figure 6	Restrictions on blank facades	16
Figure 7	Entertainment precinct	16
Figure 8	Public transport stations	17
Figure 9	Location of sites for public car parking	18
Figure 10	Restriction on driveway access and egress	19
Figure 11	Active frontage requirements	22
Figure 12	Precinct areas within the Gungahlin Town Centre	24
Figure 13	Main pedestrian areas and routes	26
Figure 15	Building envelope in Precinct 1a (south side of Hibberson Street)	27
Figure 17	Building envelope in Precinct 1b	32
Figure 18	Building envelope in Precinct 2a	35
Figure 19	Setbacks and building height zones in Precinct 2a	36
Figure 20	Building envelopes in Precinct 4a and Precinct 4b	45
Figure 20a	Bushfire controls	46
Figure 21	Gungahlin residential area ongoing provisions	50

### Introduction

#### Name

The name of this code is **Gungahlin Precinct Code**.

### **Application**

The code applies to the Division of Gungahlin.

### **Purpose**

This code provides additional planning, design and environmental controls for specific areas or blocks and may also contain references to provisions in other codes.

In conjunction with other relevant codes it will be used by the *Authority* to assess development applications and offer guidance to intending applicants in designing development proposals and preparing development applications.

#### **Structure**

This code contains additional rules and/or criteria for particular blocks or parcels identified as areas RCn on the precinct map, to be read in conjunction with the relevant development code. It may also contain subparts.

Each element has one or more rules and, unless the respective rule is mandatory, each rule has an associated criterion. Rules provide quantitative, or definitive, controls. By contrast, criteria are chiefly qualitative in nature.

In some instances rules are mandatory. Such rules are accompanied by the words "This is a mandatory requirement. There is no applicable criterion." Non-compliance with a mandatory rule will result in the refusal of the development application. Conversely, the words "There is no applicable rule" is found where a criterion only is applicable.

### Code hierarchy

Under the *Planning and Development Act 2007*, where more than one type of code applies to a development, the order of precedence if there is inconsistency of provisions between codes is: precinct code, development code and general code.

If more than one precinct code applies to the site, the most recent precinct code takes precedence to the extent of any inconsistency.

### **Definitions**

Defined terms, references to legislation and other documents are italicised.

Definitions of terms used in this code are listed in part 13 of the Territory Plan or, for terms applicable only to this code, associated with the respective rule.

#### **Acronyms**

ACTPLA Planning and Land Authority within the ACT Environment and Sustainable Development

Directorate

EPA ACT Environment Protection Authority
ESA ACT Emergency Services Agency

ESDD ACT Environment and Sustainable Development Directorate

NCA National Capital Authority

P&D Act Planning and Development Act 2007

TAMS ACT Territory and Municipal Services Directorate

10.1 Suburb Precinct Maps and Codes Gungahlin Precinct Map and Code Effective: 31 July 2020 NI2008-27

# Additional rules and criteria

This part applies to blocks and parcels identified in the Gungahlin Precinct Map (RCn). It should be read in conjunction with the relevant zone development code and related codes.

# RC1 - Gungahlin Town Centre

This part applies to blocks and parcels identified in area RC1 shown on the Gungahlin Precinct Map. RC1 includes the Gungahlin Town Centre.

**Gungahlin Town Centre** is the major hub for employment, shopping, social activities and public transport particularly serving suburbs within the Gungahlin district. **Gungahlin Town Centre** is bounded on the north-west by Gundaroo Drive, the south-west by Gungahlin Drive, Anthony Rolfe Avenue to the north, Manning Clark Crescent to the east and the Mulanggari Grasslands in the south.

### **Application**

This part of the **Precinct Code** applies to development on land in Gungahlin Town Centre in the District of Gungahlin as shown in figure 1.




Figure 1

#### **Purpose**

The purpose of the provisions relating to the Gungahlin Town Centre (RC1) is to:

- a) guide the design and assessment of estate development plans (subdivision proposals) in Gungahlin Town Centre
- b) inform the allocation of final zones at the time when a parcel of land ceases to have a future urban area (FUA) overlay (refer to note below) following subdivision
- c) guide the development of individual *blocks* in concert with other relevant codes under the *Territory Plan*
- d) support zone objectives and assessable uses in the development tables
- e) guide the development and management of the public realm.

A future urban area (FUA) overlay on the Territory Plan map identifies land that has yet to be developed. The final zoning, while generally indicated on the Territory Plan map, will be set after *an estate development plan* has been approved in accordance with the provisions of a relevant precinct code.

#### **Desired planning outcomes**

The intent of the development controls is to:

- (a) provide a mix of land use types and densities
- (b) provide opportunities for people to live, work and recreate which delivers environmental, social and economic benefits for the community
- (c) balance and protect residential amenity with the commercial uses
- (d) provide a safe and vibrant night time economy
- (e) ensure retail activity is well distributed around the retail core and future sites are viable through inclusion of an anchor store
- (f) promote social inclusion through providing accessible commercial and community facilities
- (g) provide a structure to the town centre that is robust, while recognising the changing needs of the town centre
- (h) continue the 'main street' character to Hibberson Street that promotes quality of public realm and a 'human scale' to the built form
- (i) provide public spaces and a street network that promotes pedestrian movement, particularly along Hibberson Street and Gungahlin Place
- (j) provide opportunity for a variety of public transport
- (k) build upon the distinct public domain character and provide opportunity for variety and change in the public realm
- (I) encourage flexibility and innovation in design of the built form and open space
- (m) provide a street network designed for low vehicle speeds and easy pedestrian access
- (n) support a strong employment base in the district of Gungahlin
- (o) provide a business park within precinct 2b that contains a variety of building heights consistent with a campus style development

# Land use and subdivision

The following elements apply to the future urban area within the Gungahlin Town Centre.

Element 1: Land use zones in future urban area

Rules	Criteria
R1	C1
Zones are allocated in accordance with the Territory Plan map.	Zones identified in estate development plans are in accordance with the principles and policies set out in the structure plan.
R2 A minimum of 6 hectares of land is provided with a community facility zone within the area shown in figure 2.	This is a mandatory requirement. There is no applicable criterion.




Figure 2 Location of land available for zoning as Community Facility CFZ zone

### **Element 2: Subdivision**

Rules	Criteria
2.1 Road network	
R3	C3
The design of each street complies with all of the following:  a) the road reservations specified in Appendix A  b) the road hierarchy shown in figure 3	Street design achieves all of the following:  a) street functions and facilities can be provided b) capable of accommodating traffic growth c) hierarchy of the network is clearly identifiable d) endorsed by TAMS




Figure 3 Road hierarchy

Rules	Criteria
2.2 Pedestrian and cyclist network	
R4	C4
Pedestrian and cyclist network is consistent with the trunk walking and cycling network shown in figure 4	Pedestrian and cyclist network meets all of the following:
and Appendix A.	a) supports walking and cycling
	b) provides a high level of accessibility to the existing network
	c) provides pedestrian and cycle facilities
	d) is endorsed by the Territory




Figure 4 Trunk walking and cycling network

Rules Criteria

#### 2.3 Bushfire protection

R5

Development in Area A complies with all of the following (see figure 5):

- a) Any development in Area A complies with Planning for Bushfire Risk Mitigation General Code
- A perimeter road is to be provided along the southern edge of Area A. All roads constructed within this area need to comply with ACT Fire Brigade standards
- Well Station Track is to be maintained as a fire trail and provide access gates from the perimeter road.
- d) Fencing between Well Station Track and Mulanggari Grassland is to comply with Planning for Bushfire Risk Mitigation General Code and be endorsed by the relevant land manager
- e) Hydrants are to be provided along the perimeter road to the satisfaction of the ACT Emergency Services Agency (ESA)
- f) Open space adjacent to the bushfire interface area within the town centre is maintained in accordance with the Strategic Bushfire Management Plan.

A bushfire risk assessment plan endorsed by the ACT ESA and the Conservator of Flora and Fauna is required for any development within or adjacent to the bushfire prone area identified in figure 5 as a 20m wide Inner Asset Protection Zone (IAPZ) within the Well Station Track reserve. The plan must not impose any bushfire management strategies within Mulanggari Grasslands. The bushfire management strategies identified in the bushfire risk management plan must be consistent with the standards specified in the Strategic Bushfire Management Plan (SBMP).

#### C5

Development within or adjacent to the bushfire prone area identified in figure 5 is endorsed by the Territory. In making its assessment the Territory will consider all of the following:

- a) vegetation types and management
- b) access for emergency vehicles
- management objectives and values on the land to be effected by the proposed bushfire management strategies

Development within this area must not impose any bushfire management strategies within Mulanggari Grasslands. If the proposed bushfire management strategies do not meet the standards specified in the Strategic Bushfire Management Plan, justification is required for any differences (for instance, reduced risk or alternative but equivalent strategy).




Figure 5 Bushfire protection

# General development controls

The following elements apply to all precincts shown in figure 12.

### Element 3: Restrictions on use

Rul	es	Criteria
3.1	Ground floor use - CZ5	
R6		C6
	or more of the following uses are not permitted ve the ground floor:	Noise generating uses are located to minimise impacts on residential or commercial
a)	craft workshop	accommodation.
b)	indoor entertainment facility	
c)	indoor recreation facility	
d)	NON RETAIL COMMERCIAL USE	
e)	restaurant	
f)	SHOP	
3.2	Ground floor use – CZ5 – floor area limit	
R7		C7
Whe	ere development includes one or more of the	The scale of leisure, recreation, community and
follo	wing:	commercial activities included with multi unit
a)	craft workshop	housing development achieves all of the following:
b)	indoor entertainment facility	a) ancillary to RESIDENTIAL USE
c)	indoor recreation facility	b) services the local residents only
d)	NON RETAIL COMMERCIAL USE	
e)	Restaurant	
f)	SHOP	
	maximum <i>gross floor area</i> per establishment or ancy is 200 m <sup>2</sup>	

### Element 4: Building and site controls

Rules	Criteria
4.1 Height of buildings	
R8	C8
Minimum height of buildings is two (2) storeys however uses such as service stations, places of worship or ancillary structures may be one (1) storey.	Buildings achieve a compact urban form and are consistent with the desired planning outcomes described in the introduction of this document.

### Element 5: Built form

Rules	Criteria
5.1 Building design - general	
	C9
There is no applicable rule.	Development complies with all of the following:
	a) contributes to the desired planning outcomes     of the town centre as described in the     introduction of this document
	<ul> <li>corner buildings contain focal points providing architectural interest and variety to the building design</li> </ul>
	c) entrances to common lobbies for residential use provide strong visual connection to the street and ensure a high level of surveillance
	d) buildings incorporate sun shading to reduce summer sun into the building interior
	e) car parking structures are designed to integrate with the built form of adjoining development.
R10	
Open structured car parks, loading docks and substations are not located on frontages to the street in the area shown in figure 6.	This is a mandatory requirement. There is no applicable criterion.




Figure 6 Restrictions on blank facades




Figure 7 Entertainment precinct

Note: Land included in the entertainment precinct includes blocks that may be affected by noise from external sources. Development of multi unit housing in this area is subject to the noise attenuation requirements contained in the multi unit housing development code.

Rules	Criteria
5.2 Public transport stations and adjacent development	
R11	C11
Public transport stops or stations are provided at the locations shown in figure 8.	The location of public transport stations on Hibberson Street achieve all of the following:
	a) supports public transport usage by town centre patrons
	b) provides access to retail and office areas
	c) is endorsed by the Territory
	C12
There is no applicable rule.	New buildings adjacent to a (current or future) public transport station shown in figure 8 are designed to support public transport use by providing a comfortable environment for public transport patrons which is a short walking distance from a public transport station and locating a major public entrance of the development within close walking distance to the public transport station.




Figure 8 Public transport stations

### Element 6: Parking and site access

Rul	es		Criteria			
6.1	Site	s for public car parking				
R13	3		C13			
	(1) o	nent on sites identified in figure 9 includes f the following:  ace car park with number of spaces	Development on <i>sites</i> identified in figure 9 may be considered where the development achieves all of the following:			
b)	end for t	orsed by the Territory agency responsible ransport planning or development where all of the following are vided:	a)	any additional parking provision requirements (under the <i>Parking and Vehicular Access General Code</i> ) for the development		
	i)	provide a number of car parking spaces endorsed by the Territory agency responsible for transport planning	b)	makes a substantial contribution to the long-term public parking supply for the whole town centre as endorsed by the		
	ii)	accommodate onsite any additional demand for car parking generated by the development		Territory		
	iii)	ensure the number of car parking spaces identified in R13 b) i) remains available for public access				
	iv)	complies with the Parking and Vehicular Access General Code				




Figure 9 Location of sites for public car parking

Rules	Criteria
6.3 Restrictions on driveway access	
R14	
Driveway access or egress to Hibberson Street, Flemington Road and Gungahlin Place is not permitted, other than for ceremonial and visitor access, in the areas shown in figure 10	This is a mandatory requirement. There is no applicable criterion.




Figure 10 Restriction on driveway access and egress

## **Element 7: Amenity**

Rules	Criteria				
7.1 Design of Hibberson Street public realm					
There is no applicable rule.	C15 Hibberson Street, between Gozzard Street and Kate Crace Street, has all of the following characteristics:				
	provides convenient pedestrian access along both sides of Hibberson Street to promote an accessible and safe environment for active shop fronts				
	b) provides convenient and safe pedestrian access across Hibberson Street at appropriate locations between the adjacent retailing				
	c) provides direct and visible pedestrian access to public transport facilities along Hibberson Street				
7.2 Design of Gungahlin Place public realm					
	C16				
There is no applicable rule.	Gungahlin Place, between Ernest Cavanagh Street and The Valley Avenue, has all of the following characteristics:				
	a) provide direct and convenient east-west and north-south pedestrian access in Gungahlin Place between adjacent retailing and community amenities				
	b) provide pedestrian access along both verges within Gungahlin Place to promote an accessible and safe environment for active shop fronts				
	c) provide open space in Gungahlin Place that allows for outdoor seating areas and promotes uses such as community events, markets, cafes and kiosks				
	d) provide unobtrusive weather protection and high quality landscaping within Gungahlin Place that is consistent with the surrounding character and use of Gungahlin Place				

Rul	es	Criteria		
	Active frontage			
R17 For Man	building frontages shown as 'Active Frontage – datory' in figure 11, building design is to comply all of the following: buildings fronting streets and / or public open spaces incorporate display windows and shop fronts at the ground floor level buildings incorporate direct pedestrian access at grade with the verge level for access and egress for persons with disabilities buildings incorporate a minimum of two	This is a mandatory requirement. There is no applicable criterion.		
R18	shop fronts and entrances per frontage	C18		
For Ada	building frontages shown as 'Active Frontage – ptable Built Form' in figure 11, building design is omply with all of the following:	For buildings fronting streets identified as 'Active Frontage – Adaptable Built Form' in figure 11, development at ground floor level achieves all of		
a) b)	buildings fronting streets and/or public open spaces incorporate display windows or shop fronts at the ground floor level direct pedestrian access at grade with the verge level is to be provided for access and egress for persons with disabilities	<ul><li>the following:</li><li>a) be adaptable for shops</li><li>b) where building access is provided, direct pedestrian access is at street level</li></ul>		
Fror a fro inco	building frontages shown as "Partial Active stage" in figure 11, no less than 20% of entage to the street or public open space rporates shop fronts with pedestrian access at and floor level.	C19 Each street frontage of a development can be adapted to incorporate active frontages with direct pedestrian access.		

page 21





Figure 11 Active frontage requirements

Rules	Criteria
7.4 Landscape	
	C20
There is no applicable rule.	Landscaping achieves all of the following:
	a) is sensitive to site attributes, including     streetscapes and landscapes of documented     heritage significance
	b) use of vegetation types and landscaping styles which complement the <i>streetscape</i> character and integrate with Gungahlin Place, linear parks, public spaces, reserves and public transport corridors
	<ul> <li>c) contributes to energy efficiency and amenity of public space by providing substantial shade in summer, especially to west-facing windows and open car park areas, and admitting winter sunlight to outdoor and indoor spaces</li> </ul>
	d) satisfies utility maintenance requirements and minimises the visual impact and risk of damage to aboveground and underground utilities



# Area specific controls

This part contains area specific controls that apply to precincts within the Gungahlin Town Centre, as shown in figure 12.

To remove any doubt, the following area specific provisions shall prevail if there is an inconsistency with any other part of this code.




Figure 12 Precinct areas within the Gungahlin Town Centre

Gungahlin Town Centre has several precincts:

Precinct 1a - Retail Core

Precinct 1b - Retail Core Mixed Use

Precinct 2a - Office Core

Precinct 2b - Office Park

Precinct 3a - Services and Trades

Precinct 3b - Major Community and Recreation Facilities

Precinct 4a - Southern Transition

Precinct 4b - Northern Transition

#### In this code:

Large retail anchor means a department store, cinema complex with more than 3 screens or a supermarket or retail outlet of 1200m<sup>2</sup> or more in *gross floor area*.

# Precinct 1a - Retail core

The following elements apply to precinct 1a shown in figure 12.

### Element 8: Use

Rules	Criteria			
8.1 Ground floor use				
R21	C21			
This rule applies to buildings with frontages to hatched area shown in figure 13.	Buildings fronting main pedestrian areas and routes incorporate uses on the ground floor that			
One or more of the following uses are permitted at the ground floor level:	generate activity in the public space.			
a) business agency				
b) club				
c) community activity centre				
d) drink establishment				
e) financial establishment				
f) hotel				
g) indoor entertainment facility				
h) indoor recreation facility				
i) public agency				
j) restaurant				
k) SHOP				
8.2 Protection of retail expansion opportunities				
R22				
The following uses are not permitted on both the ground and first floors of buildings in Precinct 1a:	This is a mandatory requirement. There is no applicable criterion.			
a) Serviced apartment				
b) RESIDENTIAL USE				
8.3 Development in Gungahlin Place				
R23				
This rule applies to sections 36, 37 and 38.	This is a mandatory requirement. There is			
Development achieves all of the following:	no applicable criterion.			
a) a maximum of 200 m <sup>2</sup> GFA per section				
b) a maximum of 75m <sup>2</sup> GFA per tenancy				
c) is endorsed by the land custodian.				

Rules	Criteria
8.4 Distribution and coordination of retail	
R24	
Each section contains at least one large retail anchor.	This is a mandatory requirement. There is no applicable criterion.
Note: The definition of <i>large retail anchor</i> can be found on the first page of Part C of this code.	





Figure 13 Main pedestrian areas and routes

### **Element 9: Buildings**

Rules	Criteria
9.1 Building envelope	
R25	
Rooftop building elements, including lift overruns and	This is a mandatory requirement. There is
plant and equipment are contained within the	no applicable criterion.
building envelope controls shown in figure 15.	



Note: This illustration shows a potential built form within the building envelope




Figure 15 Building envelope in Precinct 1a (south side of Hibberson Street)

Rules	Criteria				
9.2 Protection of solar access for activities on so	uth side of Hibberson Street				
R26	C26				
For development on the northern side of Hibberson Street, development is to maintain a minimum of 3 hours solar access to the southern verge of Hibberson Street, particularly between 12 noon and 2 pm on the winter solstice (21 June).	Buildings on the northern side of Hibberson Street are limited in height to ensure development on the southern side of Hibberson Street remains substantially sunlit, particularly between 12 noon and 2 pm on the winter solstice (21 June).				
9.3 Setbacks					
R27 Buildings are joined at party walls and built to the front property boundary along main pedestrian areas and routes identified in figure 13.	C27 Buildings achieve all of the following:  a) consistency with desired planning outcomes b) compatibility with adjacent development.  Minor setbacks in building alignment may be permitted to provide small spaces for active uses.				

### Element 10: Built form

Rules	Criteria				
10.1 Building Design					
R28	C28				
The minimum ground floor level floor to ceiling height is 3.6m.	Ground floor level of buildings is designed to be adaptable for commercial use.				
	C29				
There is no applicable rule.	Major public entrances of retail centres achieve all of the following:				
	are visible from the major public entrances     of nearby retail centres				
	b) provide convenient access between major public entrances of nearby retail centres				
10.2 Awnings					
R30					
Buildings must incorporate awnings that comply with all of the following:	This is a mandatory requirement. There is no applicable criterion.				
<ul> <li>a) cantilevered awnings for the full extent of the building frontage identified as mandatory active frontage in figure 11 and a minimum of 50% of the building frontage identified as main pedestrian areas and routes shown in figure 13</li> <li>b) awnings are to be a minimum height of 3m in cantilever width</li> </ul>					

c)	awnings are to be a minimum height of 3m	gs	gs	gs a	ar	e t	o b	e a	m	ini	mι	ım	h	eig	ght	of	3n	า		
	above finished pavement or ground level of the	e fir	fin	fini	nis	ne	d p	ave	em	en	t o	r g	jro	un	nd I	ev	el d	of th	е	
	verge																			
d)	awnings are to be integrated into the building design at the first floor level	•	_	_						_			int	o t	the	bu	uild	ing		

# Precinct 1b - Retail core mixed use


The following elements apply to precinct 1b shown in figure 12.

### Element 11: Use

This rule applies to buildings with frontages to hatched area shown in figure 13.  One or more of the following uses are permitted at the ground floor level:  a) business agency b) club c) community activity centre d) drink establishment e) financial establishment f) hotel g) indoor entertainment facility h) indoor recreation facility i) public agency j) restaurant k) SHOP  11.2 Scale of retail activity  R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food  Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b: a) Serviced apartment b) RESIDENTIAL USE	Rules		Criteria			
This rule applies to buildings with frontages to hatched area shown in figure 13.  One or more of the following uses are permitted at the ground floor level:  a) business agency b) club c) community activity centre d) drink establishment e) financial establishment f) hotel g) indoor entertainment facility i) public agency j) restaurant k) SHOP  11.2 Scale of retail activity  R32  Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food  Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use R33  The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b: a) Serviced apartment	11.1 Ground	floor use				
hatched area shown in figure 13.  One or more of the following uses are permitted at the ground floor level:  a) business agency b) club c) community activity centre d) drink establishment e) financial establishment f) hotel g) indoor entertainment facility h) indoor recreation facility i) public agency j) restaurant k) SHOP  11.2 Scale of retail activity  R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  This is a mandatory requirement. There is no applicable criterion.  This is a mandatory requirement. There is no applicable criterion.	R31		C31			
the ground floor level: a) business agency b) club c) community activity centre d) drink establishment e) financial establishment f) hotel g) indoor entertainment facility h) indoor recreation facility i) public agency j) restaurant k) SHOP  11.2 Scale of retail activity R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use R33 The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b: a) Serviced apartment			,			
b) club c) community activity centre d) drink establishment e) financial establishment f) hotel g) indoor entertainment facility h) indoor recreation facility i) public agency j) restaurant k) SHOP  11.2 Scale of retail activity  R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use  R33 The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b: a) Serviced apartment			generate activity in the public space.			
c) community activity centre d) drink establishment e) financial establishment f) hotel g) indoor entertainment facility h) indoor recreation facility i) public agency j) restaurant k) SHOP  11.2 Scale of retail activity  R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use  R33 The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b: a) Serviced apartment	a) busines	s agency				
d) drink establishment e) financial establishment f) hotel g) indoor entertainment facility h) indoor recreation facility i) public agency j) restaurant k) SHOP  11.2 Scale of retail activity  R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food  Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use  R33  The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b: a) Serviced apartment	b) club					
e) financial establishment f) hotel g) indoor entertainment facility h) indoor recreation facility i) public agency j) restaurant k) SHOP  11.2 Scale of retail activity  R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food  Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use  R33 The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b: a) Serviced apartment	c) commui	nity activity centre				
f) hotel g) indoor entertainment facility h) indoor recreation facility i) public agency j) restaurant k) SHOP  11.2 Scale of retail activity  R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food  Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use  R33 The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b: a) Serviced apartment	d) drink es	tablishment				
g) indoor entertainment facility h) indoor recreation facility i) public agency j) restaurant k) SHOP  11.2 Scale of retail activity  R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use  R33 The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b: a) Serviced apartment	e) financia	l establishment				
h) indoor recreation facility i) public agency j) restaurant k) SHOP  11.2 Scale of retail activity  R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use  R33 The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b: a) Serviced apartment	f) hotel					
i) public agency j) restaurant k) SHOP  11.2 Scale of retail activity  R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use  R33 The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b: a) Serviced apartment	g) indoor e	entertainment facility				
j) restaurant k) SHOP  11.2 Scale of retail activity  R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use  R33 The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b: a) Serviced apartment	h) indoor r	ecreation facility				
This is a mandatory requirement. There is no applicable criterion.  This is a mandatory requirement. There is no applicable criterion.  This is a mandatory requirement. There is no applicable criterion.  This is a mandatory requirement. There is no applicable criterion.  This is a mandatory requirement. There is no applicable criterion.  This is a mandatory requirement. There is no applicable criterion.  This is a mandatory requirement. There is no applicable criterion.  This is a mandatory requirement. There is no applicable criterion.  This is a mandatory requirement. There is no applicable criterion.  This is a mandatory requirement. There is no applicable criterion.	i) public a	gency				
R32 Until the six sections in Precinct 1a contains one (1) large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use  R33 The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b: a) Serviced apartment	j) restaura	nnt				
Until the six sections in Precinct 1a contains one (1)  large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food  Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use  R33  The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b: a) Serviced apartment	k) SHOP					
Until the six sections in Precinct 1a contains one (1)  large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor Area per tenancy: a) department store b) discount department store c) supermarket d) SHOP selling food  Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use  R33 The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b: a) Serviced apartment	11.2 Scale o	f retail activity				
large retail anchor, the following uses in Precinct 1b are restricted to a maximum of 200m² Gross Floor  Area per tenancy:  a) department store  b) discount department store  c) supermarket  d) SHOP selling food  Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use  R33  The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b:  a) Serviced apartment	R32					
b) discount department store c) supermarket d) SHOP selling food Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use  R33 The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b: a) Serviced apartment  This is a mandatory requirement. There is no applicable criterion.	large retail ar are restricted	nchor, the following uses in Precinct 1b to a maximum of 200m <sup>2</sup> Gross Floor	· ·			
c) supermarket d) SHOP selling food  Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use  R33  The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b: a) Serviced apartment  This is a mandatory requirement. There is no applicable criterion.	a) departm	ent store				
Mote: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use  R33  The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b:  a) Serviced apartment  This is a mandatory requirement. There is no applicable criterion.	b) discoun	t department store				
Note: This rule restricts the scale of the listed developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use  R33  The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b:  a) Serviced apartment  This is a mandatory requirement. There is no applicable criterion.	c) superma	arket				
developments until the retail core area is developed. The definition of large retail anchor can be found on the first page of Part C of this code.  11.3 Serviced apartment and residential use  R33 The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b:  a) Serviced apartment  This is a mandatory requirement. There is no applicable criterion.	d) SHOPs	elling food				
R33 The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b:  a) Serviced apartment  This is a mandatory requirement. There is no applicable criterion.	development The definition	s until the retail core area is developed.  of large retail anchor can be found on				
The following uses are not permitted on both the ground and first floors of buildings in Precinct 1b:  a) Serviced apartment  This is a mandatory requirement. There is no applicable criterion.	11.3 Service	d apartment and residential use				
ground and first floors of buildings in Precinct 1b:  a) Serviced apartment no applicable criterion.	R33					
	_	•				
		•				

## **Element 12: Buildings**

Rules	Criteria		
12.1 Building envelope and setbacks			
R34 All building elements, including lift overruns and roof top plant are contained within the building envelope controls shown in figure 17.	This is a mandatory requirement. There is no applicable criterion.		
R35 Buildings are joined at party walls and built to the front property boundary along main pedestrian areas and routes identified in figure 13. This rule does not apply to the boundaries to Gungahlin Place of Section 226 Block 4 and Section 232 Block 1, Gungahlin.	C35 Buildings achieve all of the following: a) consistency with desired planning outcomes b) compatibility with adjacent development Minor setbacks in building alignment may be permitted to provide small spaces for active uses.		
There is no applicable rule.	This criterion applies to Section 226 Block 4 and Section 232 Block 1, Gungahlin, but does not apply to the Gozzard Street frontage and Hinder Street frontage.  Buildings achieve all of the following:  a) consistency with desired planning outcomes b) compatibility with adjacent development c) corner treatment with articulation in the building facade at the corner of Gungahlin Place and Efkarpides Street d) where setbacks are proposed, reasonable space for active outdoor uses, the protection of any regulated trees, and the provisions of landscaping e) for outdoor spaces adjacent to Gungahlin Place, landscaping consistent with the landscaping in Gungahlin Place.  Note:  R35 and C35 still apply to the Gozzard Street frontage and Hinder Street frontage.		



Note: This illustration shows a potential built form within the building envelope




Figure 17 Building envelope in Precinct 1b

### **Element 13: Built form**

Rul	es	Criteria		
13.1	13.1 Building Design			
R36	6	C36		
The is 3.	minimum ground floor level floor to ceiling height 6m.	Ground floor level of buildings is designed to be adaptable for commercial use.		
13.2 Awnings				
R37	7			
inco	dings with front boundary setbacks less than 2m properties awnings that comply with all of the owing:	This is a mandatory requirement. There is no applicable criterion.		
a)	cantilevered for the full extent of the building frontage along main pedestrian areas and routes identified in figure 13			
b)	a minimum of 3m in cantilever width			
c)	a minimum height of 3m above finished pavement or ground level of the verge			
d)	integrated with the building design at the first floor level			

# Precinct 2a - Office core


The following elements apply to precinct 2a shown in figure 12.

### Element 14: Use

Rules	Criteria			
14.1 Protection of office development				
R38				
The following uses are not permitted on <i>sites</i> in Precinct 2a:	This is a mandatory requirement. There is no applicable criterion.			
a) Serviced apartment				
b) RESIDENTIAL USE				
14.2 Street level uses				
R39	C39			
A minimum of one (1) of the following uses is provided at the ground floor level adjacent to the street or main building entry for buildings of 2,000m <sup>2</sup> or greater:	Buildings facing main pedestrian areas and routes identified in figure 13 incorporate uses that generate activity at the ground level in the public space.			
a) Business agency				
b) Drink establishment				
c) Health facility				
d) Public agency				
e) Restaurant				
f) SHOP with a maximum GFA of 200m <sup>2</sup> .				

### **Element 15: Buildings**

15.1 Building envelope and setbacks		
R40		
All building elements, including lift overruns and roof top plant are contained within the building envelope illustrated in figure 18.	This is a mandatory requirement. There is no applicable criterion.	
Note: Building envelopes shown in figure 18 and 19 are applied to whole sections in precinct 2a.		
R41		
Minimum 6m setback to The Valley Avenue, Kate Crace Street, Ernest Cavanagh Street, Manning Clarke Crescent and Hibberson Street frontages as illustrated in figures 18 and 19.	This is a mandatory requirement. There is no applicable criterion.	



### Note: This illustration shows a potential built form within the building envelope




Figure 18 Building envelope in Precinct 2a




Figure 19 Setbacks and building height zones in Precinct 2a

#### **Element 16: Built form**

Rules	Criteria
16.1 Location of public entrances	
	C42
There is no applicable rule.	To provide public entrances that are easily identifiable and convenient, the development achieves all of the following:
	entrances to commercial and other uses provide a strong visual connection to the street
	b) the main building entrance relates to the overall bulk and scale of the building to emphasise the entrance to main lobby or foyer
	<ul> <li>provide articulated building entrance to the street and/ or public space at grade with the adjoining verge or finished site levels</li> </ul>

Rules	Criteria
16.2 Landscape	
	C43
There is no applicable rule.	Provide a high quality landscape character to the office core Precinct 2a and achieve all of the following:
	a documented landscape design showing how landscape associated with the development addresses all of the items described in criterion C18 in this code
	b) use vegetation types and landscaping styles which complement the <i>streetscape</i> character and integrate with the north-south linear park, public spaces, reserves and public transport corridors

Effective: 31 July 2020

# Precinct 2b - Office park

The following elements apply to precinct 2b shown in figure 12.

#### Element 17: Use

Rules	Criteria
17.1 Street level uses	
R44	C44
A minimum of one (1) of the following uses is provided at the ground floor level abutting the street or main building entry for buildings of 2,000m <sup>2</sup> or greater:	Buildings abutting the street or main building entry incorporate uses that generate activity at the ground level in the public space.
a) Business agency	
b) Drink establishment	
c) Health facility	
d) Public agency	
e) Restaurant	
f) SHOP	

### **Element 18: Buildings**

18.1 Building height	
R45	C45
Maximum <i>height of buildings</i> is 23 metres above the <i>datum ground level</i> .	Maximum <i>height of buildings</i> comply with all of the following:
For leases granted before 30 November 2010, this provision will not apply until five (5) years from that date, being 30 November 2015.	<ul> <li>a) are compatible with adjacent development</li> <li>b) are appropriate to scale and function of use</li> <li>c) minimise detrimental impacts, including overshadowing and excessive scale</li> <li>d) contribute to the desired planning outcomes</li> </ul>

#### **Element 19: Built form**

Rules	Criteria
19.1 Location of public entrances	
	C46
There is no applicable rule.	To provide public entrances that are easily identifiable and convenient, the development provides all of the following:
	entrances to commercial and other uses provide a strong visual connection to the street
	b) the main building entrance relate to the overall bulk and scale of the building to emphasise the entrance to main lobby or foyer
	c) provide articulated building entrance to the street and/ or public space at grade with the adjoining verge or finished site levels

# **Precinct 3a – Services and Trades**

The following elements apply to precinct 3a shown in figure 12.

### **Element 20: Buildings**

Rules	Criteria
20.1 Height and setbacks	
R47	C47
Maximum <i>height of buildings</i> is 14 metres above the datum ground level.	Height of buildings comply with all of the following:
	are compatible with existing character in the Service Trades Precinct
	b) is appropriate to the scale and function of the use
	c) minimise detrimental impact to adjacent open space and development, including overshadowing and excessive scale
R48	C48
Buildings maintain a continuous building line along	Building setbacks comply with all of the following:
Hibberson Street.	a) frontages to Hibberson Street maintain a continuous <i>building line</i>
	b) setbacks in building alignment may be permitted where it provides small spaces for active uses and / or building entrances

### **Element 21: Built form**

21.1 Building design	
	C49
There is no applicable rule.	To provide development that is identifiable and contributes to the existing <i>streetscape</i> character, the development is to provide all of the following:
	a) entrances provide a strong visual connection to the street and ensure a high level of surveillance
	<ul> <li>b) building frontages to streets provide interesting and attractive facades that positively contribute to the streetscape</li> </ul>

# Precinct 3b – Major community and recreation facilities

The following elements apply to precinct 3b shown in figure 12.

### **Element 22: Buildings**

Rules	Criteria
22.1 Height and setbacks	
R50	C50
Maximum height of buildings is 14m above the datum ground level.	Maximum <i>height of buildings</i> comply with all of the following:
	a) are compatible with adjacent development
	b) are appropriate to the scale and function of the use
	c) minimise detrimental impacts, including overshadowing and excessive scale
R51	C51
A minimum setback of 6 metres applies to Warwick Street and The Valley Avenue street frontages.	Setbacks comply with all of the following:
	a) are compatible with adjacent development
	b) are appropriate to the scale and function of the use
	c) minimise detrimental impacts, including overshadowing and excessive scale

#### Element 23: Built form

Rules	Criteria
23.1 Building design	
	C52
There is no applicable rule.	To provide development that is identifiable and contributes to the existing <i>streetscape</i> character, development achieves all of the following:
	a) entrances have a strong visual connection to the street
	b) ensure a high level of surveillance
	c) building frontages to streets provide interesting and attractive facades that positively contribute to the <i>streetscape</i>
	d) building frontage onto The Valley Avenue is to provide articulation in the building facade

## **Element 24: Amenity**

Rules	Criteria
24.1 Open space	
	C53
There is no applicable rule.	Provide a landscape buffer along the southern block boundary parallel to The Valley Avenue that achieves all of the following:
	<ul> <li>a) variety in vegetation species and sizes</li> <li>b) vegetation types and landscaping styles         that complement the <i>streetscape</i> character,         particularly street trees on The Valley         Avenue, public spaces and reserves</li> </ul>
	c) is appropriate to the bulk and scale of the development.

# Precinct 4a - Southern transition

The following elements apply to precinct 4a shown in figure 12.


### **Element 25: Buildings**

Rules	Criteria
25.1 Building envelope	
R54 All building elements, including lift overruns and roof top plant are contained within building envelope controls shown in figure 20.	This is a mandatory requirement. There is no applicable criterion.
Note: Building envelopes shown in figure 20 are applied to whole Sections in Precinct 4a and 4b.	
25.2 Redevelopment of sections 21 and 22 Gungah	llin
R55 Redevelopment, other than for a single <i>dwelling</i> , requires the amalgamation of a minimum of six (6) adjoining <i>blocks</i> . The resulting <i>block</i> is required to have a minimum area of 3000 m² and approximately equal frontage to both The Valley Avenue and Delma View.  Note: Where <i>block</i> amalgamation is approved, registered Lease and Development Conditions for individual <i>blocks</i> are no longer considered.	Amalgamation of less than six (6) blocks is permitted where less than six (6) adjoining standard blocks remain in a section and these adjoining standard blocks are all amalgamated. The resulting block is required to have approximately equal frontage to both The Valley Avenue and Delma View.
R56 Redevelopment of more than two <i>blocks</i> for other than a single <i>dwelling</i> is not permitted where it adjoins an existing single <i>dwelling</i> that has an existing or approved redevelopment on the other side boundary, unless the single <i>dwelling site</i> is included in the amalgamation of <i>sites</i> .	This is a mandatory requirement. There is no applicable criterion.
R57 Subdivision, amalgamation and boundary realignments of <i>blocks</i> resulting in single <i>dwelling</i> development is not permitted.	Minor boundary realignments to the side boundaries of redevelopment <i>sites</i> shared with <i>standard blocks</i> is only permitted where the resulting development on the affected <i>blocks</i> is consistent with Rule R56 and Rule R57 of this Code.
R58 Redevelopment shall not result in the reduction of the <i>dwelling</i> numbers on the subject <i>blocks</i> to below that the existing at the close of business on 30 November 2010.	This is a mandatory requirement. There is no applicable criterion.

Rules	Criteria
R59	C59
Development is built to a minimum 4m front boundary setback to all street frontages.	Minor encroachments into the front setback are permitted to allow for elements such as awnings, sun shading and roof overhang.
R60	
Articulation is provided to a minimum depth of 2m behind the front setback to all street frontages for all storeys in the development.	This is a mandatory requirement. There is no applicable criterion.
25.3 Bushfire	
R60a	
This rule applies to blocks or parcels in locations identified in Figure 20a.	This is a mandatory requirement. There is no applicable criterion.
Buildings are constructed in accordance with Australian Standard AS 3959 – Construction of buildings in bushfire–prone areas.	
Compliance with this rule is demonstrated by a report by a suitably qualified person.	

### Element 26: Built form

26.1 Building design				
	C61			
There is no applicable rule.	Buildings are to contribute to the public realm that is safe and convenient by providing the following:			
	a) corner buildings are to provide focal points     providing interest and variety			
	b) building entrances are to be at grade with the adjoining verges or finished <i>site</i> levels to provide level building access			
	c) entrances to commercial and residential uses are to provide a strong visual connection to the street			
	d) entrances ensure a high level of surveillance			



Note: The following illustration shows a potential built form within the building envelope




Figure 20 Building envelopes in Precinct 4a and Precinct 4b




Figure 20a Bushfire controls

# Precinct 4b - Northern transition

The following elements apply to precinct 4b shown in figure 12.

### **Element 27: Buildings**

Rules	Criteria	
27.1 Building envelope and setbacks		
R62		
All building elements, including lift overruns and roof top plant are contained within building envelope controls shown in figure 20.	This is a mandatory requirement. There is no applicable criterion.	
Note: Building envelopes shown in figure 20 are applied to whole Sections in Precinct 4a and 4b.		
R63	C63	
Buildings are joined at party walls and built to the	Buildings achieve all of the following:	
front property boundary along Anthony Rolfe Avenue and main pedestrian areas and routes identified in	a) strong urban edge for the town centre along     Anthony Rolfe Avenue	
figure 13.	b) compatibility with adjacent development	
	c) consistency with desired planning outcomes	

### **Element 28: Built form**

Rules	Criteria	
28.1 Building design		
	C64	
There is no applicable rule.	Buildings are to contribute to the public realm that is safe and convenient by providing all of the following:	
	a) corner buildings are to provide focal points giving interest and variety	
	<ul> <li>b) building entrances are to be at grade with the adjoining verges or finished site levels to provide level building access</li> </ul>	
	c) entrances to commercial and lobbies to residential use are to provide a strong visual connection to the street and ensure a high level of surveillance	

Rules	Criteria
R65	
Where the building frontage incorporates commercia uses at ground floor, buildings much incorporate awnings that comply with the following:	This is a mandatory requirement. There is no applicable criterion.
a) cantilevered awnings for the full extent of the building frontage along main pedestrian areas and routes identified in figure 13	
b) awnings are to be a minimum of 3m in cantilever width	
c) awnings are to be a minimum height of 3m above finished pavement or ground level of the verge	
d) awnings are to be integrated into the building design at the first floor level	

# RC2 - Mixed use commercial development area

This part applies to blocks and parcels identified in area RC2 shown on the Gungahlin Precinct Map.

#### Element 2: Use

Rul	es	Criteria		
2.1	Ground floor use			
R66		C66		
One or more of the following uses are not permitted above the ground floor:  a) COMMUNITY USE		Noise generating uses are located to minimise impacts on residential or commercial accommodation.		
b)	craft workshop			
c)	indoor entertainment facility			
d)	indoor recreation facility			
e)	NON RETAIL COMMERCIAL USE			
f)	restaurant			
g)	SHOP			
2.2	Ground floor use – floor area limit			
R67	,	C67		
	ere development includes one or more of the wing:	The scale of leisure, recreation, community and commercial activities included with multi unit		
a)	COMMUNITY USE	housing development achieves all of the following:		
p)	craft workshop	a) ancillary to <i>RESIDENTIAL USE</i>		
c)	indoor entertainment facility	b) services the local residents only		
d)	indoor recreation facility	b) Services the local residents only		
e)	NON RETAIL COMMERCIAL USE			
f)	Restaurant SHOP			
g)				
	maximum <i>gross floor area</i> per establishment enancy is 200 m <sup>2</sup>			

### **Element 3: Buildings**


Rules	Criteria	
3.1 Number of storeys		
R68	C68	
The maximum number of <i>storeys</i> is 3.	Buildings achieve all of the following:  a) compatibility with the desired character  b) reasonable solar access to dwellings on adjoining residential blocks and their	
	associated <i>private open space</i> The maximum number of storeys is 4.	

# Other ongoing provisions

This part applies to blocks and parcels identified as ongoing provisions (OPn) in the Gungahlin Precinct Map. It should be read in conjunction with the relevant zone development code and related codes.

## OP1 - Gungahlin residential area

This part applies to blocks and parcels identified in area OP1 shown on the Gungahlin Precinct Map.



The following provisions reside in 3.3 Single Dwelling Housing Development Code and/ or 3.4 Multi Unit Housing Development Code

Blocks potentially affected by noise from external sources



Figure 21 Gungahlin residential area ongoing provisions

NI2008-27

### Appendix A – Road reservation

Table 1 Major collector street network requirements					
Street name	The Valley Avenue	The Valley Avenue extension (up to Gundaroo Drive)	Flemington Road (Kate Crace Street to Hamer Street)	Kate Crace Street	North-south leg of ring system at eastern end of the town centre (adjacent to Hamer Street, Manning Clark Crescent south to The Valley Avenue)
Carriageway	4 traffic lanes	4 traffic lanes	2 traffic lanes	4 traffic lanes	4 traffic lanes
Median	required (including turning)	required	required	required (including turning)	required (including turning)
On-street car parking	both sides	not required	both sides	western side only	not required
Verge width each side (m)	7 (northern side) 7 (southern side)	8 (northern side) 7 (southern side)	7 (northern side) 7 (southern side)	7 (western side) 5 (eastern side)	7 (western side) 7 (eastern side)
Bike path each side	yes (refer figure 4)	yes (refer figure 4)	yes (refer figure 4)	yes (refer figure 4)	yes (refer figure 4)
Service lane	on the southern side, with parking only on the northern side				
Bus lane each side			yes		

Table 2 Access street network requirements					
Street name	Ernest Cavanagh Street	Access streets (not specifically listed above)	Hibberson Street	Hinder Street	
Carriageway	2 traffic lanes	2 traffic lanes	continue current width	continue current width	
Median	not required	not required	oonango oanoni waan	Commission Control Midual	
On-street car parking each side (m)	yes (both sides)	yes (both sides)			
Verge	yes (both sides)	yes (both sides)			