


Strathnairn Precinct Map and Code



Strathnairn Precinct Code

Contents

Introduction	on	4
Additional	rules and criteria	€
RC1 – Res	idential area	
Element 1:		
	1.1 Setbacks	
	1.2 Heights	
	1.4 Principal Private Open Space	
	1.5 Solar Building Envelope	
	1.6 Parking	8
	1.7 Gates	
	1.8 Fencing 1.9 Building envelope provisions	
Flement 2:	Water sensitive urban design	
Licinoni Li	2.1 Water tank requirements	
Element 3:		
	3.1 Home business	10
Other ong	oing provisions	32
OP1 – Stra	thnairn residential area	32
OP2 – Stra	thnairn residential area	33
OP3 – Stra	thnairn residential area	34
OP4 – Stra	thnairn residential area	35
OP5 – Stra	thnairn residential area	36
OP6 – Stra	thnairn residential area	37
OP7 – Stra	thnairn residential area	38
OP8 – Stra	thnairn residential area	39
OP9 – Stra	thnairn residential area	40
OP10 – Str	athnairn residential area	41
Figures		
Figure 1 F	encing controls for mid-size / large corner blocks for Figure 3	11
Figure 2 F	encing controls for mid-size / large corner blocks for Figure 4	12
Figure 3 S	trathnairn fencing controls	13
Figure 4 S	trathnairn fencing controls	14
Figure 5 S	trathnairn residential area 1	15
Figure 6 S	trathnairn residential area 2	16
Figure 7 S	trathnairn residential area 3	17
Figure 8 S	trathnairn residential area 4	18
Figure 9 S	trathnairn residential area 5	19
-		

Figure 10	Strathnairn residential area 6	20
Figure 11	Strathnairn residential area 7	21
Figure 12	Strathnairn residential area 8	22
Figure 13	Strathnairn residential area 9	23
Figure 14	Strathnairn residential area 10	24
Figure 15	Strathnairn residential area 11	25
Figure 16	Strathnairn residential area 12	26
Figure 17	Strathnairn residential area 13	27
Figure 18	Strathnairn residential area 14	28
Figure 19	Strathnairn residential area 15	29
Figure 20	Strathnairn residential area 16	30
Figure 21	Strathnairn residential area 17	31
Figure 22	Strathnairn residential area ongoing provisions	32
Figure 23	Strathnairn residential area ongoing provisions	33
Figure 24	Strathnairn residential area ongoing provisions	34
Figure 25	Strathnairn residential area ongoing provisions	35
Figure 26	Strathnairn residential area ongoing provisions	36
Figure 27	Strathnairn residential area ongoing provisions	37
Figure 28	Strathnairn residential area ongoing provisions	38
Figure 29	Strathnairn residential area ongoing provisions	39
Figure 30	Strathnairn residential area ongoing provisions	40
Figure 31	Strathnairn residential area ongoing provisions	41

Introduction

Name

The name of this code is **Strathnairn Precinct Code**.

Application

The code applies to the Division of Strathnairn.

Purpose

This code provides additional planning, design and environmental controls for specific areas or blocks and may also contain references to provisions in other codes.

In conjunction with other relevant codes it will be used by the *Authority* to assess development applications and offer guidance to intending applicants in designing development proposals and preparing development applications.

Structure

This code contains additional rules and/or criteria for particular blocks or parcels identified as areas RCn on the precinct map, to be read in conjunction with the relevant development code. It may also contain sub-parts.

Each element has one or more rules and, unless the respective rule is mandatory, each rule has an associated criterion. Rules provide quantitative, or definitive, controls. By contrast, criteria are chiefly qualitative in nature.

In some instances rules are mandatory. Such rules are accompanied by the words "This is a mandatory requirement. There is no applicable criterion." Non-compliance with a mandatory rule will result in the refusal of the development application. Conversely, the words "There is no applicable rule" is found where a criterion only is applicable.

Code hierarchy

Under the *Planning and Development Act 2007*, where more than one type of code applies to a development, the order of precedence if there is inconsistency of provisions between codes is: precinct code, development code and general code.

If more than one precinct code applies to the site, the most recent precinct code takes precedence to the extent of any inconsistency.

Definitions

Defined terms, references to legislation and other documents are italicised.

Definitions of terms used in this code are listed in part 13 of the Territory Plan or, for terms applicable only to this code, associated with the respective rule.

Acronyms

EPA ACT Environment Protection Authority

ESA ACT Emergency Services Agency

EPSDD ACT Environment, Environment, Planning and Sustainable

Development Directorate

NCA National Capital Authority

P&D Act Planning and Development Act 2007

TCCS Transport Canberra and City Services

Additional rules and criteria

This part applies to blocks and parcels identified in the Strathnairn Precinct Map (RCn). It should be read in conjunction with the relevant zone development code and related codes.

RC1 - Residential area

This part applies to blocks and parcels identified in area RC1 shown on the Strathnairn Precinct Map.

Element 1: Building and site controls

Rules	Criteria				
1.1 Setbacks					
R1					
Minimum boundary setbacks to lower floor level and/or upper floor level are identified in Figures 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 and 21.	This is a mandatory requirement. There is no applicable criterion.				
This rule does not apply to setbacks for garages and/or carports.					
Notes:					
 Where setbacks are not identified, or for garages and/or carports, the provisions of the Single Dwelling Housing Development Code or the Multi Unit Housing Development Code apply. Side boundary 1 and side boundary 2 are nominated by the applicant unless otherwise specified in this precinct code. 					
R2					
This rule applies to blocks or parcels in locations identified in Figures 5, 6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 17, 18, 19, 20 and 21 Minimum setback to garage/ carport/	This is a mandatory requirement. There is no applicable criterion.				
surveillance unit is nominated.					
1.2 Heights					
R3					
This rule applies to blocks or parcels in locations	This is a mandatory requirement. There is no				
identified in Figures 5, 6, 7, 8, 9, 10 and 11.	applicable criterion.				
The mandatory number of storeys is nominated.					

Rules Criteria 1.3 Walls R4 This rule applies to blocks or parcels in locations This is a mandatory requirement. There is no identified in Figures 5, 8, 10, 11, 12, 13, 14, 15, applicable criterion. 16, 17, 18, 19 and 20. Maximum length of wall at nominated setback cannot exceed nominated length. 1.4 Principal Private Open Space R5 This rule applies to blocks or parcels in locations This is a mandatory requirement. There is no identified in Figures 5, 10, 11,12, 13, 16, 19 and applicable criterion. 20. The minimum dimensions or area of principal private open space are nominated. At least one area of principal private open space on the block complies with all of the following: directly accessible from, and adjacent to, a a) habitable room other than a bedroom screened from adjoining public streets and b) public open space located behind the building line, except c) where enclosed by a courtyard wall is not located to the south, south-east or south-west of the dwelling, unless it achieves not less than 3 hours of direct sunlight onto 50% of the minimum principal private open space area between the hours of 9am and 3pm on the winter solstice (21 June). Where nominated at Upper Floor Level principal private open space also complies with the following: not less than 12m2. i) 1.5 Solar Building Envelope R6 This rule applies to blocks or parcels in locations This is a mandatory requirement. There is no identified in Figures 13, 14, 15 and 17. applicable criterion. Nominated blocks are exempt from solar

building provisions in Rule and Criteria 26 of the

Multi Unit Housing Development Code.

Rules	Criteria			
1.6 Parking				
R7 This rule applies to blocks or parcels in locations identified in Figures 5, 6, 10, 12, and 13. One onsite parking space only is required.	This is a mandatory requirement. There is no applicable criterion.			
1.7 Gates				
R8 This rule applies to blocks or parcels in locations identified in Figures 5, 6, 8, 9 and 11. Access gate to open space is required.	This is a mandatory requirement. There is no applicable criterion.			
R9 This rule applies to blocks or parcels in locations identified in Figures 13, 14, 15 and 17. Location of gate, street address and letterbox are nominated.	This is a mandatory requirement. There is no applicable criterion.			
1.8 Fencing				
This rule applies to blocks or parcels in locations identified in Figure 3 only where courtyard walls and fences are forward of the building line. Materials are to be a combination of solid and semi-transparent elements as follows: • Masonry or stonework • If over 600mm in height to include infill panels that are semi-transparent using materials such as dressed hardwood timber or powder coated aluminium slats (openings to be minimum 10mm) The following materials/ fencing are not permitted: • Paling fence • Chain mesh fencing • Colorbond fence • Untreated timber slat fencing • Timber sleepers • Brush fencing Fences are to be constructed in accordance with Table 1.	This is a mandatory requirement. There is no applicable criterion.			

Rules Criteria R11 This rule applies to blocks or parcels in locations This is a mandatory requirement. There is no identified in Figure 4 only where courtyard walls applicable criterion. and fences are forward of the building line. Materials are to be a combination of solid and semi-transparent elements as follows: Masonry, stonework or a combination of raised garden beds of minimum of 400mm high with hedging If over 600mm in height to include infill panels that are semi-transparent using materials such as dressed hardwood timber or powder coated aluminium slats (openings to be minimum 10mm) The following materials/ fencing are not permitted: Paling fence Chain mesh fencing Colorbond fence Untreated timber slat fencing Timber sleepers Brush fencing Fences are to be constructed in accordance with Table 2. 1.9 Building envelope provisions R12 Blocks identified as Integrated Development This is a mandatory requirement. There is no Parcels are exempt from Rule 7A of the Single applicable criterion. Dwelling Housing Development Code.

Element 2: Water sensitive urban design

Rules		Criteria		
2.1 Water tank requ	uirements			
R14				
Standard blocks are strequirements as follows:	subject to water tank size ws:	This is a mandatory requirement. There is no applicable criterion.		
Block Size (m²)	Mandatory minimum tank size (kL)			
0 ≤ 250	0			
> 250 - 350	2			
> 350 - 599	4			
> 599 - 800	8			
> 800	10			
Housing Code includi	of the Single Dwelling ing minimum roof capture d external connection			
R15				
This rule applies to blidentified in Figures 1	ock or parcels in locations 3, 14, 16 and 20.	This is a mandatory requirement. There is no applicable criterion.		
Rain water tanks must accordance with R43 Housing Code.	st be installed in of the Single Dwelling			

Element 3: Home business provisions

Rules	Criteria		
3.1 Home business			
R16			
This rule applies to block 6 section 16.	This is a mandatory requirement. There is no		
No maximum number of home business.	applicable criterion.		

LOCATION (refer to plan) FENCING CONTROL ONLY APPLES TO COURTYARD WALLS AND FENCES FORWARD OF THE BUILDING LINE		MANDATORY	MINUMUM FRONT SETBACK	MAXIMUM HEIGHT	MAXIMUM HEIGHT FOR PPOS SCREEN	MAXIMUM HEIGHT OF SIDE FENCING TO FRONT OF FRONT BUILDING LINE	NOTE
	VILLAGE LINK/ GREEN LINK	YES	100% @ 0m	1.2m	1.5m	1.5m	
	VILLAGE LINK/ GREEN LINK	YES	100% @ 600mm	1.2m	1.5m	1.5m	PROVIDE PLANTING FORWARD OF THE COURTYARD WALL
	CENTRAL BOULEVARD	YES	50% @ 0m 50% @ 1m	1.2m	1.5m	1.5m	
	LANE WAYS	AS REQUIRED	100% @ 0m	1.8m	1.8m	NA	
	BLOCKS ADJACENT TO OPEN SPACE	AS REQUIRED	100% @ 0m	1.8m*	1.8m	NA	
	NORTH FACING BLOCKS	ONLY WHERE PPOS IS IDENTIFIED	50% @ 0m 50% @ 600mm	1.5m*	1.5m	1.5m	
(APPLIES	R BLOCKS S TO ALL LARGE AND MID RNER BLOCKS)	AS REQUIRED	50% @ 0m 50% @ 600mm	1.5m*	1.5m	1.5m	NO FENCING PERMITTED WITHIN 6m OF THE CORNER (REFER TO DIAGRAM BELOW)

Where located above a retaining wall, fencing to be setback a minimum of 600mm from the boundary. The maximum combined height of wall and fence is 2.2 metres from footpath level. Sufficient space between retaining wall and fence to provide planting.

Table 1 Fencing controls for Figure 3




Figure 1 Fencing controls for mid-size / large corner blocks for Figure 3

LOCATION (refer to plan) FENCING CONTROL ONLY APPLES TO COURTYARD WALLS AND FENCES FORWARD OF THE BUILDING LINE		MANDATORY FENCING COURTYARD WALL	MINUMUM FRONT SETBACK	MAXIMUM HEIGHT	MAXIMUM HEIGHT FOR PPOS SCREEN	MAXIMUM HEIGHT OF SIDE FENCING TO FRONT OF FRONT BUILDING LINE	NOTE
	VILLAGE LINK BLOCKS - 12.5m WIDE</th <th>YES</th> <th>100% @ 0m</th> <th>1.2m*</th> <th>1.5m</th> <th>1.5m</th> <th></th>	YES	100% @ 0m	1.2m*	1.5m	1.5m	
	VILLAGE LINK BLOCKS > 12.5m WIDE	YES	50% @ 0m 50% @ 800mm	1.2m*	1.5m	1.5m	PROVIDE PLANTING FORWARD OF THE COURTYARD WALL
Ì	CENTRAL BOULEVARD	YES	50% @ 0m 50% @ 1m	1.2m*	1.5m	1.5m	
	LANE WAYS	NO	100% @ Dm	1.8m	1.8m	NA.	
	BLOCKS ADJACENT TO OPEN SPACE	NO	100% @ 0m	1.8m*	1.8m	NA	
NORTH FACING BLOCKS		NO	50% @ 0m 50% @ 800mm	1.5m*	1.5m	1.5m	
CORNER BLOCKS		NO	50% @ 0m 50% @ 800mm	1.5m*	1.5m	1.5m	NO FENCING PERMITTED WITHIN 6m OF THE CORNER (REFER TO DIAGRAM BELOW)

Where utility service infrastructure is required in front of any walls, such as Water Meters, Mini Pillars, Sewer and any other required service, walls may contain recesses to a maximum of 1.8m length and 0.8m depth or as agreed by the service provider.

Side boundary fences may be of Timber Paling (hardwood lapped and capped) or Sheet Metal

Table 2 Fencing controls for Figure 4




Figure 2 Fencing controls for mid-size / large corner blocks for Figure 4

Where blocks are subjected to two boundaries fronting a laneway as shown in Example C, a courtyard wall or fence treatment may be installed along laneway frontages on the boundary.

Where located above a retaining wall, fencing to be setback a minimum of 600mm from the boundary, providing sufficient space for planting. The maximum combined height of wall and fence is 2.2 metres from footpath level.




Figure 3 Strathnairn fencing controls




Figure 4 Strathnairn fencing controls

Effective: 27 November 2020




Figure 5 Strathnairn residential area 1




Figure 6 Strathnairn residential area 2




Figure 7 Strathnairn residential area 3




Figure 8 Strathnairn residential area 4



Figure 9 Strathnairn residential area 5




Figure 10 Strathnairn residential area 6




Figure 11 Strathnairn residential area 7




Figure 12 Strathnairn residential area 8




Figure 13 Strathnairn residential area 9




Figure 14 Strathnairn residential area 10




Figure 15 Strathnairn residential area 11




Figure 16 Strathnairn residential area 12




Figure 17 Strathnairn residential area 13




Figure 18 Strathnairn residential area 14




Figure 19 Strathnairn residential area 15




Figure 20 Strathnairn residential area 16

Effective: 27 November 2020




Figure 21 Strathnairn residential area 17

Other ongoing provisions

This part applies to blocks and parcels identified as ongoing provisions (OPn) in the Strathnairn Precinct Map. It should be read in conjunction with the relevant zone development code and related codes.

OP1 – Strathnairn residential area

This part applies to blocks and parcels identified in area OP1 shown on the Strathnairn Precinct Map.




Figure 22 Strathnairn residential area ongoing provisions

OP2 - Strathnairn residential area

This part applies to blocks and parcels identified in area OP2 shown on the Strathnairn Precinct Map.




Figure 23 Strathnairn residential area ongoing provisions

OP3 - Strathnairn residential area

This part applies to blocks and parcels identified in area OP3 shown on the Strathnairn Precinct Map.




Figure 24 Strathnairn residential area ongoing provisions

OP4 - Strathnairn residential area

This part applies to blocks and parcels identified in area OP4 shown on the Strathnairn Precinct Map.



Figure 25 Strathnairn residential area ongoing provisions

OP5 - Strathnairn residential area

This part applies to blocks and parcels identified in area OP5 shown on the Strathnairn Precinct Map.




Figure 26 Strathnairn residential area ongoing provisions

OP6 - Strathnairn residential area

This part applies to blocks and parcels identified in area OP6 shown on the Strathnairn Precinct Map.




Figure 27 Strathnairn residential area ongoing provisions

OP7 - Strathnairn residential area

This part applies to blocks and parcels identified in area OP7 shown on the Strathnairn Precinct Map.




Figure 28 Strathnairn residential area ongoing provisions

OP8 - Strathnairn residential area

This part applies to blocks and parcels identified in area OP8 shown on the Strathnairn Precinct Map.



Figure 29 Strathnairn residential area ongoing provisions

OP9 - Strathnairn residential area

This part applies to blocks and parcels identified in area OP9 shown on the Strathnairn Precinct Map.




Figure 30 Strathnairn residential area ongoing provisions

NI2008-27

OP10 - Strathnairn residential area

This part applies to blocks and parcels identified in area OP10 shown on the Strathnairn Precinct Map.




Figure 31 Strathnairn residential area ongoing provisions