

Australian Capital Territory

Utilities (Variation of Terms – ActewAGL Distribution Standard Customer Contract) Approval Notice 2009

Notifiable Instrument NI2009-268

made under the

Utilities Act 2000, s 91 (Notification and application of terms etc) and s 93 (Variation of terms)

1 Name of instrument

This instrument is the *Utilities (Variation of Terms – ActewAGL Distribution Standard Customer Contract) Approval Notice 2009*.

2 Commencement

This instrument commences on the day after it is notified.

3 Approval of variation of standard customer contract for electricity connection and distribution services

The Independent Competition and Regulatory Commission approves the variation at Schedule 1 to ActewAGL Distribution's schedule of charges in the standard customer contract for electricity connection and distribution services.

Paul Baxter
Senior Commissioner
Independent Competition and Regulatory Commission

11 June 2009

ActewAGL Distribution Schedule of electricity network charges 2009-10

The following charges will apply from 1 July 2009. Accounts issued on or after this date will be charged on a pro-rata basis.

The charges contained in this schedule will be payable to ActewAGL Distribution:

- for, or in connection with, the use of the electricity network;
- for the provision of metering equipment, meter reading and data forwarding; and
- for miscellaneous services.

Also included in this schedule are the arrangements for the reimbursement to retailers under the ACT Government's Electricity Feed-in (Renewable Energy Premium) Act 2008.

Prices include Goods and Services Tax of 10 percent where stated.

Use of network charges

Code	Description	2008-09 GST-exclusive rate	2009-10 GST-exclusive rate	2009-10 GST-inclusive rate
010	Residential Standard Network The Residential Standard Network charge shall be: <ul style="list-style-type: none"> • a network access charge per day • all consumption 	14.35c 4.32c per kWh	12.97c 5.45c per kWh	14.267c 5.995c per kWh
015	Residential TOU Network The Residential TOU Network charge shall be: <ul style="list-style-type: none"> • a network access charge per day • for energy at max times (as defined) • for energy at mid times (as defined) • for energy at economy times (as defined) • for energy at controlled economy times (as defined, recorded on the controlled load element) 	14.35c 6.20c per kWh 4.05c per kWh 2.60c per kWh 2.60c per kWh	12.97c 7.87c per kWh 4.59c per kWh 3.24c per kWh 1.32c per kWh	14.267c 8.657c per kWh 5.049c per kWh 3.564c per kWh 1.452c per kWh
020	Residential 5000 Network The Residential 5000 Network charge shall be: <ul style="list-style-type: none"> • a network access charge per day • consumption for the first 60 kWh per day (pro-rata over billing period) • consumption above 60 kWh per day 	34.35c 2.72c per kWh 4.32c per kWh	34.37c 3.85c per kWh 5.45c per kWh	37.807c 4.235 per kWh 5.995c per kWh
030	Residential with Heat Pump Network The Residential with Heat Pump Network charge shall be: <ul style="list-style-type: none"> • a network access charge per day 	77.35c	77.27c	84.997c

Code	Description	2008-09 GST-exclusive rate	2009-10 GST-exclusive rate	2009-10 GST-inclusive rate
	<ul style="list-style-type: none"> consumption for the first 165 kWh per day (pro-rata over billing period) consumption above 165 kWh per day 	1.22c per kWh 4.32c per kWh	2.35c per kWh 5.45c per kWh	2.585c per kWh 5.995c per kWh
040	General Network The General Network charge shall be: <ul style="list-style-type: none"> a network access charge per day consumption for the first 330 kWh per day (pro-rata over billing period) consumption above 330 kWh per day 	25.90c 6.95c per kWh 8.95c per kWh	26.00c 8.27c per kWh 10.99c per kWh	28.60c 9.097c per kWh 12.089c per kWh
060	Off-Peak (1 / 2) Night Network (obsolete) The Off-Peak 1 / 2 Night Network charge shall be: <ul style="list-style-type: none"> all consumption 	0.45c per kWh	0.78c per kWh	0.858c per kWh
070	Off-Peak (3) Day & Night Network The Off-Peak (3) Day & Night Network charge shall be: <ul style="list-style-type: none"> all consumption 	1.10c per kWh	1.32c per kWh	1.452c per kWh
080	Streetlighting Network The Streetlighting Network charge shall be: <ul style="list-style-type: none"> a network access charge per day per account all consumption 	25.90c 4.10c per kWh	26.00c 5.10c per kWh	28.600c 5.610c per kWh
090	General TOU Network The General TOU Network charge shall be: <ul style="list-style-type: none"> a network access charge per day for energy at business times (as defined) for energy at evening times (as defined) for energy at off-peak times (as defined) 	25.90c 10.80c per kWh 5.80c per kWh 2.65c per kWh	26.00c 12.93c per kWh 7.12c per kWh 2.94c per kWh	28.600c 14.223c per kWh 7.832c per kWh 3.234c per kWh
Low voltage time of use demand network				
101	LV TOU kVA Demand Network			
	<ul style="list-style-type: none"> a network access charge per connection point per day for maximum demand in a billing period, a charge per day of for energy at business times (as defined) for energy at evening times (as defined) 	35.00c 32.00c per kVA 2.80c per kWh 2.25c per kWh	32.00c 33.20c per kVA 4.21c per kWh 3.07c per kWh	35.200c 36.520c per kVA 4.631c per kWh 3.377c per kWh

Code	Description	2008-09 GST-exclusive rate	2009-10 GST-exclusive rate	2009-10 GST-inclusive rate
	<ul style="list-style-type: none"> for energy at off-peak times (as defined) 	1.30c per kWh	1.58c per kWh	1.738c per kWh
102	LV TOU kW Demand Network (available to customers under 750MWh pa) Discontinued.			
	<ul style="list-style-type: none"> a network access charge per connection point per day for maximum demand in a billing period, a charge per day of for energy at business times (as defined) for energy at evening times (as defined) for energy at off-peak times (as defined) 	35.00c 54.00c per kW 2.80c per kWh 2.25c per kWh 1.30c per kWh		
103	LV TOU Capacity Network (required for low voltage customers with embedded generator)			
	<ul style="list-style-type: none"> a network access charge per connection point per day for maximum demand in a billing period, a charge per day of for the maximum demand over the previous 12-month period, a capacity charge per day of for energy at business times (as defined) for energy at evening times (as defined) for energy at off-peak times (as defined) 	35.00c 15.00c per kVA 15.00c per kVA 2.80c per kWh 2.25c per kWh 1.30c per kWh	32.00c 15.00c per kVA 15.00c per kVA 4.21c per kWh 3.07c per kWh 1.58c per kWh	35.200c 16.500c per kVA 16.500c per kVA 4.631c per kWh 3.377c per kWh 1.738c per kWh
High voltage time of use demand network with ActewAGL low voltage network				
111	HV TOU Demand Network The HV TOU Demand Network charge for a customer with a low voltage network owned and maintained by ActewAGL shall be:			
	<ul style="list-style-type: none"> a network access charge per connection point per day for maximum demand in a billing period, a charge per day of for the maximum demand over the previous 12-month period, a capacity charge per day of for energy at business times (as defined) for energy at evening times (as defined) 	\$12.00 13.00c per kVA 13.00c per kVA 2.50c per kWh 2.10c per kWh	\$12.00 13.00c per kVA 13.00c per kVA 3.90c per kWh 2.81c per kWh	\$13.200 14.300c per kVA 14.300c per kVA 4.290c per kWh 3.091c per kWh

Code	Description	2008-09 GST-exclusive rate	2009-10 GST-exclusive rate	2009-10 GST-inclusive rate
	<ul style="list-style-type: none"> for energy at off-peak times (as defined) 	1.23c per kWh	1.48c per kWh	1.628c per kWh
112	<p>HV TOU Demand Network – Customer HV</p> <p>The HV TOU Demand Network charge for a customer with a low voltage network owned and maintained by ActewAGL, where the customer owns and is responsible for their high voltage assets (including transformers and switch gear), shall be:</p> <ul style="list-style-type: none"> a network access charge per connection point per day for maximum demand in a billing period, a charge per day of for the maximum demand over the previous 12-month period, a capacity charge per day of for energy at business times (as defined) for energy at evening times (as defined) for energy at off-peak times (as defined) 	<p>\$12.00</p> <p>12.00c per kVA</p> <p>12.00c per kVA</p> <p>2.50c per kWh</p> <p>2.10c per kWh</p> <p>1.23c per kWh</p>	<p>\$12.00</p> <p>12.00c per kVA</p> <p>12.00c per kVA</p> <p>3.90c per kWh</p> <p>2.81c per kWh</p> <p>1.48c per kWh</p>	<p>\$13.200</p> <p>13.200c per kVA</p> <p>13.200c per kVA</p> <p>4.290c per kWh</p> <p>3.091c per kWh</p> <p>1.628c per kWh</p>
High voltage time of use demand network without ActewAGL low voltage network				
121	<p>HV TOU Demand Network – Customer LV</p> <p>The HV TOU Demand Network charge for a customer that owns and is responsible for their own low voltage network shall be:</p> <ul style="list-style-type: none"> a network access charge per connection point per day for maximum demand in a billing period, a charge per day of for the maximum demand over the previous 12-month period, a capacity charge per day of for energy at business times (as defined) for energy at evening times (as defined) for energy at off-peak times (as defined) 	<p>\$12.00</p> <p>13.00c per kVA</p> <p>13.00c per kVA</p> <p>2.25c per kWh</p> <p>1.90c per kWh</p> <p>1.13c per kWh</p>	<p>\$12.00</p> <p>13.00c per kVA</p> <p>13.00c per kVA</p> <p>3.47c per kWh</p> <p>2.43c per kWh</p> <p>1.31c per kWh</p>	<p>\$13.200</p> <p>14.300c per kVA</p> <p>14.300c per kVA</p> <p>3.817c per kWh</p> <p>2.673c per kWh</p> <p>1.441c per kWh</p>
122	<p>HV TOU Demand Network – Customer HV and LV</p> <p>The HV TOU Demand Network charge for a customer that owns and is responsible for their own low voltage</p>			

Code	Description	2008-09 GST-exclusive rate	2009-10 GST-exclusive rate	2009-10 GST-inclusive rate
	network, where the customer owns and is responsible for their high voltage assets (including transformers and switch gear), shall be:			
	<ul style="list-style-type: none"> a network access charge per connection point per day for maximum demand in a billing period, a charge per day of for the maximum demand over the previous 12-month period, a capacity charge per day of for energy at business times (as defined) for energy at evening times (as defined) for energy at off-peak times (as defined) 	<p>\$12.00</p> <p>12.00c per kVA</p> <p>12.00c per kVA</p> <p>2.25c per kWh</p> <p>1.90c per kWh</p> <p>1.13c per kWh</p>	<p>\$12.00</p> <p>12.00c per kVA</p> <p>12.00c per kVA</p> <p>3.47c per kWh</p> <p>2.43c per kWh</p> <p>1.31c per kWh</p>	<p>\$13.200</p> <p>13.200c per kVA</p> <p>13.200c per kVA</p> <p>3.817c per kWh</p> <p>2.673c per kWh</p> <p>1.441c per kWh</p>
135	<p>Small Unmetered Loads Network</p> <p>The Small Unmetered Loads Network charge shall be:</p> <ul style="list-style-type: none"> a network access charge per NMI per day all consumption 	<p>26.00c</p> <p>8.60c per kWh</p>	<p>18.80c</p> <p>9.53c per kWh</p>	<p>20.680c</p> <p>10.483c per kWh</p>
141	<p>Internal Network</p> <p>The Internal Network charge shall be:</p> <ul style="list-style-type: none"> a network access charge per day per account all consumption 	<p>3.20c</p> <p>0.58c per kWh</p>	<p>2.40c</p> <p>1.395c per kWh</p>	<p>2.640c</p> <p>1.5345c per kWh</p>

Use of network charge

The local distributor charges for the use of the transmission and distribution networks. Because both networks are natural monopolies, the local distributor operates in a completely open and transparent way with respect to these charges.

The use of network charges are published from time to time and all retailers pay identical rates.

The **transmission use of system** component is paid to the operator of the transmission system. It covers the use of the network from the generator to the distributor's bulk supply point. As a local distributor ActewAGL pays this amount to Transgrid.

The **distribution use of system** component covers the use of the distributor's network from the bulk supply point to the customer's point of connection.

These charges are subject to independent regulation. They are determined, as far as possible, to be cost reflective. ActewAGL has established a number of different network rates.

Separate charges for the provision of metering equipment, meter reading and data forwarding will apply.

Application of rates

The network charge applicable to each installation shall be in accordance with the following classification of premises, places and purposes:

The **Residential Standard Network** charge shall be applicable to installations at private dwellings, excluding serviced apartments, but including:

- living quarters for members and staff of religious orders
- living quarters on farms
- charitable homes
- retirement villages
- residential sections of nursing homes and hospitals
- residential sections of boarding schools and educational institutions
- churches, buildings or premises which are used principally for public worship
- approved caravan sites.

Serviced apartments are premises which from time to time are available for hire for accommodation for periods that may be less than one month and where service available to the apartments includes provision and laundering of bed linen.

In respect of multiple dwellings of three or more dwelling units, the Residential Standard Network charge will be applicable only where each dwelling unit is separately metered and the account is in the name of the occupant.

When a portion of a premises is used principally for domestic purposes, loads not exceeding five kilowatts, which are used for other than domestic purposes may be supplied at the Residential Standard Network charge. For this purpose, the loading of equipment shall be taken to be:

- for permanently connected equipment, the actual rating of the equipment;
- for light fittings, 60 watts per light fitting;
- for plug sockets:
 - sockets rated 10 amperes or 10 amperes per phase: 500 watts or 500 watts per phase
 - sockets rated other than 10 amperes: the wattage rating shall be taken as 50 times the current rating of the socket.

The Residential TOU Network charge is available only to customers eligible for the Residential Standard Network charge with a meter able to be read as a time-of-use meter. Customers are ineligible to apply for this charge if they have been on this charge in the previous 12 months and have since been supplied energy at the Residential Standard Network charge, the Residential 5000 Network charge or the Residential with Heat Pump Network charge to that premises.

The Residential 5000 Network charge is available only to customers eligible for the Residential Standard Network charge. Customers are ineligible to apply for this charge if they have been on this charge in the previous 12 months and have since been supplied energy at the Residential Standard Network charge, the Residential TOU Network charge or the Residential with Heat Pump Network charge to that premises.

The Residential with Heat Pump Network charge is available only to customers eligible for the Residential Standard Network charge and who have installed a fixed operational electric appliance which incorporates a mechanical refrigeration unit and a fan or fans, arranged so that the evaporator and the condenser can be switched to heat or cool air blown through the appliance (heat pump). Customers are ineligible to apply for this charge if they have been on this charge in the previous 12 months and have since been supplied energy at the Residential Standard Network charge, the Residential TOU Network charge or Residential 5000 Network charge to that premises.

The General Network charge is available to customers where no other defined charge, except for an off-peak network charge, is utilised, and shall include:

- installations on farms which are not living quarters and have loads exceeding five kilowatts (as defined above)
- nursing homes and hospitals, excluding residential sections
- boarding schools and educational institutions, excluding residential sections
- motels, hotels, serviced apartments and any form of accommodation used to house temporary residents for periods of less than one month at caravan parks or other temporary accommodation sites
- shops, offices, warehouses, factories, professional rooms
- social or sporting club facilities not used for domestic accommodation.

Off-peak charges are available only to customers utilising a controlled load element, taking all other energy at Residential Standard Network or General Network rates. These charges are not available where the customer's meter is read as an interval meter. The off-peak charges are applicable to permanent heat (or cold) storage installations of a design and rating acceptable to ActewAGL, which absorb their major energy during restricted times, but which may be boosted at the principal charge at other times.

The **Off-Peak (1 / 2) Night Network** charge is obsolete. It shall be available only to existing installations receiving this service. It shall provide operation for a minimum of six hours and a maximum of eight hours within any one day, between 2200 hours (10.00pm) and 0700 hours (7.00am).

The **Off-Peak (3) Day & Night Network** charge shall provide operation for a total of 13 hours in any one day. The said 13 hours shall be comprised of eight hours between 2200 hours (10.00pm) and 0700 hours (7.00am) and five hours between 0900 hours (9.00am) and 1700 hours (5.00pm).

ActewAGL will nominate the actual settings on the time switch.

The Off Peak (3) Day & Night Network charge is applicable to:

- water heating storage units for which a test certificate has been issued indicating compliance with Australian Standard 1056 and having lower or upper and lower elements but with any upper element connected to the principal charge (rated delivery shall be not less than 160 litres)
- water heating storage units where electricity is used to supplement other forms of energy (for example, solar hot water)
- storage space heating or cooling including under-floor, concrete-slab heating systems
- swimming or spa pool heating, and associated auxiliaries, but not to spa baths.

The **Streetlighting Network** charge shall be applicable to the night-time lighting of streets and public ways and places.

Time of use, time of use demand network and **time of use capacity** charges. The customer must make available all necessary equipment together with adequate accommodation for the installation and proper maintenance of the installation, all to the satisfaction of ActewAGL.

The **low voltage time of use capacity** charge is to be applied to all non-residential customers with a generator, other than a stand-by generator, connected on the customer's side of the meter. The charge is available to all low voltage customers.

The **high voltage time of use demand** charges may be available to customers connected at a nominal voltage not less than 11,000 volts.

The Small Unmetered Loads Network charge shall be applicable to eligible installations less than 1,000 Watts, as determined by ActewAGL, including:

- telephone boxes
- telecommunication devices

- other as determined by the National Metrology Coordinator.

Consumption charges are calculated based on the assessed rating of the load and the charge period.

Streetlighting is excluded. Please refer to the Streetlighting Network charge above.

Internal Network charges are available only to ActewAGL sites.

Time periods

- **Business times** are defined as from 0700 hours (7.00am) to 1700 hours (5.00pm) on weekdays.
- **Evening times** are defined as from 1700 hours (5.00pm) to 2200 hours (10.00pm) on weekdays.
- **Off-Peak times** are defined as all other times.

Weekdays are Monday to Friday excluding declared public holidays in the Australian Capital Territory.

- **Max times** are defined as from 0700 hours (7.00am) to 0900 hours (9.00am) and from 1700 hours (5.00pm) to 2000 hours (8.00pm) every day.
- **Mid times** are defined as from 0900 hours (9.00am) to 1700 hours (5.00pm) and from 2000 hours (8.00pm) to 2200 hours (10.00pm) every day.
- **Economy times** are defined as all other times.
- **Controlled economy times** are the same rules and times as defined for the Off-Peak (3) Day & Night Network charge, unless the premises has been entitled to the Off-Peak (1 / 2) Night Network charge when the times relating to that charge may apply.

Standard time zone

No change is made for Daylight Savings Time. All times referred to are in Australian Eastern Standard Time.

Network access charges

Network access charges shall be applied per connection point (unless otherwise specified) and applied daily. The network access charge excludes metering charges.

Maximum demand charges

Maximum demand charges shall be applied per connection point (unless otherwise specified) and calculated on the basis of a daily rate for the maximum demand in a billing period. The maximum demand is the highest demand calculated over a 30-minute clocked interval during the billing period.

Capacity charges

Capacity charges shall be applied on the same basis as maximum demand charges and calculated on the basis of a daily rate for the maximum demand recorded over the previous 12-month period. The maximum demand is the highest demand calculated over a 30-minute clocked interval over the relevant period.

Loss factors

AL00 1.0478 for supply at low voltage
AH00 1.0274 for supply at high voltage

Renewable Energy Generation

If a customer has a grid-connected renewable energy generator and the customer is not receiving the ACT feed-in tariff¹, the following arrangements shall apply:

- The customer shall pay the published network charge for the net amount of energy imported from ActewAGL Distribution's network.
- In the event that the customer is a net exporter of energy over a billing period, then ActewAGL Distribution shall not charge the customer for the energy exported.
- The customer shall continue to pay the network access charge.
- This arrangement is available only to customers with less than 30 kilowatts installed capacity of renewable generation.

In all other circumstances where a customer has a grid-connected renewable energy generator with an installed capacity of less than 30 kilowatts, including where the customer is receiving the ACT feed-in tariff, the following arrangements shall apply:

- The customer shall pay the published network charge for the gross amount of energy imported from ActewAGL Distribution's network.
- ActewAGL Distribution shall not charge the customer for the use of the network for the energy exported.
- The customer shall continue to pay the network access charge.

Metering charges

Separate charges for the provision of metering equipment, meter reading and data forwarding will apply. ActewAGL will provide ACT metering services for customers using manually-read interval meters (MRIM or Type 5), accumulation and time-of-use meters (BASIC or Type 6) and un-metered connections (UMCP or Type 7). Charges for those services are listed below.

Code	Description	2008-09 GST-exclusive rate	2009-10 GST-exclusive rate	2009-10 GST-inclusive rate
MP1	<p>Quarterly basic metering rate</p> <p>The quarterly basic metering rate applies to accumulation and time-of-use meters read quarterly</p> <ul style="list-style-type: none"> • a metering charge per day per National Metering Identifier (NMI) 	<i>9.75c</i>	12.23c	13.453c
MP2	<p>Monthly basic metering rate</p> <p>The monthly basic metering rate applies to accumulation and time-of-use meters read monthly</p> <ul style="list-style-type: none"> • a metering charge per day per NMI 	<i>17.10c</i>	21.40c	23.540c
MP3	<p>Time-of-use metering rate</p> <p>The time-of-use metering rate applies to the General TOU Network charge for which time-of-use meters are read manually monthly</p> <ul style="list-style-type: none"> • a metering charge per day per NMI 	<i>17.10c</i>	21.40c	23.540c

¹ As established by the *Electricity Feed-in (Renewable Energy Premium) Act 2008* (Feed-in tariff Act)

Code	Description	2008-09 GST-exclusive rate	2009-10 GST-exclusive rate	2009-10 GST-inclusive rate
MP4	<p>Monthly manually-read interval metering rate This manually-read interval metering rate applies to all interval meters recording at either 15- or 30-minute intervals, read manually and processed monthly</p> <ul style="list-style-type: none"> a metering charge per day per meter 	\$1.65	\$1.75	\$1.925
MP5	<p>Internal metering rate The internal metering rate applies to the sites entitled to the Internal Network charge</p> <ul style="list-style-type: none"> a metering charge per day per NMI 	6.00c	7.50c	8.25c
MP6	<p>Quarterly manually-read interval metering rate This manually-read interval metering rate applies to all interval meters recording at either 15- or 30-minute intervals, read manually and processed quarterly.</p> <ul style="list-style-type: none"> a metering charge per day per meter 	48.00c	48.00c	52.800c

Miscellaneous charges

The following charges are payable to ActewAGL for or in connection with the use of the electricity system. These charges apply to work on standard residential and similar installations carried out in normal business hours, unless otherwise stated. Charges for work of greater complexity or outside these hours will be determined individually.

After hours charges, where applicable, apply to services performed outside normal business hours. This applies to all services requested after 1400 hours (2:00pm) on working weekdays where the services are to be performed prior to normal business hours on the next working weekday.

Normal business hours: 0800 hours (8:00am) to 1600 hours (4:00pm) on working weekdays
 After hours: All other times

Code	Description	2008-09 GST-inclusive rate	2009-10 GST-exclusive rate	2009-10 GST-inclusive rate
	For visit to re-energise or de-energise a site			

Code	Description	2008-09 GST-inclusive rate	2009-10 GST-exclusive rate	2009-10 GST-inclusive rate
501	Business hours – re-energise a site	\$44.55	\$47.27	\$52.00
502	After hours – re-energise a site	\$97.27	\$102.73	\$113.00
503	Business hours – de-energise a site	\$40.91	\$42.73	\$47.00
504	Meter test during business hours (deposit)	\$56.36	\$59.09	\$65.00
505	De-energise a site for non-payment	\$75.45	\$79.09	\$87.00
506	Special meter reading, for example, check read (second in a billing period)	\$29.09	\$30.91	\$34.00
507	Install interval meter at customer's request	\$140.00	\$147.27	\$162.00
508	Field visit only (De-energise a site for non-payment)	\$54.55	\$57.27	\$63.00
509	Replace meter to facilitate renewable energy installation		\$147.27	\$162.00
Temporary connections				
520	Overhead	\$322.73	\$340.00	\$374.00
521	Standard underground	\$468.18	\$493.64	\$543.00
522	Free-standing underground	\$568.18	\$598.18	\$658.00
Services				

Code	Description	2008-09 GST-inclusive rate	2009-10 GST-exclusive rate	2009-10 GST-inclusive rate
530	Overhead: remove, reposition or disconnect service, per site visit	\$231.82	\$244.55	\$269.00
531	Underground: remove, reposition or disconnect service, per site visit	\$559.09	\$589.09	\$648.00
Upgrade service from single to three phase at customer's request where load does not justify three phase (Service and Installation Rules clause 3.10)				
532	Overhead	\$300.00	\$316.36	\$348.00
533	Underground – service cable replacement not required	\$300.00	\$316.36	\$348.00
534	Underground – service cable replacement required	\$559.09	\$589.09	\$648.00
540	Installation defect (applied where a revisit to a site is necessitated by obstructed access or non-compliance with the Service and Installation Rules)	\$154.55	\$162.73	\$179.00
550	Issue of copies of electrical drawings (per sheet or electronic equivalent)	\$12.09	\$12.73	\$14.00
560	De-energising wires (to allow safe approach, for example, for tree pruning, plant operation, oversize loads, construction activities)	\$372.73	\$392.73	\$432.00
570	<p>Embedded generation - operational and maintenance charges for small embedded generators (other than residential photovoltaic)</p> <ul style="list-style-type: none"> • for connection assets • for shared network assets 		<p>2% of value of connection assets per annum</p> <p>2% of value of shared assets allocated to the generator per annum (if applicable)</p>	

ACT Government’s Electricity Feed-in Renewable Energy Generation scheme

The following are the payments (negative charges) under the ACT Government Electricity Feed-in (Renewable Energy) Act 2008 together with the tariff codes applied to those payments.

Code	Description	2009-10GST-exclusive rate	2009-10 GST-inclusive rate
201	Feed-in scheme 10 2009-2029 The Feed-in scheme network rate for up to 10kW to start 2009 and end 2029 will be: <ul style="list-style-type: none"> all renewable energy generated 	-44.05c per kWh	-48.455c per kWh
202	Feed-in scheme 10 2010-2030 The Feed-in scheme network rate for up to 10kW to start 2010 and end 2030 will be: <ul style="list-style-type: none"> all renewable energy generated 	-44.05c per kWh	-48.455c per kWh
301	Feed-in scheme 30 2009-2029 The Feed-in scheme network rate from 10kW up to 30kW to start 2009 and end 2029 will be: <ul style="list-style-type: none"> all renewable energy generated 	-34.04c per kWh	-37.444c per kWh
302	Feed-in scheme 30 2010-2030 The Feed-in scheme network rate from 10kW up to 30kW to start 2010 and end 2030 will be: <ul style="list-style-type: none"> all renewable energy generated 	-34.04c per kWh	-37.444c per kWh
401	General Network with Feed-in tariff code 201 (for customers with interval gross metering, refer to application of rates calculation methodology) the General Network charge with Feed-in scheme network rate for up to 10kW will be: <ul style="list-style-type: none"> a network access charge per day consumption for the first 330kWh per day (pro-rata over billing period) consumption above 330kWh per day all renewable energy generated 	26.00c 8.27c per kWh 10.99c per kWh -44.05c per kWh	28.60c 9.097c per kWh 12.089c per kWh -48.455c per kWh
402	General Network with Feed-in tariff code 301 (for customers with interval gross metering, refer to application of rates calculation methodology) the General Network charge with Feed-in scheme network rate from 10kW up to 30kW will be: <ul style="list-style-type: none"> a network access charge per day consumption for the first 330kWh per day (pro-rata over billing period) consumption above 330kWh per day 	26.00c 8.27c per kWh 10.99c per kWh	28.60c 9.097c per kWh 12.089c per kWh

Code	Description	2009-10GST-exclusive rate	2009-10 GST-inclusive rate
	<ul style="list-style-type: none"> all renewable energy generated 	-34.04c per kWh	-37.444c per kWh
403	<p>General Network with Feed-in tariff code 201</p> <p>(for customers with interval sub gross metering, refer to application of rates calculation methodology) the General Network charge with Feed-in scheme network rate for up to 10kW will be:</p> <ul style="list-style-type: none"> a network access charge per day consumption for the first 330kWh per day (pro-rata over billing period) consumption above 330kWh per day all renewable energy generated 	<p>26.00c</p> <p>8.27c per kWh</p> <p>10.99c per kWh</p> <p>-44.05c per kWh</p>	<p>28.60c</p> <p>9.097c per kWh</p> <p>12.089c per kWh</p> <p>-48.455c per kWh</p>
404	<p>General Network with Feed-in tariff code 301</p> <p>(for customers with interval sub gross metering, refer to application of rates calculation methodology) The General Network charge with Feed-in scheme network rate from 10kW up to 30kW will be:</p> <ul style="list-style-type: none"> a network access charge per day consumption for the first 330kWh per day (pro-rata over billing period) consumption above 330kWh per day all renewable energy generated 	<p>26.00c</p> <p>8.27c per kWh</p> <p>10.99c per kWh</p> <p>-34.04c per kWh</p>	<p>28.60c</p> <p>9.097c per kWh</p> <p>12.089c per kWh</p> <p>-37.444c per kWh</p>
405	<p>General Network with Feed-in tariff code 202</p> <p>(for customers with interval gross metering, refer to application of rates calculation methodology) the General Network charge with Feed-in scheme network rate for up to 10kW will be:</p> <ul style="list-style-type: none"> a network access charge per day consumption for the first 330kWh per day (pro-rata over billing period) consumption above 330kWh per day all renewable energy generated 	<p>26.00c</p> <p>8.27c per kWh</p> <p>10.99c per kWh</p> <p>-44.05c per kWh</p>	<p>28.60c</p> <p>9.097c per kWh</p> <p>12.089c per kWh</p> <p>-48.455c per kWh</p>
406	<p>General Network with Feed-in tariff code 302</p> <p>(for customers with interval gross metering, refer to application of rates calculation methodology) the General Network charge with Feed-in scheme network rate from 10kW up to 30kW will be:</p>		

Code	Description	2009-10 GST-exclusive rate	2009-10 GST-inclusive rate
	<ul style="list-style-type: none"> a network access charge per day consumption for the first 330kWh per day (pro-rata over billing period) consumption above 330kWh per day all renewable energy generated 	<p>26.00c</p> <p>8.27c per kWh</p> <p>10.99c per kWh</p> <p>-34.04c per kWh</p>	<p>28.60c</p> <p>9.097c per kWh</p> <p>12.089c per kWh</p> <p>-37.444c per kWh</p>
407	<p>General Network with Feed-in tariff code 202</p> <p>(for customers with interval sub gross metering, refer to application of rates calculation methodology) the General Network charge with Feed-in scheme network rate for up to 10kW will be:</p> <ul style="list-style-type: none"> a network access charge per day consumption for the first 330kWh per day (pro-rata over billing period) consumption above 330kWh per day all renewable energy generated 	<p>26.00c</p> <p>8.27c per kWh</p> <p>10.99c per kWh</p> <p>-44.05c per kWh</p>	<p>28.60c</p> <p>9.097c per kWh</p> <p>12.089c per kWh</p> <p>-48.455c per kWh</p>
408	<p>General Network with Feed-in tariff code 302</p> <p>(for customers with interval sub gross metering, refer to application of rates calculation methodology) The General Network charge with Feed-in scheme network rate from 10kW up to 30kW will be:</p> <ul style="list-style-type: none"> a network access charge per day consumption for the first 330kWh per day (pro-rata over billing period) consumption above 330kWh per day all renewable energy generated 	<p>26.00c</p> <p>8.27c per kWh</p> <p>10.99c per kWh</p> <p>-34.04c per kWh</p>	<p>28.60c</p> <p>9.097c per kWh</p> <p>12.089c per kWh</p> <p>-37.444c per kWh</p>
601	<p>Residential Network with Feed-in tariff code 201</p> <p>(for customers with interval gross metering, refer to application of rates calculation methodology) the Residential Network charge with Feed-in scheme network rate for up to 10kW will be:</p> <ul style="list-style-type: none"> a network access charge per day all consumption all renewable energy generated 	<p>12.97c</p> <p>5.45c per kWh</p> <p>-44.05c per kWh</p>	<p>14.267c</p> <p>5.995c per kWh</p> <p>-48.455c per kWh</p>
602	<p>Residential Network with Feed-in tariff code 301</p> <p>(for customers with interval gross metering, refer to application of rates calculation</p>		

Code	Description	2009-10GST-exclusive rate	2009-10 GST-inclusive rate
	methodology) the Residential Network charge with Feed-in scheme network rate from 10kW up to 30kW will be:		
	<ul style="list-style-type: none"> • a network access charge per day • all consumption • all renewable energy generated 	<p>12.97c</p> <p>5.45c per kWh</p> <p>-34.04c per kWh</p>	<p>14.267c</p> <p>5.995c per kWh</p> <p>-37.444c per kWh</p>
603	<p>Residential Network with Feed-in tariff code 202</p> <p>(for customers with interval gross metering, refer to application of rates calculation methodology) the Residential Network charge with Feed-in scheme network rate for up to 10kW will be:</p> <ul style="list-style-type: none"> • a network access charge per day • all consumption • all renewable energy generated 	<p>12.97c</p> <p>5.45c per kWh</p> <p>-44.05c per kWh</p>	<p>14.267c</p> <p>5.995c per kWh</p> <p>-48.455c per kWh</p>
604	<p>Residential Network with Feed-in tariff code 302</p> <p>(for customers with interval gross metering, refer to application of rates calculation methodology) the Residential Network charge with Feed-in scheme network rate from 10kW up to 30kW will be:</p> <ul style="list-style-type: none"> • a network access charge per day • all consumption • all renewable energy generated 	<p>12.97c</p> <p>5.45c per kWh</p> <p>-34.04c per kWh</p>	<p>14.267c</p> <p>5.995c per kWh</p> <p>-37.444c per kWh</p>
901	<p>General TOU Network with Feed-in tariff code 201</p> <p>(for customers with interval gross metering, refer to application of rates calculation methodology) the General TOU Network charge with Feed-in scheme network rate for up to 10kW will be:</p> <ul style="list-style-type: none"> • a network access charge per day • for energy at business times (as defined) • for energy at evening times (as defined) • for energy at off-peak times (as defined) • all renewable energy generated 	<p>26.00c</p> <p>12.93c per kWh</p> <p>7.12c per kWh</p> <p>2.94c per kWh</p> <p>-44.05c per kWh</p>	<p>28.60c</p> <p>14.223c per kWh</p> <p>7.832c per kWh</p> <p>3.234c per kWh</p> <p>-48.455c per kWh</p>
902	<p>General TOU Network with Feed-in tariff code 301</p> <p>(for customers with interval gross metering, refer to application of rates calculation methodology) the General TOU Network charge with Feed-in scheme network rate from</p>		

Code	Description	2009-10GST-exclusive rate	2009-10 GST-inclusive rate
	10kW up to 30kW will be:		
	<ul style="list-style-type: none"> a network access charge per day for energy at business times (as defined) for energy at evening times (as defined) for energy at off-peak times (as defined) all renewable energy generated 	<p>26.00c</p> <p>12.93c per kWh</p> <p>7.12c per kWh</p> <p>2.94c per kWh</p> <p>-34.04c per kWh</p>	<p>28.60c</p> <p>14.223c per kWh</p> <p>7.832c per kWh</p> <p>3.234c per kWh</p> <p>-37.444c per kWh</p>
903	<p>General TOU Network with Feed-in tariff code 201</p> <p>(for customers with interval sub gross metering, refer to application of rates calculation methodology) the General TOU Network charge with Feed-in scheme network rate for up to 10kW will be:</p> <ul style="list-style-type: none"> a network access charge per day for energy at business times (as defined) for energy at evening times (as defined) for energy at off-peak times (as defined) all renewable energy generated 	<p>26.00c</p> <p>12.93c per kWh</p> <p>7.12c per kWh</p> <p>2.94c per kWh</p> <p>-44.05c per kWh</p>	<p>28.60c</p> <p>14.223c per kWh</p> <p>7.832c per kWh</p> <p>3.234c per kWh</p> <p>-48.455c per kWh</p>
904	<p>General TOU Network with Feed-in tariff code 301</p> <p>(for customers with interval sub gross metering, refer to application of rates calculation methodology) the General TOU Network charge with Feed-in scheme network rate from 10kW up to 30kW will be:</p> <ul style="list-style-type: none"> a network access charge per day for energy at business times (as defined) for energy at evening times (as defined) for energy at off-peak times (as defined) all renewable energy generated 	<p>26.00c</p> <p>12.93c per kWh</p> <p>7.12c per kWh</p> <p>2.94c per kWh</p> <p>-34.04c per kWh</p>	<p>28.60c</p> <p>14.223c per kWh</p> <p>7.832c per kWh</p> <p>3.234c per kWh</p> <p>-37.444c per kWh</p>
905	<p>General TOU Network with Feed-in tariff code 202</p> <p>(for customers with interval gross metering, refer to application of rates calculation methodology) the General TOU Network charge with Feed-in scheme network rate for up to 10kW will be:</p> <ul style="list-style-type: none"> a network access charge per day for energy at business times (as defined) for energy at evening times (as defined) for energy at off-peak times (as defined) 	<p>26.00c</p> <p>12.93c per kWh</p> <p>7.12c per kWh</p> <p>2.94c per kWh</p>	<p>28.60c</p> <p>14.223c per kWh</p> <p>7.832c per kWh</p> <p>3.234c per kWh</p>

Code	Description	2009-10GST-exclusive rate	2009-10 GST-inclusive rate
	<ul style="list-style-type: none"> • all renewable energy generated 	-44.05c per kWh	-48.455c per kWh
906	<p>General TOU Network with Feed-in tariff code 302 (for customers with interval gross metering, refer to application of rates calculation methodology) the General TOU Network charge with Feed-in scheme network rate from 10kW up to 30kW will be:</p> <ul style="list-style-type: none"> • a network access charge per day • for energy at business times (as defined) • for energy at evening times (as defined) • for energy at off-peak times (as defined) • all renewable energy generated 	<p style="text-align: right;">26.00c</p> <p>12.93c per kWh</p> <p>7.12c per kWh</p> <p>2.94c per kWh</p> <p>-34.04c per kWh</p>	<p style="text-align: right;">28.60c</p> <p>14.223c per kWh</p> <p>7.832c per kWh</p> <p>3.234c per kWh</p> <p>-37.444c per kWh</p>
907	<p>General TOU Network with Feed-in tariff code 202 (for customers with interval sub gross metering, refer to application of rates calculation methodology) the General TOU Network charge with Feed-in scheme network rate for up to 10kW will be:</p> <ul style="list-style-type: none"> • a network access charge per day • for energy at business times (as defined) • for energy at evening times (as defined) • for energy at off-peak times (as defined) • all renewable energy generated 	<p style="text-align: right;">26.00c</p> <p>12.93c per kWh</p> <p>7.12c per kWh</p> <p>2.94c per kWh</p> <p>-44.05c per kWh</p>	<p style="text-align: right;">28.60c</p> <p>14.223c per kWh</p> <p>7.832c per kWh</p> <p>3.234c per kWh</p> <p>-48.455c per kWh</p>
908	<p>General TOU Network with Feed-in tariff code 302 (for customers with interval sub gross metering, refer to application of rates calculation methodology) the General TOU Network charge with Feed-in scheme network rate from 10kW up to 30kW will be:</p> <ul style="list-style-type: none"> • a network access charge per day • for energy at business times (as defined) • for energy at evening times (as defined) • for energy at off-peak times (as defined) • all renewable energy generated 	<p style="text-align: right;">26.00c</p> <p>12.93c per kWh</p> <p>7.12c per kWh</p> <p>2.94c per kWh</p> <p>-34.04c per kWh</p>	<p style="text-align: right;">28.60c</p> <p>14.223c per kWh</p> <p>7.832c per kWh</p> <p>3.234c per kWh</p> <p>-37.444c per kWh</p>
1001	<p>LV TOU kVA Demand Network with Feed-in tariff code 201 (for customers with interval gross metering, refer to application of rates calculation methodology) the LV TOU Demand Network</p>		

Code	Description	2009-10GST-exclusive rate	2009-10 GST-inclusive rate
	charge with Feed-in scheme network rate for up to 10kW will be:		
	<ul style="list-style-type: none"> a network access charge per connection point per day for maximum demand in a billing period, a charge per day of for energy at business times (as defined) for energy at evening times (as defined) for energy at off-peak times (as defined) all renewable energy generated 	<p>32.00c</p> <p>33.20 c per kVA</p> <p>4.21c per kWh</p> <p>3.07c per kWh</p> <p>1.58c per kWh</p> <p>-44.05c per kWh</p>	<p>35.20c</p> <p>36.52 c per kVA</p> <p>4.631c per kWh</p> <p>3.377c per kWh</p> <p>1.738c per kWh</p> <p>-48.455c per kWh</p>
1002	<p>LV TOU kVA Demand Network with Feed-in tariff code 301</p> <p>(for customers with interval gross metering, refer to application of rates calculation methodology) the LV TOU Demand Network charge with Feed-in scheme network rate from 10kW up to 30kW will be:</p> <ul style="list-style-type: none"> a network access charge per connection point per day for maximum demand in a billing period, a charge per day of for energy at business times (as defined) for energy at evening times (as defined) for energy at off-peak times (as defined) all renewable energy generated 	<p>32.00c</p> <p>33.20 c per kVA</p> <p>4.21c per kWh</p> <p>3.07c per kWh</p> <p>1.58c per kWh</p> <p>-34.04c per kWh</p>	<p>35.20c</p> <p>36.52 c per kVA</p> <p>4.631c per kWh</p> <p>3.377c per kWh</p> <p>1.738c per kWh</p> <p>-37.444c per kWh</p>
1003	<p>LV TOU kVA Demand Network with Feed-in tariff code 201</p> <p>(for customers with interval sub gross metering, refer to application of rates calculation methodology) the LV TOU Demand Network charge with Feed-in scheme network rate for up to 10kW will be:</p> <ul style="list-style-type: none"> a network access charge per connection point per day for maximum demand in a billing period, a charge per day of for energy at business times (as defined) for energy at evening times (as defined) for energy at off-peak times (as defined) all renewable energy generated 	<p>32.00c</p> <p>33.20 c per kVA</p> <p>4.21c per kWh</p> <p>3.07c per kWh</p> <p>1.58c per kWh</p> <p>-44.05c per kWh</p>	<p>35.20c</p> <p>36.52 c per kVA</p> <p>4.631c per kWh</p> <p>3.377c per kWh</p> <p>1.738c per kWh</p> <p>-48.455c per kWh</p>
1004	<p>LV TOU kVA Demand Network with Feed-in tariff code 301</p>		

Code	Description	2009-10 GST-exclusive rate	2009-10 GST-inclusive rate
	<p>(for customers with interval sub gross metering, refer to application of rates calculation methodology) the LV TOU Demand Network charge with Feed-in scheme network rate from 10kW up to 30kW will be:</p> <ul style="list-style-type: none"> • a network access charge per connection point per day • for maximum demand in a billing period, a charge per day of • for energy at business times (as defined) • for energy at evening times (as defined) • for energy at off-peak times (as defined) • all renewable energy generated 	<p>32.00c</p> <p>33.20 c per kVA</p> <p>4.21c per kWh</p> <p>3.07c per kWh</p> <p>1.58c per kWh</p> <p>-34.04c per kWh</p>	<p>35.20c</p> <p>36.52 c per kVA</p> <p>4.631c per kWh</p> <p>3.377c per kWh</p> <p>1.738c per kWh</p> <p>-37.444c per kWh</p>
1005	<p>LV TOU kVA Demand Network with Feed-in tariff code 202</p> <p>(for customers with interval gross metering, refer to application of rates calculation methodology) the LV TOU Demand Network charge with Feed-in scheme network rate for up to 10kW will be:</p> <ul style="list-style-type: none"> • a network access charge per connection point per day • for maximum demand in a billing period, a charge per day of • for energy at business times (as defined) • for energy at evening times (as defined) • for energy at off-peak times (as defined) • all renewable energy generated 	<p>32.00c</p> <p>33.20 c per kVA</p> <p>4.21c per kWh</p> <p>3.07c per kWh</p> <p>1.58c per kWh</p> <p>-44.05c per kWh</p>	<p>35.20c</p> <p>36.52 c per kVA</p> <p>4.631c per kWh</p> <p>3.377c per kWh</p> <p>1.738c per kWh</p> <p>-48.455c per kWh</p>
1006	<p>LV TOU kVA Demand Network with Feed-in tariff code 302</p> <p>(for customers with interval gross metering, refer to application of rates calculation methodology) the LV TOU Demand Network charge with Feed-in scheme network rate from 10kW up to 30kW will be:</p> <ul style="list-style-type: none"> • a network access charge per connection point per day • for maximum demand in a billing period, a charge per day of • for energy at business times (as defined) • for energy at evening times (as defined) • for energy at off-peak times (as defined) 	<p>32.00c</p> <p>33.20 c per kVA</p> <p>4.21c per kWh</p> <p>3.07c per kWh</p> <p>1.58c per kWh</p>	<p>35.20c</p> <p>36.52 c per kVA</p> <p>4.631c per kWh</p> <p>3.377c per kWh</p> <p>1.738c per kWh</p>

Code	Description	2009-10 GST-exclusive rate	2009-10 GST-inclusive rate
	<ul style="list-style-type: none"> all renewable energy generated 	-34.04c per kWh	-37.444c per kWh
1007	<p>LV TOU kVA Demand Network with Feed-in tariff code 202</p> <p>(for customers with interval sub gross metering, refer to application of rates calculation methodology) the LV TOU Demand Network charge with Feed-in scheme network rate for up to 10kW will be:</p> <ul style="list-style-type: none"> a network access charge per connection point per day for maximum demand in a billing period, a charge per day of for energy at business times (as defined) for energy at evening times (as defined) for energy at off-peak times (as defined) all renewable energy generated 	<p>32.00c</p> <p>33.20 c per kVA</p> <p>4.21c per kWh</p> <p>3.07c per kWh</p> <p>1.58c per kWh</p> <p>-44.05c per kWh</p>	<p>35.20c</p> <p>36.52 c per kVA</p> <p>4.631c per kWh</p> <p>3.377c per kWh</p> <p>1.738c per kWh</p> <p>-48.455c per kWh</p>
1008	<p>LV TOU kVA Demand Network with Feed-in tariff code 302</p> <p>(for customers with interval sub gross metering, refer to application of rates calculation methodology) the LV TOU Demand Network charge with Feed-in scheme network rate from 10kW up to 30kW will be:</p> <ul style="list-style-type: none"> a network access charge per connection point per day for maximum demand in a billing period, a charge per day of for energy at business times (as defined) for energy at evening times (as defined) for energy at off-peak times (as defined) all renewable energy generated 	<p>32.00c</p> <p>33.20 c per kVA</p> <p>4.21c per kWh</p> <p>3.07c per kWh</p> <p>1.58c per kWh</p> <p>-34.04c per kWh</p>	<p>35.20c</p> <p>36.52 c per kVA</p> <p>4.631c per kWh</p> <p>3.377c per kWh</p> <p>1.738c per kWh</p> <p>-37.444c per kWh</p>

Application of rates

ACT Government's Electricity Feed-in Renewable Energy Generation scheme (FiT scheme)

Where a retailer has paid an occupier of a premises in accordance with subsection 6(3) of the Electricity Feed-in (Renewable Energy Premium) Act 2008, ActewAGL Distribution will reimburse the retailer in accordance with subsection 6(2) of that Act. ActewAGL Distribution's NUOS invoices for retailers will show the reimbursement as a negative amount in the charges.

Retailers are to apply to ActewAGL Distribution for a network tariff code if a relevant network tariff code is not listed above.

Calculation methodology for Feed-in tariffs with interval meters

The tariff codes above starting with 2 or 3 will be applied with the normal tariff for that NMI, e.g. if existing NMI network tariff code is 010, then this site will now have 010 + 201 etc.

For other tariff codes starting with 4 or 6 to 10, the feed-in tariff code above starting with 2 or 3 that is to be applied along with the calculation methodology for that tariff code with interval metering data.

The network charge applicable to each installation with interval meters shall be in accordance with the following:

1. for customers with interval gross metering;
 - calculation shall be as per existing standard for kVA demand charges, that is 30 minute clocked interval calculated coincident
 - data stream for energy from the grid, calculation shall be E streams only applied to energy times for kWh rates
 - data stream for energy to the grid, calculation for Feed-in shall be B stream only.
e.g. NMI Network Tariff Code 401, E streams total accumulation = 3000kWh, B stream = 1000kWh
 $3000 \times 6.95\text{c per kWh} = \208.50
 $1000 \times -44.05\text{c per kWh} = -\$440.50.$

2. for customers with interval sub gross metering
 - calculation shall be as per existing standard for demand charges,
 - data stream for energy from the grid, calculation shall be E streams plus B2 stream minus B1 stream applied to energy times for kWh rates
 - data stream for energy to the grid, calculation for Feed-in shall be B2 stream only.
e.g. NMI Network Tariff Code 404, E1 stream total accumulation = 3000kWh, E2 stream = 5kWh, B1 stream = 100kWh, B2 stream = 1000kWh
 $(3000 + 5 + 1000 - 100) \times 6.95\text{c per kWh} = \271.40
 $1000 \times -34.04\text{c per kWh} = -\$340.40.$