# **Gaming Machine Approval 2010 (No 22)**

# Notifiable instrument NI2010-249

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

## 1 Name of instrument

This instrument is the Gaming Machine Approval 2010 (No 22).

# 2 Commencement

This instrument commences the day after the date of notification.

# 3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney Delegate ACT Gambling and Racing Commission

20 May 2010

Device Name	Game Shell			
Manufacturer	Ainsworth Game Technology Ltd			
Category	Supporting Function			
Category Type	System Software			
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)			
	NSW CPTS 2.2			
	TITO Technical Standard V4.18			
	NSW Jac	NSW Jackpot Technical Standards Rev 1.1		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)			
	NSW CPTS 2.2			
	TITO Technical Standard V4.18			
	NSW Jackpot Technical Standards Rev 1.1			
Platform/Cabinet Details	Ambassador Excell – Bench Top			
	Ambassador SL			
Games recommended for use with this version of Base software				
Game Name		Spec Number	Program Id	
Royal Diamonds Deluxe (2iSAP Levels)		44.BF042	GANSRX1C	
Application Reference No.	44-A058	2/S01		

Game Name	Shield of Nanu			
Specification Number	1.A0819			
Manufacturer	Aristocrat Technologies Australia Pty Ltd			
<b>Gaming Machine Type</b>	Conventional			
Game Type	SpinningReels			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)			
	NSW CPTS 2.2			
	TITO Technical Standar	rd V4.18		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)			
	NSW CPTS 2.2			
	TITO Technical Standard V4.18			
Maximum Bet Value	\$10.00			
<b>Base Credit Value</b>	1c, 2c, 5c			
<b>Percentage Return to Player</b>	Variation Number	Min/Max PRTP		
(PRTP)	99	87.81-87.98		
	01	90.09-90.19		
	07 88.52-88.70			

#### Platform/Cabinet

Mk 6 (XTra) – Low Boy, Casino Top (configured with either a ticket printer and/or hopper option)

Mk 6 (Exceed) – Low Boy, Casino Top, Slant Top (configured with either a ticket printer or hopper option)

Mk 6 (SER1RX) – Casino Top (configured with either ticket printer or hopper option)

Mk 6( XCite) – Low Boy, Casino Top (configured with either a ticket printer and/or hopper option)

 $Mk\ 6\ (XTreme)-Casino\ Top\ (with in-machine\ LCD\ for\ Mystery\ Link)$  (configured with either a ticket printer and/or hopper option)

Slant Mk 6 – Round Top (configured with ticket printer only)

# **Operational Conditions**

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

**Application Reference No.** 01-A1166/S01

Device Name	Bill Acceptor		
Manufacturer	Aristocrat Technologies Australia Pty Ltd		
Category	Gaming Machine		
Category Type	Other		
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
	NSW CPTS 2.2		
	TITO Technical Standard V4.18		

## Platform/Cabinet

Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD) (Configured with either ticket printer and/or hopper option).

Gen7 Slant - Round Top, Casino Top (with in-machine LCD) (Configured with ticket printer only).

Gen7 Upgrade XCite - Lowboy (Configured with either ticket printer and/or hopper option). Gen7 Upgrade XTreme - Casino Top (with in-machine LCD) (Configured with either ticket printer and/or hopper option).

**Application Reference No.** 01-A1165/S01

Game Name	Legend of the Qin Dynasty (update)				
Specification Number	6.F0020				
Manufacturer	Aruze Gaming Australia Pty Ltd				
Gaming Machine Type	Conventional				
Game Type	Spinning Reels				
Submission Standards	1				
	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2				
	TITO Technical Standar	rd V4.18			
Technical Standards	NS10.0 + NSW Append				
	NSW CPTS 2.2	m (dated 1 1/01/05)			
	TITO Technical Standar	d V4.18			
Maximum Bet Value	\$10.00				
Base Credit Value	1c, 2c				
<b>Percentage Return to Player</b>	Variation Number Min/Max PRTP				
(PRTP)	01 85.14				
	02 88.05				
	03 89.01				
	04 90.04				
	05 92.00				
	06 94.02				
	07 98.03				
Platform/Cabinet	G-ENEX – Midway, Low Boy				

#### **Operational Conditions**

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

**Application Reference No.** 06-A0270/S01

Game Name	Shen Long				
Specification Number	6.F0017				
Manufacturer	Aruze Gaming Australia Pty Ltd				
<b>Gaming Machine Type</b>	Conventional				
Game Type	Spinning Reels				
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)				
	NSW CPTS 2.2				
	TITO Technical Standar	rd V4.18			
Technical Standards	NS10.0 + NSW Append	ix (dated 14/01/09)			
	NSW CPTS 2.2				
	TITO Technical Standar	rd V4.18			
Maximum Bet Value	\$10.00				
Base Credit Value	1c, 2c				
Percentage Return to Player	Variation Number Min/Max PRTP				
(PRTP)	01 85.26				
	02 88.06				
	03	89.07			
	04 90.02				
	05 91.99				
	06 94.08				
	07 97.95				
Platform/Cabinet	G-ENEX – Midway, Low Boy				

# **Operational Conditions**

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

**Application Reference No.** 06-A0270/S01

Game Name				Tiger Dragon			
Specification Number 1			18.B	18.B0554			
Manu	facturer		IGT Australia Pty Ltd				
Gamin	ng Machine T	ype	iSAP				
Game	Type		Spinning Reels				
Submi	ssion Standard	S	NS1	0.0 + NSW Ap	pendix (dated 1	14/01/09)	
			NSV	V CPTS 2.2			
			TITO	O Technical Sta	andard V4.18		
			NSV	V Jackpot Tech	nical Standards	s Rev 1.1	
Techni	ical Standards				pendix (dated 1	14/01/09)	
			NSV	V CPTS 2.2			
				O Technical Sta			
				*	nical Standards	s Rev 1.1	
Progre	essive levels sı	upported		P - yes			
			• •	e - standard			
				els - 2			
	num Bet Valu	e	\$10.				
-	Credit Value			2c, 5c, 10c			
Percentage Return to Player (PRTP)							
Var	BCV	Settin		Game RTP	iSAP RTP	Min/Max	
		Combina	ation			Total PRTP	
<b>Var</b> 02	1c	Combina SC0	ation	<b>Game RTP</b> 80.14	<b>iSAP RTP</b> 10.351287		
	1c 2c	SC0 SC3	ation			Total PRTP	
	1c 2c 5c	SC0 SC3 SC6	ation			Total PRTP	
02	1c 2c 5c 10c	SC0 SC3 SC6 SC9	ation_	80.14	10.351287	<b>Total PRTP</b> 90.50	
	1c 2c 5c 10c	SC0 SC3 SC6 SC9 SC1	ation			Total PRTP	
02	1c 2c 5c 10c 1c 2c	SC0 SC3 SC6 SC9 SC1 SC1	ation	80.14	10.351287	<b>Total PRTP</b> 90.50	
02	1c 2c 5c 10c 1c 2c 5c	SC0 SC3 SC6 SC9 SC1 SC4 SC7	ation	80.14	10.351287	<b>Total PRTP</b> 90.50	
02	1c 2c 5c 10c 1c 2c 5c 10c	SC0 SC3 SC6 SC9 SC1 SC4 SC7	ation	80.14	10.351287	<b>Total PRTP</b> 90.50  91.94	
02	1c 2c 5c 10c 1c 2c 5c 10c	SC0 SC3 SC6 SC9 SC1 SC4 SC7 SC10 SC2	ation	80.14	10.351287	<b>Total PRTP</b> 90.50	
02	1c 2c 5c 10c 1c 2c 5c 10c 1c 2c	SC0 SC3 SC6 SC9 SC1 SC4 SC7 SC1( SC2 SC5	ation	80.14	10.351287	<b>Total PRTP</b> 90.50  91.94	
02	1c 2c 5c 10c 1c 2c 5c 10c 1c 2c 5c	SC0 SC3 SC6 SC9 SC1 SC4 SC7 SC10 SC2 SC5 SC8	)	80.14	10.351287	<b>Total PRTP</b> 90.50  91.94	
02 03 07	1c 2c 5c 10c 1c 2c 5c 10c 1c 2c 5c 10c 10c 1c	SC0 SC3 SC6 SC9 SC1 SC4 SC7 SC1( SC2 SC5	ation )	80.14	10.351287 11.791287 9.046463	<b>Total PRTP</b> 90.50  91.94	
02 03 07	1c 2c 5c 10c 1c 2c 5c 10c 1c 2c 5c	SC0 SC3 SC6 SC9 SC1 SC4 SC7 SC10 SC2 SC5 SC8	) AVF	80.14 80.14 80.14 PBC20 – Video	10.351287 11.791287 9.046463	<b>Total PRTP</b> 90.50  91.94	
02 03 07	1c 2c 5c 10c 1c 2c 5c 10c 1c 2c 5c 10c 1c rm/Cabinet	SC0 SC3 SC6 SC9 SC1 SC4 SC7 SC10 SC2 SC5 SC8	) AVF	80.14	10.351287 11.791287 9.046463	<b>Total PRTP</b> 90.50  91.94	
02 03 07 Platfo	1c 2c 5c 10c 1c 2c 5c 10c 1c 2c 5c 10c 1c 1c 2c to 5c 10c to 1c 2c to 5c to 10c to 5c to 10c to 5c to	SC0   SC3   SC6   SC9   SC1   SC4   SC7   SC1   SC2   SC5   SC8   SC11	AVE	80.14 80.14 80.14 80.14 P BC20 – Video S	10.351287 11.791287 9.046463 o Top Slant Top	90.50 91.94 89.19	
02 03 07 Platfo	1c 2c 5c 10c 1c 2c 5c 10c 1c 2c 5c 10c 1c 1c 2c to 5c 10c to 1c 2c to 5c to 10c to 5c to 10c to 5c to	SC0   SC3   SC6   SC9   SC1   SC4   SC7   SC1   SC5   SC8   SC11   SC4   SC7   SC1   SC5   SC8   SC11   SC8   SC11   SC8   SC8   SC11   SC8   SC8	AVF AVF	80.14 80.14 80.14 80.14 P BC20 – Video S	10.351287 11.791287 9.046463	90.50 91.94 89.19	

D 1 N7	ATID D CC	0.01 11 /01 11 0.0	o Drog)		
Device Name	AVP BC20 Shell (Shell, OS & BIOS)				
Manufacturer	IGT Australia Pty Ltd				
Category	Supporting Function				
Category Type	System Software				
Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09)				
	NSW CPT	S 2.2			
	TITO Tec	TITO Technical Standard V4.18			
	NSW Jack	NSW Jackpot Technical Standards Rev 1.1			
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)				
	NSW CPT	S 2.2			
	TITO Tec	hnical Standard V4	.18		
	NSW Jack	pot Technical Stan	dards Rev 1.1		
Platform/Cabinet Details	AVP BC2	0 – Video Top			
	AVP ST22 – Video Slant Top				
Games recommended for use v	vith this ver	rsion of Base softw	vare		
Game Name	Spec Number	Program Id			
Pamplona		18.A0577	X42000GA, RA		
Dolphin Dreams		18.A0578	X42000GA, RA		
Taipan Xtra Choice		18.A0580	X42000GA, RA		
Spartan		18.A0540	X42000GA, RA		
Cooee Country		18.A0542	X42000GA, RA		
Gold Fever 100 Pandas		18.A0543	X42000GA, RA		
Gold Fever Flower of Mexico		18.A0544	X42000GA, RA		
Extra Chance Major Jackpots in Australia		18.A0547	X42000GA, RA		
Gold Fever Dolphin Treasures		18.A0548	X42000GA, RA		
Application Reference No. 18-A5041/S01					