# **Gaming Machine Approval 2010 (No 34)**

## Notifiable instrument NI2010-477

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

#### 1 Name of instrument

This instrument is the Gaming Machine Approval 2010 (No 34).

## 2 Commencement

This instrument commences the day after the date of notification.

# 3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney Delegate ACT Gambling and Racing Commission

24 August 2010

Game Name	Party in Rio		
<b>Specification Number</b>	1.F0065		
Manufacturer	Aristocrat Technologies	Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Append	lix (dated 14/01/09)	
	NSW CPTS 2.2		
	TITO Technical Standar	rd V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)		
	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
Maximum Bet Value	\$9.00		
Base Credit Value	1c, 2c		
Percentage Return to Player	Variation Number	Min/Max PRTP	
(PRTP)	99	87.78-87.89	
	01	90.12-90.19	
	07	88.66-88.72	

#### Platform/Cabinet

Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either ticket printer and/or hopper option).

Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with ticket printer only).

Gen7 Upgrade XCite - Lowboy (with / without external LCD for Mystery Link) (Configured with either ticket printer and/or hopper).

Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either ticket printer and/or hopper option).

## **Operational Conditions**

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

**Application Reference No.** 01-A1176/S01

Game Name	Party in Rio (Bonus Link)		
Specification Number	1.HF016		
Manufacturer	Aristocrat Technologies	Australia Pty Ltd	
<b>Gaming Machine Type</b>	SFS		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Append	lix (dated 14/01/09)	
	NSW CPTS 2.2		
	TITO Technical Standar	rd V4.18	
	NSW Jackpot Technical	l Standards Rev 1.1	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)		
	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
	NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	Linked - Yes		
	Type - Standard		
	Levels - 3		
Maximum Bet Value	\$4.80		
<b>Base Credit Value</b>	1c		
<b>Percentage Return to Player</b>	Variation Number Min/Max PRTP		
(PRTP)	06 85.66-85.72		

#### Platform/Cabinet

Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).

Gen7 Slant - Casino Top (with in-machine LCD for Hyperlink) (Configured with ticket printer only).

Gen7 Upgrade XCite - Lowboy (with / without external LCD for Hyperlink) (Configured with either ticket printer and/or hopper).

Gen7 Upgrade XTreme - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. The above-mentioned game 'Party in Rio (Bonus Link)' must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Bonus Link' jackpot settings.

Application Reference No.	01-A1176/S01
Application Reference No.	01-A11/6/S01

<b>Game Name</b>			Rose Tattoo		
Specification	Numb	er	1.DF002		
Manufacture	er		Aristocrat Technologies Australia Pty Ltd		
Gaming Mac	hine T	ype	MGGM – iSAP		
Game Type		•	Spinning Reels		
Submission St	andard	S	NS10.0 + NSW App	oendix (dated 1	4/01/09)
			NSW CPTS 2.2 TIT		
			NSW Jackpot Techn	nical Standards	Rev 1.1
Technical Star	ndards		NS10.0 + NSW App		
			NSW CPTS 2.2 TIT		
			NSW Jackpot Techn	nical Standards	Rev 1.1
Progressive l	evels sı	pported	1		
		• •	Type - Standard		
			Levels - 2		
Maximum Bo	et Valu	e	\$10.00		
Base Credit '			1c, 2c, 50c, \$1.00 (s	electable by pl	ayer)
Component (		Set Detail	, , , , , , , , , , , , , , , , , , , ,		<b>y</b> /
Game Numb			Game Name		BCV
01		Rose Ta	ttoo (Reel Power)		1c
02			ttoo (Reel Power)		2c
03			ttoo (Line Play)		50c
04			ttoo (Line Play)		\$1.00
Multi-Game	combir				Ψ1.00
MGC	CRP		Game Number	Variation	SDB PRTP
00	0.1.7	<b>-7</b> 0/	01, 02	99	91.55%
99	91.5	57%	03, 04	99	91.59%
Platform/Cabinet		,	1	- 1	
Gen7 Viridian	ı - Casi	no Top (w	rith in-machine LCD; Stan	d-alone) (Configu	red with either
ticket printer and	l/or hopp	er option).			
<b>Details for C</b>	ompon	ent Gam	es 01-02		
Game Name			Rose Tattoo (Reel P	ower)	
Game Numb	er		01		02
Max Bet			\$5.00		\$10.00
Base Credit '	Value		1c		2c
Variation De	tails				
Var	Gai	ne VRP	iSAP RTP	Min/Max '	Total VRP
99	90.2	27-90.33	1.283750	91.55	91.61
<b>Details for Component Games 03-04</b>					
<b>Game Name</b>			Rose Tattoo (Line P	Play)	
Game Number		03	04		
Max Bet		\$5.00		\$10.00	
Base Credit Value		50c		\$1.00	
Variation Details					
Var Game VRP		iSAP RTP	Min/Max '	Min/Max Total VRP	
99 90.31		1.283750	91	.59	
<b>Operational Conditions</b>					
The "Ticket I	The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application l			01-A1190/S01, /S02		

Game Name	Wheel of Gold Dolphin Dreams		
Specification Number	18.H0108		
Manufacturer	IGT (Australia) Pty Ltd		
<b>Gaming Machine Type</b>	SFS		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Append	ix (dated 14/01/09)	
	NSW CPTS 2.2		
	TITO Technical Standar	d V4.18	
	NSW Jackpot Technical	Standards Rev 1.1	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)		
	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
	NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	Linked - Yes		
	Type - Standard		
	Levels - 4		
Maximum Bet Value	\$5.00		
Base Credit Value	1c, 2c		
Percentage Return to Player	Variation Number	Min/Max PRTP	
(PRTP)	08 83.89		
Platform/Cabinet	AVP BC20 – Portrait Top		

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 18.YA008, with the approved jackpot setting combinations.
- 3. An overhead display must be used as part of the Linked Progressive Jackpot System.
- 4. The AVP BC20 gaming machine connected to the LPJS must operate with the Portrait 32IN Top Box.
- 5. Touch-screen functionality must be enabled in the Configuration Menu after a RAM clear.

Territorieur.	
<b>Application Reference No.</b>	18-A5038/S01

Game Name	Wheel of Gold Eastern Empress		
Specification Number	18.H0105		
Manufacturer	IGT (Australia) Pty Ltd		
<b>Gaming Machine Type</b>	SFS		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Append	ix (dated 14/01/09)	
	NSW CPTS 2.2		
	TITO Technical Standar	d V4.18	
	NSW Jackpot Technical	Standards Rev 1.1	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)		
	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
	NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	Linked - Yes		
	Type - Standard		
	Levels - 4		
Maximum Bet Value	\$5.00		
Base Credit Value	1c, 2c		
Percentage Return to Player	Variation Number	Min/Max PRTP	
(PRTP)	08 83.89		
Platform/Cabinet	AVP BC20 – Portrait Top		

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 18.YA008, with the approved jackpot setting combinations.
- 3. An overhead display must be used as part of the Linked Progressive Jackpot System.
- 4. The AVP BC20 gaming machine connected to the LPJS must operate with the Portrait 32IN Top Box.
- 5. Touch-screen functionality must be enabled in the Configuration Menu after a RAM clear.

TO INT CICUI.	
Application Reference No.	18-A5037/S01

Game Name	Wheel of Gold Queen of Atlantis		
Specification Number	18.H0107		
Manufacturer	IGT (Australia) Pty Ltd		
<b>Gaming Machine Type</b>	SFS		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Append	ix (dated 14/01/09)	
	NSW CPTS 2.2		
	TITO Technical Standar	d V4.18	
	NSW Jackpot Technical	Standards Rev 1.1	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)		
	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
	NSW Jackpot Technical Standards Rev 1.1		
Progressive levels supported	LINKED - Yes		
	Type - Standard		
	Levels - 4		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c		
Percentage Return to Player	Variation Number	Min/Max PRTP	
(PRTP)	08	83.89	
Platform/Cabinet	AVP BC20 – Portrait Top		

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 18.YA008, with the approved jackpot setting combinations.
- 3. An overhead display must be used as part of the Linked Progressive Jackpot System.
- 4. The AVP BC20 gaming machine connected to the LPJS must operate with the Portrait 32IN Top Box.
- 5. Touch-screen functionality must be enabled in the Configuration Menu after a RAM clear.

It III cloui.	
<b>Application Reference No.</b>	18-A5035/S01

Device Name	AVP BC20 Portrait 32IN Top Box	
Manufacturer	IGT (Australia) Pty Ltd	
Category	Gaming Machine	
Category Type	Hardware Platform	
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Technical Standards</b>	NS 9.0 + NSW Appendix (dated 23/03/07)	
	NSW CPTS 2.2	
	TITO Technical Standard V4.18	
Platform/Cabinet Details	AVP BC20 – Portrait 32IN Top Box	
<b>Application Reference No.</b>	18-A1195/S01	

Game Name	Tar	Tanami Track – Potion Power		
<b>Specification Number</b>	35.	35.BF048		
Manufacturer	Shu	ıffle Master Australas	sia Pty Ltd	
<b>Gaming Machine Type</b>	e iSA	ΛP		
Game Type	Spi	nning Reels		
<b>Submission Standards</b>	NS	10.0 + NSW Appendi	ix (dated 14/01/09)	
	NS	W CPTS 2.2		
	TIT	O Technical Standar	d V4.18	
	NS	W Jackpot Technical	Standards Rev 1.1	
<b>Technical Standards</b>		10.0 + NSW Appendix	ix (dated 14/01/09)	
		W CPTS 2.2		
		O Technical Standar		
		W Jackpot Technical	Standards Rev 1.1	
Progressive levels supp		iSAP - Yes		
		Type - Standard		
		Levels -3		
Maximum Bet Value	\$6.0	\$6.00		
Base Credit Value	1c,	1c, 2c		
Percentage Return to	Player (PRT	(P)		
Var Game Pl	RTP	iSAP RTP	Min/Max Total PRTP	
99 86.17	1	3.944444	90.11-90.21	
03 84.07	1	3.944444	88.01-88.18	
15 87.53	}	3.944444	91.47	
16 89.59	89.59		93.53-93.59	
Platform/Cabinet	Platform/Cabinet PC4 - Equinox			
Operational Conditions				
The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
<b>Application Reference</b>	plication Reference No. 35-A0668/S01			

Game Name		Tiger of Siam – Potion Power					
Specification Number		35.BF047					
Manufacturer		Shuffle Master Australasia Pty Ltd					
<b>Gaming Machine Type</b>		iSAP					
Game Type		Spinning Reels					
Submission Standards			NS10.0 + NSW Appendix (dated 14/01/09)				
		NS	SW CPTS 2.2				
		TITO Technical Standard V4.18					
		NSW Jackpot Technical Standards Rev 1.1					
Techni	cal Standards	NS10.0 + NSW Appendix (dated 14/01/09)					
			NSW CPTS 2.2				
			TITO Technical Standard V4.18				
			NSW Jackpot Technical Standards Rev 1.1				
Progressive levels supported		iSAP - Yes					
			Type - Standard				
		Levels - 3					
Maximum Bet Value		\$6.00					
Base Credit Value			1c, 2c				
Percentage Return to Player (PRTP)							
Var	Game PRTP		iSAP RTP	Min/Max Total PRTP			
99	86.15		3.944444	90.10-90.20			
03	84.20		3.944444	88.14-88.28			
15	87.51		3.944444	91.45-91.54			
16	89.29		3.944444	93.23-93.35			
Platform/Cabinet			PC4 - Equinox				
Operational Conditions							
The "Ticket In" and "Cashless" facilities are not approved in the ACT.							
Application Reference No.			35-A0662/S01				

Game Name		Tiki Totems				
Specification Number		35.BF054				
Manufacturer		Shuffle Master Australasia Pty Ltd				
<b>Gaming Machine Type</b>		iSAP				
Game Type		Spinning Reels				
Submission Standards		NS10.0 + NSW Appendix (dated 14/01/09)				
		NSW CPTS 2.2				
		TITO Technical Standard V4.18				
		NSW Jackpot Technical Standards Rev 1.1				
Technical Standards		NS10.0 + NSW Appendix (dated 14/01/09)				
		NSW CPTS 2.2				
		TITO Technical Standard V4.18				
		NSW Jackpot Technical Standards Rev 1.1				
<b>Progressive levels supported</b>		iSAP - Yes				
		Type - Random				
		Levels – 2				
Maximum Bet Value		\$8.00				
Base Credit Value	1c,	1c, 2c, 5c				
Percentage Return to Player (PRTP)						
Var Game PRTP	Game PRTP		Min/Max Total PRTP			
99 90.00	90.00		93.00			
01 85.14	85.14		88.14			
02 87.15	87.15		90.15			
03 88.13	88.13		91.13			
07 86.17	86.17		89.17			
Platform/Cabinet	PC <sup>2</sup>	PC4 - Equinox				
Operational Conditions						
The "Ticket In" and "Cashless" facilities are not approved in the ACT.						
<b>Application Reference No.</b>	35-2	35-A0673/S01, /S02				