

Australian Capital Territory

Gaming Machine (Peripheral Equipment) Approval 2010 (No 14)

Notifiable instrument NI2010– 486

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the *Gaming Machine (Peripheral Equipment) Approval 2010 (No 14)*.

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the peripheral equipment described in the attached Schedule to this instrument.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

31 August 2010

This is Page 1 (of 1 pages) of the Schedule to the *Gaming Machine (Peripheral Equipment) Approval 2010 (No 14)*

System/Device Name	Standard LPJS – Jackpot Jewels
Manufacturer	IGT (Australia) Pty Ltd
Category Type	Progressive Controller
Progressive Controller Type	Standard Progressive Controller
Specification	18.YA008
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 NSW Jackpot Technical Standards Rev 1.1
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 NSW Jackpot Technical Standards Rev 1.1
LPJS Description	1 level Standard Linked Progressive Jackpot Controller and Interface Card with CCCE Port Sharing Functionality
Controller Firmware	Version 02.00.03.02
Interface Card Firmware	Version 2.02
Operational Conditions	
<ol style="list-style-type: none"> 1. The Paltronics Controller and Subsidiary Equipment Interface Card with specified firmware must operate as part of the IGT Standard Linked Progressive Jackpot System with the “Jackpot Jewels” jackpot theme. 2. The above-mentioned Jackpot Controller/SEI firmware must operate in conjunction with a “Jackpot Jewels” game/shell combination. 3. An overhead display must be used as part of the LPJS. 4. When using an overhead display with the VGA Display Driver, the following conditions must be complied with: <ol style="list-style-type: none"> a) The system is to run only under Windows XP operating system. b) The keyboard and mouse is to be attached only when performing maintenance and must be removed at all other times. c) The PC housing must have a provision to seal all points where the controller cable may be disconnected. d) The write filter application must be loaded on the hard drive set up. 5. The system interface card must be enclosed in a sealed enclosure. 	
Application Reference Number	18.A1202/S01