Gaming Machine Approval 2010 (No 51)

Notifiable instrument NI2010-657

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2010 (No 51).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney Delegate ACT Gambling and Racing Commission

25 November 2010

New Gaming Machine				
Game Name	Dolphins			
Specification Number	44.F0314			
Manufacturer	Ainsworth Game Techno	ology Ltd		
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Submission Standards	NS10.0 + NSW Appendi	ix (dated 14/01/09)		
Technical Standards	NSW CPTS 2.2			
	TITO Technical Standard V4.18			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c			
Percentage Return to Player	Variation Number Min/Max PRTP			
(PRTP)	99 88.12			
	01 90.27			
	02 91.92			
	06 86.30			
Platform/Cabinet	A560-H - High Boy			
	A560-L - Low Boy(with/without A560 Topper)			
Operational Conditions 1. The "Tielest It" and "Cookless" facilities are not approved in the ACT				

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

Application Reference No. 44-A0591/S01

	aming Machine		T			
Game N	Game Name Dolphi			(2 iSAP Levels)		
Specific	cation Number	·	44.BF075			
Manufa	acturer		Ainswortl	h Game Technolog	gy Ltd	
Gaming	g Machine Ty	Эе	iSAP			
Game T	Гуре		Spinning	Reels		
Submiss	sion Standards		NS10.0 +	NSW Appendix (dated 14/01/09)	
Technic	al Standards		NSW CP		,	
			TITO Tec	hnical Standard V	4.18	
			NSW Jacl	kpot Technical Sta	andards Rev 1.1	
Progres	ssive levels sup	ported	iSAP - Y			
Ö	•	•	Type - Ra	ındom		
			Levels - 2			
Maxim	um Bet Value		\$10.00			
Base C	ase Credit Value			1c, 2c		
Percentage Return to Player (PRTP)						
Var	BCV		ne RTP	iSAP RTP	Min/Max Total	
					PRTP	
16	1	8	6.30	4.050000	90.35	
19	1c	8	88.12	4.050000	92.17	
26	0	86.30		4.122222	90.43	
29	2c	88.12		4.133333	92.25	
Platfor	atform/Cabinet A560-H - High Boy					
			A560-L - Low Boy (with A560 Topper)			
Operat	Operational Conditions					
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.						
				the A560 Low Bo		

operating the game 'Dolphins (2 iSAP Levels)

Application Reference No. 44-A0591/S01

New Gami	New Gaming Machine					
Game Nai	me	Dragon Fish Classic (BCV 5c)				
Specificat	ion Number	44.	44.HF077			
Manufact	urer	Air	sworth Game Technol	ogy Ltd		
Gaming M	Iachine Type	SFS – iSAP				
Game Typ	pe	Spinning Reels				
LPJS		44.	YA005			
Submission	n Standards	NS	10.0 + NSW Appendix	x (dated 14/01/09)		
Technical S	Standards		W CPTS 2.2			
		TIT	TO Technical Standard	V4.18		
		NS	W Jackpot Technical S	Standards Rev 1.1		
Progressiv	ve levels supported	iSAP - Yes				
		Type - Standard				
		Levels - 1				
		Linked - Yes				
		Type - Standard				
		Levels - 1				
	Bet Value		0.00			
Base Cred		5c				
	e Return to Player ((PR'				
Var	Game PRTP	Progressive PRTP Min/Max Total PRTP				
01	87.00	1.925150 88.92				
Platform/	Platform/Cabinet Ambassador Excell - Bench Top					
Ambassador SL						
Operation	Operational Conditions					
• The "Ticket In" and "Cashless" facilities are not approved in the ACT.						
The above-mentioned game must operate in conjunction with the Standard						
Linked Progressive Jackpot System, Specification Number 44.YA005, with the						
approved jackpot settings.						
1 1 1 7 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						

44-A0584/S01

Application Reference No.

New Gami	New Gaming Machine					
Game Nai	me	Dragon Fish Classic (BCV 10c)				
Specificati	ion Number	44.	44.HF078			
Manufact	urer	Air	sworth Game Technol	logy Ltd		
Gaming M	Iachine Type	SFS – iSAP				
Game Typ	oe	Spi	nning Reels			
LPJS		44.	YA005			
	n Standards	NS	10.0 + NSW Appendix	x (dated 14/01/09)		
Technical S	Standards	NS	W CPTS 2.2			
		TIT	O Technical Standard	V4.18		
		NS	W Jackpot Technical S	Standards Rev 1.1		
Progressiv	ve levels supported	iSAP - Yes				
		Type - Standard				
		Levels - 1				
		Linked - Yes				
		Type - Standard				
		Levels - 1				
	n Bet Value		0.00			
Base Cred		10c				
	e Return to Player (PR				
Var	Game PRTP	Progressive PRTP Min/Max Total PRTP				
01	87.00	1.925150 88.92				
Platform/	Cabinet	abinet Ambassador Excell - Bench Top				
	Ambassador SL					
Operation	Operational Conditions					
• The "Ticket In" and "Cashless" facilities are not approved in the ACT.						
The above-mentioned game must operate in conjunction with the Standard						
Linked Progressive Jackpot System, Specification Number 44.YA005, with the						
approved jackpot settings.						
1 1 1 5 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						

44-A0584/S01

Application Reference No.

New Gaming Machine and Additional Topper Artwork			
Game Name	Dragon Lines		
Specification Number	44.F0317		
Manufacturer	Ainsworth Game Techno	ology Ltd	
Gaming Machine Type	Conventional		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Append	ix (dated 14/01/09)	
Technical Standards	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c		
Percentage Return to Player	Variation Number Min/Max PRTP		
(PRTP)	99 88.12		
	01 90.27		
	02 92.32		
	06 86.30		
Platform/Cabinet	A560-H - High Boy		
	A560-L - Low Boy (with/without A560 Topper)		

- 3. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 4. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

Device Details		
Device Name	Topper/Player Tracking Panel Artwork	
Category	Gaming Machine	
Technical Standards	NS10.00 + NSW Appendix dated (14/01/09)	
Submission Standards	NS10.00 + NSW Appendix dated (14/01/09)	
Topper Artwork	401131 Rev A	
	Dragon Lines	
Platform/Cabinet	A560-H - High Boy	
	A560-L - Low Boy (with/without A560 Topper)	
Application Reference No.	44-A0502/S01	

New G	aming Machine					
Game 1		<u> </u>	Dragon Lines (2 iSAP Levels)			
8			44.BF079	`	15)	
_	acturer	•		n Game Technolog	by I td	
	g Machine Ty	ne	iSAP	T Game Teenholog	Sy Eta	
Game '		ĮC	Spinning	Reels		
	sion Standards			NSW Appendix (dated 1/1/01/00)	
	cal Standards		NSW CP		uaicu 14/01/07)	
1 0011111				hnical Standard V	7/ 18	
				kpot Technical Sta		
Drogre	ggiva lavalg guv	nonted	iSAP -Ye	•	iliualus Kev 1.1	
Progressive levels supported						
			Type -Random			
N			Levels -2 \$10.00			
Base Credit Value			1c, 2c			
	tage Return to		•	IGAD DED	3.51 (3.5 T) ()	
Var	BCV	Gan	ne RTP	iSAP RTP	Min/Max Total PRTP	
16	1 -	8	6.30	4.050000	90.35	
19	1c	88.12		4.050000	92.17	
26	2.5	86.30		4 122222	90.43	
29	2c	88.12		4.133333	92.25	
Platform/Cabinet A560-H - High Boy						
	A560-L - Low Boy (with A560 Topper)				560 Topper)	
3. The		d "Cashl	ess" faciliti	es are not approve	ed in the ACT.	
4. The	A 560 Topper	must be i	installed on	the A560 Low Bo	ov platform when	

4. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Dragon Lines (2 iSAP Levels)

Application Reference No. 44-A0502/S01

New Gaming Machine				
Game Name	Rio Express (BCV 1c)			
Specification Number	44.HF082			
Manufacturer	Ainsworth Game Techn	ology Ltd		
Gaming Machine Type	SFS			
Game Type	Spinning Reels			
LPJS	44.YA005			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)			
Technical Standards	NSW CPTS 2.2			
	TITO Technical Standard V4.18			
	NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	Linked - Yes			
	Type - Standard			
	Levels - 3			
Maximum Bet Value	\$3.75			
Base Credit Value	1c			
Percentage Return to Player	Variation Number Min/Max PRTP			
(PRTP)	02 86.24-86.41			
Platform/Cabinet	A560-H - High Boy			
	A560-L - Low Boy (plus A560 Topper)			

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.
- 3. The A560 Topper is to be installed on the A560 Low Boy platform when operating the above-mentioned game.

Application Reference No. 44-A0610/S01

New Gaming Machine				
Game Name	Rio Express (BCV 2c)			
Specification Number	44.HF083			
Manufacturer	Ainsworth Game Techn	ology Ltd		
Gaming Machine Type	SFS			
Game Type	Spinning Reels			
LPJS	44.YA005			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)			
Technical Standards	NSW CPTS 2.2			
	TITO Technical Standard V4.18			
	NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	Linked - Yes			
	Type - Standard			
	Levels - 3			
Maximum Bet Value	\$7.50			
Base Credit Value	2c			
Percentage Return to Player	Variation Number Min/Max PRTP			
(PRTP)	02 86.24-86.41			
Platform/Cabinet	A560-H - High Boy			
	A560-L - Low Boy (plus A560 Topper)			

- 4. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 5. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.
- 6. The A560 Topper is to be installed on the A560 Low Boy platform when operating the above-mentioned game.

Application Reference No. 44-A0610/S01

New Gaming Machine				
Game Name	Rio Express (BCV 5c)			
Specification Number	44.HF084			
Manufacturer	Ainsworth Game Techn	ology Ltd		
Gaming Machine Type	SFS			
Game Type	Spinning Reels			
LPJS	44.YA005			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)			
Technical Standards	NSW CPTS 2.2			
	TITO Technical Standard V4.18			
	NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	Linked - Yes			
	Type - Standard			
	Levels - 3			
Maximum Bet Value	\$10.00			
Base Credit Value	5c			
Percentage Return to Player	Variation Number Min/Max PRTP			
(PRTP)	02 86.24-86.41			
Platform/Cabinet	A560-H - High Boy			
	A560-L - Low Boy (plus A560 Topper)			

- 7. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 8. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.
- 9. The A560 Topper is to be installed on the A560 Low Boy platform when operating the above-mentioned game.

Application Reference No. 44-A0610/S01