Gaming Machine Approval 2010 (No 52)

Notifiable instrument NI2010-658

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2010 (No 52).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney Delegate ACT Gambling and Racing Commission

25 November 2010

New Gaming Machine					
Game Name	Roaming Reels				
Specification Number	44.F0315				
Manufacturer	Ainsworth Game Techno	ology Ltd			
Gaming Machine Type	Conventional				
Game Type	Spinning Reels				
Submission Standards	NS10.0 + NSW Append	ix (dated 14/01/09)			
Technical Standards	NSW CPTS 2.2				
	TITO Technical Standard V4.18				
Maximum Bet Value	\$10.00				
Base Credit Value	1c, 2c				
Percentage Return to Player	Variation Number Min/Max PRTP				
(PRTP)	99	88.21			
	01	90.20			
	02	92.20			
	06 86.14				
Platform/Cabinet	A560-H - High Boy				
	A560-L - Low Boy(with/without A560 Topper)				
Operational Conditions 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.					

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

Application Reference No. 44-A0590/S01

New Gan	ning Machine					
Game Name			Roaming Reels (2 iSAP Levels)			
Specification Number			44.BF077		(415)	
Manufac		•		h Game Technolog	zv Ltd	
	Machine Ty	oe Oe	iSAP		<u> </u>	
Game Ty			Spinning	Reels		
	on Standards			NSW Appendix (dated 14/01/09)	
Technical	l Standards		NSW CP			
			TITO Tec	TITO Technical Standard V4.18		
			NSW Jacl	kpot Technical Sta	ndards Rev 1.1	
Progress	sive levels sup	ported	iSAP - Y	•		
8	•	•	Type - Random			
			Levels - 2			
Maximu	m Bet Value		\$10.00 1c, 2c (PRTP)			
Base Cre	edit Value					
Percenta	ge Return to	Player (
Var	BCV	Gan	ne RTP	iSAP RTP	Min/Max Total PRTP	
16	1	8	6.14	4.050000	90.19	
19	1c	8	8.21	4.050000	92.26	
26	2.5	8	6.14	4 122222	90.27	
$\frac{20}{29}$ 2c $\frac{8}{8}$			4.133333 92.35			
Platform/Cabinet			A560-H - High Boy			
			A560-L -	Low Boy (with A	560 Topper)	
1. The "		d "Cashl	ess" faciliti	ies are not approve	ed in the ACT.	

2. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Roaming Reels (2 iSAP Levels)'.

Application Reference No.

44-A0590/S01

New Gaming Machine				
Game Name	The King			
Specification Number	44.F0312			
Manufacturer	Ainsworth Game Techn	ology Ltd		
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Submission Standards	NS10.0 + NSW Append	lix (dated 14/01/09)		
Technical Standards	NSW CPTS 2.2			
	TITO Technical Standard V4.18			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c			
Percentage Return to Player	Variation Number	Min/Max PRTP		
(PRTP)	99	88.26		
	01 90.37			
	02 91.93			
	06 86.24			
Platform/Cabinet	A560-H - High Boy			
	A560-L - Low Boy(with/without A560 Topper)			

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

Application Reference No. 44-A0585/S01; /S02

New Gaming Machine						
Game Name			The King (2 iSAP Levels)			
Specification Number			44.BF073	,		
	acturer		Ainsworth	Game Technolog	y Ltd	
Gamin	g Machine Ty	pe	iSAP		•	
Game '	Гуре		Spinning I	Reels		
Submiss	sion Standards		NS10.0 +	NSW Appendix (dated 14/01/09)	
Technic	cal Standards		NSW CPT	TS 2.2		
			TITO Tec	hnical Standard V	4.18	
			NSW Jack	pot Technical Sta	ndards Rev 1.1	
Progre	ssive levels sup	ported	iSAP - Ye	es		
			Type - Ra	Type - Random		
			Levels - 2			
Maxim	Maximum Bet Value Base Credit Value		\$10.00			
Base C			1c, 2c, 5c			
Percen	tage Return to	Player ((PRTP)			
Var	BCV	Gan	ne RTP	iSAP RTP	Min/Max Total	
					PRTP	
16	1c		6.24	4.050000	90.29	
19	1c		8.26	4.050000	90.29 92.31	
		8			90.29	
19 26 29	1c 2c	8	8.26	4.050000 4.133333	90.29 92.31	
19 26 29 56	2c	8 8 8	8.26 6.24	4.133333	90.29 92.31 90.37 92.40 90.54	
19 26 29 56 59	2c 5c	8 8 8	8.26 6.24 8.26 6.24 8.26	4.133333 - 4.300000 -	90.29 92.31 90.37 92.40	
19 26 29 56 59	2c	8 8 8	8.26 6.24 8.26 6.24 8.26 A560-H -	4.133333 - 4.300000 - High Boy	90.29 92.31 90.37 92.40 90.54 92.56	
19 26 29 56 59 Platfor	2c 5c m/Cabinet	8 8 8 8	8.26 6.24 8.26 6.24 8.26 A560-H -	4.133333 - 4.300000 -	90.29 92.31 90.37 92.40 90.54 92.56	
19 26 29 56 59 Platfor Operat 1. The	2c 5c m/Cabinet ional Conditio "Ticket In" and	8 8 8 8 8 9 9 9 8 6 "Cashle	8.26 6.24 8.26 6.24 8.26 A560-H - A560-L -	4.133333 - 4.300000 - High Boy	90.29 92.31 90.37 92.40 90.54 92.56 660 Topper) d in the ACT.	

operating the game 'The King (2 iSAP Levels)

Application Reference No. 44-A0585/S01; /S02

New Gaming Machine					
Game Nar		Voor of the Tiger (PCV 5a)			
		Year of the Tiger (BCV 5c) 44.HF075			
Specification Number				T 4 J	
Manufact			sworth Game Technol	logy Lta	
	Iachine Type		S - iSAP		
Game Typ	oe	Spinning Reels			
LPJS			YA005		
	Standards		10.0 + NSW Appendix	x (dated 14/01/09)	
Technical S	Standards	NS	W CPTS 2.2		
		TIT	O Technical Standard	V4.18	
		NS	W Jackpot Technical S	Standards Rev 1.1	
Progressive levels supported			AP - Yes		
			oe - Standard		
		Lev	vels - 1		
		Linked - Yes			
		Type - Standard			
		Levels - 1			
Maximum	Bet Value	\$10.00			
Base Cred	lit Value	5c			
Percentag	e Return to Player (PR	Γ P)		
Var	Game PRTP		Progressive PRTP	Min/Max Total PRTP	
01	87.29		1.839325	89.13	
Platform/	Cabinet	Ambassador Excell - Bench Top			
			Ambassador SL		
Operation	al Conditions	1			
_		ess"	facilities are not appro	oved in the ACT.	
			st operate in conjunction		
	Linked Progressive Jackpot System, Specification Number 44.YA005, with the				

44-A0573/S01

approved jackpot settings. **Application Reference No.**

New Gaming Machine					
Game Nar	me	Year of the Tiger (BCV 10c)			
Specificati	ion Number	44.HF076			
Manufact	urer	Ainsworth Game Technology Ltd			
Gaming N	Iachine Type	SFS	S - iSAP		
Game Typ	oe -	Spi	nning Reels		
LPJS		44.	YA005		
	n Standards	NS	10.0 + NSW Appendix	x (dated 14/01/09)	
Technical S	Standards		W CPTS 2.2		
		TIT	O Technical Standard	V4.18	
		NS	W Jackpot Technical S	Standards Rev 1.1	
Progressiv	ve levels supported	iSA	AP - Yes		
		Typ	e - Standard		
		Lev	vels - 1		
			ked - Yes		
			oe - Standard		
			vels - 1		
	Bet Value	\$10.00			
Base Cred		10c			
Percentag	e Return to Player (PR			
Var	Game PRTP		Progressive PRTP	Min/Max Total PRTP	
01	87.29		1.839325	89.13	
Platform/	Cabinet	Ambassador Excell - Bench Top			
			Ambassador SL		
Operation	Operational Conditions				
			facilities are not appro		
	_		st operate in conjunction		
	•	Sys	tem, Specification Nur	nber 44.YA005, with the	
	ed jackpot settings.				
Application Reference No.			44-A0573/S01		

New Gaming Machine					
Game Name	Golden Lamp				
Specification Number	18.A0590				
Manufacturer	IGT (Australia) Pty Ltd	(IGT)			
Gaming Machine Type	Conventional				
Game Type	Spinning Reels				
Submission Standards	NS10.0 + NSW Append	ix (dated 14/01/09)			
Technical Standards	NSW CPTS 2.2				
	TITO Technical Standard V4.18				
Maximum Bet Value	\$10.00				
Base Credit Value	20c, 50c, \$1.00				
Percentage Return to Player	Variation Number	Min/Max PRTP			
(PRTP)	02	90.94			
	03	91.97			
	04 94.12				
	07 89.92				
Platform/Cabinet	AVP BC20 – Video Top				
_	AVP ST22 – Video Slant Top				
Operational Conditions					

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. IGT must inform any purchaser / lessee of the game 'Golden Lamp' in writing at the time of purchase / lease that the \$2.00 denomination is not a subject of this approval and must not be configured in the field.

Application Reference No. 18-A5055/S01

New Gaming Machine				
Game Name	Wheel of Gold Ancient Troy			
Specification Number	on Number 18.H0113			
Manufacturer	IGT (Australia) Pty Ltd			
Gaming Machine Type	SFS			
Game Type	Spinning Reels			
LPJS	18.YA008			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)			
Technical Standards	NSW CPTS 2.2			
	TITO Technical Standard V4.18			
	NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported	Linked - Yes			
	Type - Standard			
	Levels - 4			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c			
Percentage Return to Player	r Variation Number Min/Max PRTP			
(PRTP)	08	83.89		
Platform/Cabinet	AVP BC20 – Portrait Top			

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 18.YA008, with the approved jackpot setting combinations
- 3. The AVP BC20 gaming machine connected to the LPJS must operate with the Portrait 31IN Top Box
- 4. Touch-screen functionality must be enabled in the Configuration Menu after a RAM Clear.

KAM Clear.	
Application Reference No.	18-A5039/S01

New Gaming Machine and Additional Topper Artwork					
Game Name	Megataur	Megataur – Pink Panther Returns			
Specification Number	35.BF066	35.BF066			
Manufacturer	Shuffle m	aster Australasia P	ty Ltd		
Gaming Machine Type	iSAP				
Game Type	Spinning 1	Reels			
Submission Standards	NS10.0 +	NSW Appendix (c	dated 14/01/09)		
Technical Standards	NSW CP7	TS 2.2			
	TITO Tec	hnical Standard V	4.18		
	NSW Jack	xpot Technical Sta	ndards Rev 1.1		
Progressive levels supported	l iSAP - Y	es			
	Type - Sta				
	Levels - 3				
Maximum Bet Value	\$6.25				
Base Credit Value	1c, 2c, 5c				
Percentage Return to Player					
Var BCV Ga	me RTP	Progressive	Min/Max Total		
10 1 2	0.4.77	RTP	PRTP		
19 1c, 2c	84.77	4.333333	89.10		
21 1c, 2c	86.66	4.333333	91.00		
22 1c, 2c	86.66	5.333167	92.00		
24 1c, 2c	88.66	5.333167	93.99		
49 1c, 2c, 5c	84.77	4.533167	89.30		
51 1c, 2c, 5c	86.66	4.533167	91.20		
52 1c, 2c, 5c	86.66	5.533500	92.20		
54 1c, 2c, 5c	88.66	5.533500	94.19		
Platform/Cabinet	PC4 - Equ	linox			
Operational Conditions	~" f~~:1:4:~~ ~		4h a A CT		
The "Ticket In" and "Cashles	s racilities a	re not approved in	ule AC1.		
Device Details	Tonnor A	T			
Device Name	Topper Artwork				
Category Technical Standards	Gaining IV	Gaming Machine			
Technical Standards Submission Standards	NS10.00 -	NS10.00 + NSW Appendix (dated 14/01/09)			
Artwork Details	ARW-PP	ARW-PP2/E Rev A			
Platform/Cabinet		PC4 - Equinox			
Application Reference No.		35-A0700/S01			