Australian Capital Territory

# Gaming Machine Approval 2010 (No 55)

#### Notifiable instrument NI2010–704

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

#### 1 Name of instrument

This instrument is the Gaming Machine Approval 2010 (No 55).

## 2 Commencement

This instrument commences the day after the date of notification.

# 3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

James Mullan Delegate ACT Gambling and Racing Commission

20 December 2010

New Gam	ning Machine			
Game Na	ame	Paws of Fortune		
Specifica	tion Number	1.BF016		
Manufac	turer	Aristocrat Technologies A	Australia Pty Ltd	
Gaming	Machine Type	iSAP		
Game Ty	pe	Spinning Reels		
Submissio	on Standards	NS10.0 + NSW Appendix (dated 14/01/09)		
		NSW CPTS 2.2		
		TITO Technical Standard V4.18		
		NSW Jackpot Technical Standards Rev 1.1		
Technical	Standards	NS10.0 + NSW Appendix (dated 14/01/09)		
		NSW CPTS 2.2		
		TITO Technical Standard	V4.18	
		NSW Jackpot Technical Standards Rev 1.1		
<b>Progressive levels supported</b>		iSAP - Yes		
		Type - Standard		
		Levels - 3		
		Wins transferred to 'Total Wins' meter - Yes		
Maximum Bet Value		\$5.00		
Base Cre	dit Value	1c, 2c		
Percentage Return to Player (PRTP)				
Var	Game RTP	iSAP RTP	Min/Max PRTP	

Var	Game RTP	iSAP RTP	Min/Max PRTP
99	72.57-76.58	12.616309	85.19-89.20
01	72.57-76.58	15.116206	87.69-91.70
02	72.57-76.58	16.616197	89.19-93.20

# **Platform/Cabinet**

Gen7 Viridian - Casino Top (with in-machine LCD; Stand-alone) (Configured with either ticket printer and/or hopper option).

Gen7 Slant - Casino Top (with in-machine LCD; Stand-alone) (Configured with ticket printer only).

Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone) (Configured with either ticket printer and/or hopper option).

#### **Operational Conditions**

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 99 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

Application Reference No. 01-A1210/S01, /S02

New Gan	New Gaming Machine				
Game Name		Duelling Progressives Imperial Lion			
Specification Number		18.1	18.B0568		
Manufacturer		IGT	(Australia) Pty Ltd		
Gaming	Machine Type	iSA	P		
Game Ty		Spi	nning Reels		
Submissio	on Standards		10.0 + NSW Appendi	x (dated 14/01/09)	
			W CPTS 2.2		
		TIT	O Technical Standard	d V4.18	
		NS	W Jackpot Technical	Standards Rev 1.1	
Technical	Standards		10.0 + NSW Appendi	x (dated 14/01/09)	
			W CPTS 2.2		
		TITO Technical Standard V4.18			
		NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported					
		• 1	e - Standard		
		Levels - 4			
			ns transferred to 'Tota	al Wins' meter - Yes	
	m Bet Value	\$2.5			
	dit Value	1c, 2c			
	ge Return to Player (	(PR1			
Var	Game RTP		iSAP RTP	Min/Max Total PRTP	
01	81.81	9.130500 90.94			
02 82.81		1	9.130500	91.94	
Platform/Cabinet		AVP BC20 – Video Top			
		AVP ST22 – Video Slant Top			
Operational Conditions					
-		' facilities are not approved in the ACT.			
<b>Application Reference No.</b>		18-A5065/S01			

New Gan	New Gaming Machine				
Game Name		Gold Fever Red Lions			
Specification Number		18.	B0567		
Manufac	turer	IGT	(Australia) Pty Ltd		
Gaming	Machine Type	iSA	.P		
Game Ty		Spinning Reels			
Submissio	on Standards		10.0 + NSW Appendix	(dated 14/01/09)	
			W CPTS 2.2		
		TIT	O Technical Standard	V4.18	
			W Jackpot Technical S		
Technical	Standards		10.0 + NSW Appendix	(dated 14/01/09)	
			W CPTS 2.2		
		TITO Technical Standard V4.18			
		NSW Jackpot Technical Standards Rev 1.1			
Progressive levels supported					
		Type - Standard			
		Levels - 2			
		Wins transferred to 'Total Wins' meter - Yes			
	m Bet Value	\$5.0	00		
-	dit Value	5c			
	ge Return to Player (	PRI			
Var	Game RTP		iSAP RTP	Min/Max Total PRTP	
02	85.35		5.642780	90.99	
03	85.35	6.648177		92.00	
07				89.51	
Platform/Cabinet		AVP BC20 – Video Top			
		AVP ST22 – Video Slant Top			
Operational Conditions					
The "Ticket In" and "Cashless" facil			**	in the ACT.	
Applicat	ion Reference No.	18-A5078/S01			

New Gaming	Machine					
Game Name		Multistar Wishes	Multistar Wishes and Dreams			
Specification	Number	18.C0027				
Manufacture		IGT (Australia) P	IGT (Australia) Pty Ltd			
Gaming Mac	chine Type	MGGM	2			
Game Type	v 1	Spinning Reels				
Submission St	andards	NS10.0 + NSW A	Appendix (c	lated 14/01/09)		
		NSW CPTS 2.2		,		
		TITO Technical S	Standard V	4.18		
<b>Technical Star</b>	ndards	NS10.0 + NSW A	Appendix (c	lated 14/01/09)		
		NSW CPTS 2.2				
		TITO Technical S	Standard V	4.18		
Maximum B	et Value	\$10.00				
Base Credit	Value	1c, 2c				
Component	Game Set	Game Numb		Game Name		
Details		01	(	Genie of the Lamp 2		
		02		Flower of Mexico		
		03		Dolphin Dreams		
Percentage Return to Player (PRTP)						
MGC	CRP	Game Number	Var	SDB PRTP		
		01	03	87.97		
01	89.44	02	02	90.90		
		03	02	90.91		
		01	03	87.97		
02	89.91	02	03	91.85		
		03	03	91.86		
		01	03	87.97		
03	88.29	02	05	88.47		
		03	05	88.61		
		01	03	87.97		
04	88.88	02	07	89.80		
		03	07	89.59		
		01	03	87.97		
05	87.83	02	05	88.47		
		03	99	87.20		
Platform/Ca		AVP BC20 – Vid	leo Top			
2. The at	Ticket In" and	"Cashless" facilities a ed MGGM game must anel Kit' installed on th	operate in o	conjunction with the		

Application Reference No.18-A5095/S01

New Gaming Machin	le				
Game Name		Double Incan Riches Mystical Temple			
Specification Number	er	39.H0047			
Manufacturer		Konami Australia Pty	Ltd		
Gaming Machine Ty	ype	SFS			
Game Type		Spinning Reels			
LPJS		39.YA002 (Mystical T			
Submission Standards	5	NS10.0 + NSW Appen	dix (dated 14/01/09)		
		NSW CPTS 2.2			
		TITO Technical Stands			
		NSW Jackpot Technic			
<b>Technical Standards</b>		NS10.0 + NSW Appen	dix (dated 14/01/09)		
		NSW CPTS 2.2			
		TITO Technical Stand			
		NSW Jackpot Technic	al Standards Rev 1.1		
Progressive levels su	pported	Linked - Yes			
		Type - Standard			
		Levels - 3			
Maximum Bet Value		\$5.00			
Base Credit Value		1c			
Percentage Return to Player (PRTP)					
Var	LPJS Setting ID		Min/Max PRTP		
11		00000001	76.20		
12		00000002	75.54		
13		0000003	76.87		
14		00000004	76.41		
15		00000005	75.91		
16		0000006	75.86		
17		0000007	75.41		
18	0000008		75.56		
Platform/Cabinet	<b>het</b> KGP 2.0 UVS Podium - Upper LCD, Tombstone LCD Box				
Specific Approval C					
Please note that player selectable multi-denomination functionality contained in th					
system software NSW70210 is not a subject of this approval.					
Operational Conditions					
		hless" facilities are not a			
-			andard Linked Progressive		
Jackpot System, Specification Number: 39.YA002 with the approved jackpot					

- Jackpot System, Specification Number: 39.YA002 with the approved jackpot settings.
- 3. The game must be configured with touch-screen functionality.

Application Reference No. 39-A0903/S01

New Gaming Machine				
Game Name	Full Moon Diamond			
Specification Number	39.A0309			
Manufacturer	Konami Australia Pty L	.td		
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Submission Standards	NS10.0 + NSW Appendix (dated 14/01/09)			
	NSW CPTS 2.2			
	TITO Technical Standa	TITO Technical Standard V4.18		
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)			
	NSW CPTS 2.2			
	TITO Technical Standard V4.18			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c			
Percentage Return to Player	Variation Number Min/Max PRTP			
(PRTP)	99 87.04			
	01	90.19		
	02	91.93		
	03	93.98		
	04	95.96		
	05	85.12		
	06 88.57			
	08	88.01		
Platform/Cabinet	·			

#### **Platform/Cabinet**

K2V – Casino Top, Low Boy, Casino Top with LCD

K2V Upgrade - Casino Top, Low Boy

K2V 500 - Casino Top, Low Boy, Casino Top with LCD

K2V 500 Upgrade – Casino Top, Low Boy

KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box Specific Approval Conditions

Please note that player selectable multi-denomination functionality contained in the system software NSW50246 is not a subject of this approval.

# **Operational Conditions**

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- 3. When this game is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKAO, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.
- 4. When this game is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKAO, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.
  Application Reference No. 39-A0898/S01

New Gam	New Gaming Machine				
Game Name		Full Moon Diamond Lucky Garden			
Specification Number		39.B0102			
Manufacturer		Konami Australia Pty Ltd			
Gaming	Machine Type	iSAP			
Game Ty	pe	Spinning Reels			
Submissio	on Standards	NS10.0 + NSW Appendix	(dated 14/01/09)		
		NSW CPTS 2.2			
		TITO Technical Standard	V4.18		
		NSW Jackpot Technical S	Standards Rev 1.1		
Technical	Standards	NS10.0 + NSW Appendix	x (dated 14/01/09)		
		NSW CPTS 2.2			
		TITO Technical Standard	V4.18		
		NSW Jackpot Technical S	Standards Rev 1.1		
Progress	ive levels supported	iSAP - Yes			
		Type - Random			
		Levels - 2			
		Wins transferred to 'Total Wins' meter - Yes			
	m Bet Value	\$10.00			
	dit Value	1c, 2 c			
	ge Return to Player (				
Var	Game RTP	Progressive RTP	Min/Max Total PRTP		
11	85.12	5.150000	90.27		
12	85.12	5.200000	90.32		
13	85.12	5.250000	90.37		
14	85.12	5.400000	90.52		
15	87.04	4.400000	91.44		
16	87.04	4.450000	91.49		
17	87.04	4.500000	91.54		
18	87.04	4.600000 91.64			
Platform/Cabinet      KGP 2.0 UVS Podium - Upper LCD, Tombstone LCD E			D, Tombstone LCD Box		
-	Approval Conditions		tionality contained in the		
Please note that player selectable multi-denomination functionality contained in the					
system software NSW56246 is not a subject of this approval.					
<b>Operational Conditions</b> The "Ticket In" and "Cashless" facilities are not approved in the ACT.					
			III UIE ACT.		
Application Reference No.39-A0899/S01					

New Gaming Machine			
Game Name	Panda Power		
Specification Number	39.A0308		
Manufacturer	Konami Australia Pty I	Ltd	
Gaming Machine Type	Conventional		
Game Type	Spinning Reels		
Submission Standards	NS10.0 + NSW Appen	dix (dated 14/01/09)	
	NSW CPTS 2.2		
	TITO Technical Standa	ard V4.18	
Technical Standards	NS10.0 + NSW Appendix (dated 14/01/09)		
	NSW CPTS 2.2		
	TITO Technical Standard V4.18		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c		
Percentage Return to Player	Variation Number Min/Max PRTP		
(PRTP)	99	87.15	
	01	90.19	
	02	91.95	
	03	94.05	
	04	96.07	
	05	85.07	
	06	88.56	
	08	88.07	

#### **Platform/Cabinet**

K2V - Casino Top, Low Boy, Casino Top with LCD

K2V Upgrade – Casino Top, Low Boy

K2V 500 - Casino Top, Low Boy, Casino Top with LCD

K2V 500 Upgrade – Casino Top, Low Boy

KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box

# **Specific Approval Conditions**

Please note that player selectable multi-denomination functionality contained in the system software NSW50246 is not a subject of this approval.

# **Operational Conditions**

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- 3. When this game is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKAO, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.
- 4. When this game is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKAO, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot. **Application Reference No.** 39-A0896/S01, /S02