

Australian Capital Territory

Gaming Machine Approval 2011 (No 5)

Notifiable instrument NI2011–151

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the *Gaming Machine Approval 2011 (No 5)*.

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

8 March 2011

New Poker Machine Game					
Game Name		Peking Panda (2 iSAP Levels)			
Specification Number		44.BF085			
Manufacturer		Ainsworth Game Technology Limited			
Gaming Machine Type		iSAP (Integrated Stand-alone Progressive)			
Game Type		Spinning Reels			
Technical Standards Submission Standards		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1			
Progressive Levels Supported		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes			
Maximum Bet Value		\$10.00			
Base Credit Value		1c, 2c, 5c, 10c			
Percentage Return to Player (PRTP)					
Var	Game RTP	BCV	iSAP RTP	Min PRTP	Max PRTP
51	88.07%	1c, 2c, 5c, 10c	3.242919%	91.31%	91.37%
52	88.68%	1c, 2c, 5c, 10c	3.273729%	91.95%	92.01%
53	87.14%	1c, 2c, 5c, 10c	3.216512%	90.36%	90.42%
61	87.14%	5c	4.193603%	91.33%	91.39%
62	87.77%	5c	4.096774%	91.86%	92.92%
Platform/Cabinet Details		A560-H – High Boy A560-L – Low Boy (with A560 Topper)			
Device Details					
Device Name		Topper / Player Tracking Panel Artwork			
GM Type		Other			
Technical Standards Submission Standards		NS 10.0 + NSW Appendix (dated 14/01/09)			
Artwork Details					
Topper Artwork	Content	Player Tracking Panel Artwork			
401071 Rev A	Double Shot	a) 470158 Rev A b) 470156 Rev A c) 470018 Rev A d) 470157 Rev A			
Platform/Cabinet Details		A560-H – High Boy A560-L – Low Boy (with/without A560 Topper)			
Operational Conditions					
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.					
Application Reference No.		44-A0619/S01			

New Poker Machine Game				
Game Name		Chariot Champion		
Specification Number		1.BF018		
Manufacturer		Aristocrat Technologies Australia Pty Ltd		
Gaming Machine Type		iSAP (Integrated Stand-alone Progressive)		
Game Type		Spinning Reels		
Technical Standards Submission Standards		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1		
Progressive Levels Supported		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet Value		\$10.00		
Base Credit Value		\$1		
Percentage Return to Player (PRTP)				
Var	Game RTP	iSAP RTP	Min PRTP	Max PRTP
99	80.74-80.77%	9.419990%	90.16%	90.19%
01	82.50-82.59%	9.401003%	91.90%	91.99%
02	83.57-83.60%	11.393896%	94.96%	94.99%
03	83.79-83.84%	9.649975%	93.44%	93.49%
Platform/Cabinet Details		Gen7 Viridian Widescreen – Casino Top (with in-machine LCD) (Configured with either a ticket printer and/or hopper option)		
Operational Conditions				
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				
Application Reference No.		01-A1217/S01		

New Poker Machine Game		
Game Name	Don Quixote	
Specification Number	1.F0071	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)	
Submission Standards	NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$8.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (PRTP)		
Var	Min PRTP	Max PRTP
99	85.08%	90.18%
02	87.60%	92.67%
03	89.70%	94.84%
Platform/Cabinet Details	Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either a ticket printer and/or hopper option)	
Operational Conditions		
<ol style="list-style-type: none"> The “Ticket In” and “Cashless” facilities are not approved in the ACT. Gaming machine variation number 99 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%. 		
Application Reference No.	01-A1221/S01	

New Poker Machine Game		
Game Name	Don Quixote (Bonus Link)	
Specification Number	1.HF024	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	1.YA002	
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)	
Submission Standards	NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
Progressive Levels Supported	Linked: Yes Type: Standard Levels: 3	
Maximum Bet Value	\$4.00	
Base Credit Value	1c	
Percentage Return to Player (PRTP)		
Var	Min PRTP	Max PRTP
05	83.40%	88.40%
Platform/Cabinet Details	Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either a ticket printer and/or hopper option)	
Operational Conditions		
<ol style="list-style-type: none"> The above-mentioned game ‘Don Quixote (Bonus Link)’ must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved ‘Bonus Link’ jackpot settings. The “Ticket In” and “Cashless” facilities are not approved in the ACT. 		
Application Reference No.	01-A1221/S01	

New Poker Machine Game		
Game Name	Jazee	
Specification Number	1.F0073	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Technical Standards Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
Maximum Bet Value	\$2.50	
Base Credit Value	1c, 2c	
Percentage Return to Player (PRTP)		
Var	Min PRTP	Max PRTP
99	87.61%	87.74%
01	90.06%	90.16%
07	88.59%	88.73%
Platform/Cabinet Details	Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either a ticket printer and/or hopper option)	
Operational Conditions		
1. The “Ticket In” and “Cashless” facilities are not approved in the ACT.		
Application Reference No.	01-A1209/S01	

New Poker Machine Game		
Game Name	Jazee (Bonus Link)	
Specification Number	1.HF025	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	1.YA002	
Technical Standards Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
Progressive Levels Supported	Linked: Yes Type: Standard Levels: 3	
Maximum Bet Value	\$2.50	
Base Credit Value	1c	
Percentage Return to Player (PRTP)		
Var	Min PRTP	Max PRTP
06	85.51	85.71
Platform/Cabinet Details	Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either a ticket printer and/or hopper option)	
Operational Conditions		
1. The above-mentioned game ‘Jazee (Bonus Link)’ must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved ‘Bonus Link’ jackpot settings.		
2. The “Ticket In” and “Cashless” facilities are not approved in the ACT.		
Application Reference No.	01-A1209/S01	

New Poker Machine Game			
Game Name		Firework Fortune Wild Jaguar	
Specification Number		18.B0573	
Manufacturer		IGT (Australia) Pty Ltd	
Gaming Machine Type		iSAP (Integrated Stand-alone Progressive)	
Game Type		Spinning Reels	
Technical Standards Submission Standards		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
Progressive Levels Supported		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$10.00	
Base Credit Value		1c, 2c	
Percentage Return to Player (PRTP)			
Var	Game RTP	iSAP RTP	Min / Max Total PRTP
99	88.21%	1.916667%	90.12%
03	88.21%	3.166667%	91.37%
Platform/Cabinet Details		AVP BC20 – Portrait Top	
Operational Conditions			
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No.		18-A5098/S01	

Updated Poker Machine Game Details To Include Additional Progressive Parameters		
Game Name	Wheel Of Gold Ancient Troy	
Specification Number	18.H0113	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	18.YA008	
Technical Standards Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
Progressive Levels Supported	Linked: Yes Type: Standard Levels: 4	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	08	83.89%
Platform/Cabinet Details	AVP BC20 – Portrait Top	
Operational Conditions		
<ol style="list-style-type: none"> 1. The above-mentioned game must operate with the Standard Linked Progressive Jackpot System, Specification Number 18.YA008, with the approved jackpot setting combinations. 2. The AVP BC20 gaming machine connected to the LPJS must operate with the Portrait 32IN Top Box. 3. Touch-Screen functionality must be enabled in the Configuration Menu after a RAM Clear. 4. The “Ticket In” and “Cashless” facilities are not approved in the ACT. 		
Application Reference No.	18-A5111/S01	

Updated Poker Machine Game Details To Include Additional Progressive Parameters		
Game Name	Wheel Of Gold Dolphin Dreams	
Specification Number	18.H0108	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	18.YA008	
Technical Standards Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
Progressive Levels Supported	Linked: Yes Type: Standard Levels: 4	
Maximum Bet Value	\$5.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	08	83.89%
Platform/Cabinet Details	AVP BC20 – Portrait Top	
Operational Conditions		
<ol style="list-style-type: none"> 1. The above-mentioned game must operate with the Standard Linked Progressive Jackpot System, Specification Number 18.YA008, with the approved jackpot setting combinations. 2. The AVP BC20 gaming machine connected to the LPJS must operate with the Portrait 32IN Top Box. 3. Touch-Screen functionality must be enabled in the Configuration Menu after a RAM Clear. 4. The “Ticket In” and “Cashless” facilities are not approved in the ACT. 		
Application Reference No.	18-A5112/S01	

Updated Poker Machine Game Details To Include Additional Progressive Parameters		
Game Name	Wheel Of Gold Eastern Empress	
Specification Number	18.H0105	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	18.YA008	
Technical Standards Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
Progressive Levels Supported	Linked: Yes Type: Standard Levels: 4	
Maximum Bet Value	\$5.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	08	83.89%
Platform/Cabinet Details	AVP BC20 – Portrait Top	
Operational Conditions		
<ol style="list-style-type: none"> 1. The above-mentioned game must operate with the Standard Linked Progressive Jackpot System, Specification Number 18.YA008, with the approved jackpot setting combinations. 2. The AVP BC20 gaming machine connected to the LPJS must operate with the Portrait 32IN Top Box. 3. Touch-Screen functionality must be enabled in the Configuration Menu after a RAM Clear. 4. The “Ticket In” and “Cashless” facilities are not approved in the ACT. 		
Application Reference No.	18-A5113/S01	

Updated Poker Machine Game Details To Include Additional Progressive Parameters		
Game Name	Wheel Of Gold Queen Of Atlantis	
Specification Number	18.H0107	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	18.YA008	
Technical Standards Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
Progressive Levels Supported	Linked: Yes Type: Standard Levels: 4	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (PRTP)	Variation Number	Min/Max PRTP
	08	83.89%
Platform/Cabinet Details	AVP BC20 – Portrait Top	
Operational Conditions		
<ol style="list-style-type: none"> 1. The above-mentioned game must operate with the Standard Linked Progressive Jackpot System, Specification Number 18.YA008, with the approved jackpot setting combinations. 2. The AVP BC20 gaming machine connected to the LPJS must operate with the Portrait 32IN Top Box. 3. Touch-Screen functionality must be enabled in the Configuration Menu after a RAM Clear. 4. The “Ticket In” and “Cashless” facilities are not approved in the ACT. 		
Application Reference No.	18-A5114/S01	

Updated Poker Machine Game Details To Include Additional Progressive Parameters		
Game Name	Wheel Of Gold Wild Girls	
Specification Number	18.H0112	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
LPJS	18.YA008	
Technical Standards Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
Progressive Levels Supported	Linked: Yes Type: Standard Levels: 4	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Percentage Return to Player (P RTP)	Variation Number	Min/Max P RTP
	08	83.88%
Platform/Cabinet Details	AVP BC20 – Portrait Top	
Operational Conditions		
<ol style="list-style-type: none"> 1. The above-mentioned game must operate with the Standard Linked Progressive Jackpot System, Specification Number 18.YA008, with the approved jackpot setting combinations. 2. The AVP BC20 gaming machine connected to the LPJS must operate with the Portrait 32IN Top Box. 3. Touch-Screen functionality must be enabled in the Configuration Menu after a RAM Clear. 4. The “Ticket In” and “Cashless” facilities are not approved in the ACT. 		
Application Reference No.	18-A5115/S01	

This is Page 11 (of 12 pages) of the Schedule to the *Gaming Machine Approval 2011*
(No 5)

Poker Machine Game Update			
Game Name		Cats, Hats & Bats	
Specification Number		35.BF067	
Manufacturer		Shuffle Master Australasia Pty Limited	
Gaming Machine Type		iSAP (Integrated Stand-alone Progressive)	
Game Type		Spinning Reels	
Technical Standards Submission Standards		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
Progressive Levels Supported		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$6.00	
Base Credit Value		1c, 2c	
Percentage Return to Player (P RTP)			
Var	Game RTP	Progressive RTP	Min / Max Total P RTP
99	84.73%	5.429107	90.16%
03	82.67%		88.10%
05	83.66%		89.09%
15	86.22%		91.65%
16	88.08%		93.51%
Platform/Cabinet Details		eStar PC4 – Round Top, Low Top eStar PC4 – Round Top (with in-machine 17" LCD) PC4 Mojo ST – Slant Top	
Operational Conditions			
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No.		35-A0712/S01	

This is Page 12 (of 12 pages) of the Schedule to the *Gaming Machine Approval 2011*
(No 5)

Poker Machine Game Update			
Game Name		King Of Babylon	
Specification Number		35.BF068	
Manufacturer		Shuffle Master Australasia Pty Limited	
Gaming Machine Type		iSAP (Integrated Stand-alone Progressive)	
Game Type		Spinning Reels	
Technical Standards Submission Standards		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
Progressive Levels Supported		iSAP: Yes Type: Standard Levels: 3 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$10.00	
Base Credit Value		20c, 50c	
Percentage Return to Player (PRTP)			
Var	Game RTP	Progressive RTP	Min / Max Total PRTP
99	83.18%	6.833333%	90.01%
03	81.28%		88.11%
05	82.35%	8.241667%	89.18%
15	83.31%		91.55%
16	85.25%		93.49%
Platform/Cabinet Details		eStar PC4 – Round Top, Low Top eStar PC4 – Round Top (with in-machine 17" LCD) PC4 Mojo ST – Slant Top PC4 Equinox, Equinox Low Boy	
Operational Conditions			
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No.		35-A0708/S01	