Gaming Machine Approval 2011 (No 20)

Notifiable instrument NI2011-361

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2011 (No 20).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

4 Revocation

This instrument revokes notifiable instrument NI2011-298 dated 15 June 2011 and notified under the Legislation Register on 20 June 2011.

Lesley Maloney Delegate ACT Gambling and Racing Commission

27 June 2011

New Poker Machine Game				
Game Name	Fortune Fountain Deluxe (2 iSAP Levels)			
Specification Number	44.BF090			
Manufacturer	Ains	Ainsworth Game Technology Limited		
Gaming Machine Type	iSAP (Integrated Stand-alone Progressive)			
Game Type	Spinning Reels			
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)			1/09)
Submission Standards	NSW	CPTS 2.2		
	TITO	Technical Stan	dard V4.18	
	NSW	Jackpot Techni	cal Standards Rev	v 1.2
Progressive levels supported	iSAF	P: Yes		
		: Standard		
	Levels: 2			
	Wins transferred to 'Total Wins' meter: Yes			r: Yes
Maximum Bet Value	\$10.0	00		
Base Credit Value	1c, 2	c		
Variation Details				
Var Min Game Max Ga	ame	iSAP RTP	Min Total	Max Total
PRTP PRT	P		PRTP	PRTP
01 86.57% 86.659	%	3.592733	90.16%	90.24%
02 88.67% 88.769	%	3.225864	91.89%	91.98%
15 89.91% 90.009	%	3.502002	93.41%	93.50%
Platform/Cabinet	A560	O-H – High Boy		
	A560-L – Low Boy (with A560 Topper)			ı
Operational Conditions				
1. The A560 Topper must be inst	talled o	on the A560 Low	Boy platform wl	hen operating the
above-mentioned game.				
2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.				

Application Reference No. 44-A0636/S01

New Poker Machine Game Including Updated Player Tracking Panel Artwork				
Game Name	Pink Galah Triple Shot (3 iSAP Levels)			
Specification Number	44.BF092			
Manufacturer	Ainsworth Game Technology Limited			
Gaming Machine Type	iSAP (Integrated Stand-alone Progressive)			
Game Type	Spinning Reels			
Technical Standards	NS 10.0 + NSW Appendix (da	ated 14/01/09)		
Submission Standards	NSW CPTS 2.2			
	TITO Technical Standard V4.18			
	NSW Jackpot Technical Standards Rev 1.2			
Progressive levels supported	iSAP: Yes			
	Type: Standard			
	Levels: 3			
	Wins transferred to 'Total Wins' meter: Yes			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c, 5c			
Variation Details				
Var Game RTP	iSAP RTP	Min / Max PRTP		
, ai Gaine K11	ISAI KII	IVIIII / IVIAX I K I I		
01 86.48%	4.548869%	91.03%		
01 86.48% 02 87.85%	4.548869% 4.710097%	91.03% 92.56%		
01 86.48% 02 87.85% 11 87.17%	4.548869%	91.03% 92.56% 91.75%		
01 86.48% 02 87.85% 11 87.17% 21 86.48%	4.548869% 4.710097%	91.03% 92.56%		
01 86.48% 02 87.85% 11 87.17% 21 86.48% 22 87.85%	4.548869% 4.710097% 4.581941%	91.03% 92.56% 91.75%		
01 86.48% 02 87.85% 11 87.17% 21 86.48%	4.548869% 4.710097% 4.581941% 5.299200% 5.460429% A560-H – High Boy	91.03% 92.56% 91.75% 91.78% 93.31%		
01 86.48% 02 87.85% 11 87.17% 21 86.48% 22 87.85% Platform/Cabinet	4.548869% 4.710097% 4.581941% 5.299200% 5.460429%	91.03% 92.56% 91.75% 91.78% 93.31%		
01 86.48% 02 87.85% 11 87.17% 21 86.48% 22 87.85%	4.548869% 4.710097% 4.581941% 5.299200% 5.460429% A560-H – High Boy A560-L – Low Boy (with A560)	91.03% 92.56% 91.75% 91.78% 93.31%		
01 86.48% 02 87.85% 11 87.17% 21 86.48% 22 87.85% Platform/Cabinet	4.548869% 4.710097% 4.581941% 5.299200% 5.460429% A560-H – High Boy A560-L – Low Boy (with A56) 470232 Rev A or 470233 Rev	91.03% 92.56% 91.75% 91.78% 93.31%		
01 86.48% 02 87.85% 11 87.17% 21 86.48% 22 87.85% Platform/Cabinet Game Artwork Details a) High Boy:	4.548869% 4.710097% 4.581941% 5.299200% 5.460429% A560-H – High Boy A560-L – Low Boy (with A560) 470232 Rev A or 470233 Rev 401345 Rev A	91.03% 92.56% 91.75% 91.78% 93.31% 0 Topper)		
01 86.48% 02 87.85% 11 87.17% 21 86.48% 22 87.85% Platform/Cabinet Game Artwork Details a) High Boy: b) Low Boy (with A560 Topper):	4.548869% 4.710097% 4.581941% 5.299200% 5.460429% A560-H – High Boy A560-L – Low Boy (with A56) 470232 Rev A or 470233 Rev	91.03% 92.56% 91.75% 91.78% 93.31% 0 Topper)		
01 86.48% 02 87.85% 11 87.17% 21 86.48% 22 87.85% Platform/Cabinet Game Artwork Details a) High Boy: b) Low Boy (with A560 Topper): Operational Conditions	4.548869% 4.710097% 4.581941% 5.299200% 5.460429% A560-H – High Boy A560-L – Low Boy (with A560) 470232 Rev A or 470233 Rev 401345 Rev A 470232 Rev A or 470233 Rev	91.03% 92.56% 91.75% 91.78% 93.31% 0 Topper) A + 470020 Rev A +		
01 86.48% 02 87.85% 11 87.17% 21 86.48% 22 87.85% Platform/Cabinet Game Artwork Details a) High Boy: b) Low Boy (with A560 Topper): Operational Conditions 1. The A560 Topper must be ins	4.548869% 4.710097% 4.581941% 5.299200% 5.460429% A560-H – High Boy A560-L – Low Boy (with A560) 470232 Rev A or 470233 Rev 401345 Rev A	91.03% 92.56% 91.75% 91.78% 93.31% 0 Topper) A + 470020 Rev A +		
01 86.48% 02 87.85% 11 87.17% 21 86.48% 22 87.85% Platform/Cabinet Game Artwork Details a) High Boy: b) Low Boy (with A560 Topper): Operational Conditions 1. The A560 Topper must be ins the above-mentioned game.	4.548869% 4.710097% 4.581941% 5.299200% 5.460429% A560-H – High Boy A560-L – Low Boy (with A560) 470232 Rev A or 470233 Rev 401345 Rev A 470232 Rev A or 470233 Rev talled on the A560 Low Boy plant	91.03% 92.56% 91.75% 91.78% 93.31% 0 Topper) A + 470020 Rev A + A + 401345 Rev A		
01 86.48% 02 87.85% 11 87.17% 21 86.48% 22 87.85% Platform/Cabinet Game Artwork Details a) High Boy: b) Low Boy (with A560 Topper): Operational Conditions 1. The A560 Topper must be ins the above-mentioned game.	4.548869% 4.710097% 4.581941% 5.299200% 5.460429% A560-H – High Boy A560-L – Low Boy (with A560) 470232 Rev A or 470233 Rev 401345 Rev A 470232 Rev A or 470233 Rev	91.03% 92.56% 91.75% 91.78% 93.31% 0 Topper) A + 470020 Rev A + A + 401345 Rev A		

Specification Number Year Of The Tiger (2 iSAP Levels)		d Poker N	l achine	Game So					
Manu									
SAP (Integrated Stand = alone Progressive) Signor Reels									
Spinning Reels									
NS 10.0 + NSW Appendix (dated 14/01/09)									
NSW CPTS 2.2									
TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.2 StaP: Yes					lix (date	d 14/01/09)			
NSW Jackpot Technical Standards Rev 1.2	Submi	ssion Stai	ndards				1 7 7 4 4 0		
SAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes					_				
Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes	Durana sina langi			•					
Levels: 2 Wins transferred to 'Total Wins' meter: Yes	Progre	Progressive levels supported							
Maximum Bet Value					• •				
Signature Sig							al Wine'	matar: Vac	
Base Credit Value 1c, 2c, 5c, 10c Var ation Details BCV Game PRTP Progressive PRTP Min / Max PRTP 51 1c, 2c, 5c, 10c 88.08% 3.528684% 91.61% 52 1c, 2c, 5c, 10c 88.79% 3.621111% 92.41% 53 1c, 2c, 5c, 10c 86.91% 3.614509% 90.52% 61 5c 86.91% 4.839921% 91.75% 62 5c 88.09% 4.674872% 92.76% 71 10c 86.91% 4.227215% 91.14% 72 10c 88.08% 4.101778% 92.18% Software Details Firmware PSD Label ID POS HMAC-SHA1 Base Compact Flash Card GANSY11G JCFS (Game) 277d7217 cd090ded Base Compact Flash Card NX0D1H8H JCFM (Base) 78a17dd5 53edc55f 688cdca6 e0069982 a134ddf0 Poss Bios - Phoenix (PID: AGTX0000) Main Board U7 cb38ab3c 911cd3be b2b7ade8 4f4fad11 52a751d3 <td>Movie</td> <td>um Dot V</td> <td>Johns</td> <td></td> <td></td> <td>ansierred to 10ta</td> <td>ai vv IIIS</td> <td>metel. 1 es</td>	Movie	um Dot V	Johns			ansierred to 10ta	ai vv IIIS	metel. 1 es	
Variation Details Var BCV Game PRTP Progressive PRTP Min / Max PRTP 51 1c, 2c, 5c, 10c 88.08% 3.528684% 91.61% 52 1c, 2c, 5c, 10c 88.79% 3.621111% 92.41% 53 1c, 2c, 5c, 10c 86.91% 3.614509% 90.52% 61 5c 86.91% 4.839921% 91.75% 62 5c 88.09% 4.674872% 92.76% 71 10c 86.91% 4.227215% 91.14% 72 10c 88.08% 4.101778% 92.18% Software Details Firmware PSD Label ID POS HMAC-SHA1 Gane Compact Flash Card GANSY11G JCFS (Game) 9598a5f 401a87ce 4c68fc9b Base Compact Flash Card NX0D1H8H JCFM (Base) 78a17dd5 53ed55f 688cdca6e 6069982 a134ddf0 Ver – R1.00.C2 Main Board U7 f6153500 f918381e cb1e1c6c 7b136e8 BIOS – Phoenix (PID: AGTXX0004) Ver – R1.00.C3 Main Board U7 cb38ab3c 911cd3be b2b7ade8 <th></th> <th></th> <th></th> <th></th> <th></th> <th>50 100</th> <th></th> <th></th>						50 100			
Var BCV Game PRTP Progressive PRTP Min / Max PRTP 51 1c, 2c, 5c, 10c 88.08% 3.528684% 91.61% 52 1c, 2c, 5c, 10c 88.79% 3.621111% 92.41% 53 1c, 2c, 5c, 10c 86.91% 3.614509% 90.52% 61 5c 86.91% 4.839921% 91.75% 62 5c 88.09% 4.674872% 92.76% 71 10c 86.91% 4.227215% 91.14% 72 10c 88.08% 4.101778% 92.18% Software Details Firmware PSD Label ID POS HMAC-SHA1 Game Compact Flash Card GANSY11G JCFS (Game) b9598a5f 401a87ce 4c68fc9b 2f7d7217 cd090ded Bios Flash Card NX0D1H8H JCFM (Base) 78a17dd5 53edc55f 688cdca6 e0069982 a134ddf0 BIOS Flash (PID: AGTX0003) Ver - R1.00.C2 Main Board U7 f6153500 f918381e cb1e1c6c fb136e89 ba306b21 Platform/Cabinet Ambassador Excell – Bench Top Ambassador SL Operationa									
51 1c, 2c, 5c, 10c 88.08% 3.528684% 91.61% 52 1c, 2c, 5c, 10c 88.79% 3.621111% 92.41% 53 1c, 2c, 5c, 10c 86.91% 3.614509% 90.52% 61 5c 86.91% 4.839921% 91.75% 62 5c 88.09% 4.674872% 92.76% 71 10c 86.91% 4.227215% 91.14% 72 10c 88.08% 4.101778% 92.18% Software Details Firmware PSD Label ID POS HMAC-SHA1 Game Compact Flash Card GANSY11G JCFS (Game) b9598a5f 401a87ce 4c68fc9b 2f7d7217 cd090ded Base Compact Flash Card NX0D1H8H JCFM (Base) 78a17dd5 53edc55f 688cdca6 e0069982 a134ddf0 FUBLAGE Flash Card Main Board U7 f6153500 f918381e cb1e1c6c fb136e89 ba306b21 PO686 BIOS – Phoenix (PID: AGTX0003) Ver – R1.00.C2 Main Board U7 cb38ab3c 911cd3be b2b7ade8 4f4fad11 52a751d3 Platform/Cabinet Ambassador Excell – Bench Top Ambassador SL <				Game	PRTP	Progressive I	PRTP	Min / Max PRTP	
S3									
61 5c 86.91% 4.839921% 91.75% 62 5c 88.09% 4.674872% 92.76% 71 10c 86.91% 4.227215% 91.14% 72 10c 88.08% 4.101778% 92.18% Software Details Firmware	52	1c, 2c, 5	ic, 10c	88.7	79%	3.6211119	%	92.41%	
62 5c 88.09% 4.674872% 92.76% 71 10c 86.91% 4.227215% 91.14% 72 10c 88.08% 4.101778% 92.18% Software Details Firmware PSD Label ID POS HMAC-SHA1 Game Compact Flash Card GANSY11G JCFS (Game) b9598a5f 401a87ce 4c68fc9b 2f7d7217 cd090ded Base Compact Flash Card NX0D1H8H JCFM (Base) 78a17dd5 53edc55f 688cdca6 e0069982 a134ddf0 BIOS Flash ROM D686 BIOS - Phoenix (PID: AGTX0003) Main Board U7 f6153500 f918381e cb1e1c6c fb136e89 ba306b21 Platform/Cabinet Ambassador Excell - Bench Top Ambassador SL Operational Conditions 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.	53	1c, 2c, 5	5c, 10c 86.91		91%	3.614509% 90.5		90.52%	
71	61	5c	86.91%		91%	+		91.75%	
72	62	5c	;	88.09%		4.6748729	%	92.76%	
Software Details Firmware PSD Label ID POS HMAC-SHA1 Game Compact Flash Card GANSY11G JCFS (Game) b9598a5f 401a87ce 4c68fc9b 2f7d7217 cd090ded Base Compact Flash Card NX0D1H8H JCFM (Base) 78a17dd5 53edc55f 688cdca6 e0069982 a134ddf0 BIOS Flash ROM D686 BIOS – Phoenix (PID: AGTX0003) Ver – R1.00.C2 Main Board U7 f6153500 f918381e cb1e1c6c fb136e89 ba306b21 Platform/Cabinet Ambassador Excell – Bench Top Ambassador SL Operational Conditions 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.		10	c	86.9	91%			91.14%	
Firmware PSD Label ID POS HMAC-SHA1 Game Compact Flash Card GANSY11G JCFS (Game) b9598a5f 401a87ce 4c68fc9b 2f7d7217 cd090ded Base Compact Flash Card NX0D1H8H JCFM (Base) 78a17dd5 53edc55f 688cdca6 e0069982 a134ddf0 BIOS Flash ROM D686 BIOS − Phoenix (PID: AGTX0003) Ver − R1.00.C2 Main Board U7 f6153500 f918381e cb1e1c6c fb136e89 ba306b21 Platform/Cabinet Ambassador Excell − Bench Top Ambassador SL Operational Conditions Ambassador SL				88.0	08%	4.1017789	%	92.18%	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Softwa	re Detail							
Flash Card Base Compact NX0D1H8H JCFM (Base) 78a17dd5 53edc55f 688cdca6 e0069982 a134ddf0			PS	SD Label I	ID	POS			
Flash Card BIOS Flash ROM BIOS Flash ROM Platform/Cabinet Ambassador Excell – Bench Top Ambassador SL Operational Conditions 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT. D686 BIOS – Phoenix (PID: AGTX0003) Ver – R1.00.C2 Main Board U7 f6153500 f918381e cb1e1c6c fb136e89 ba306b21 cb38ab3c 911cd3be b2b7ade8 4f4fad11 52a751d3 cb38ab3c 911cd3be b2b7ade8 4f4fad11 52a751d3			C	GANSY110	G	JCFS (Game)			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			N	XOD1H8I	Н	JCFM (Base)			
Platform/Cabinet Ambassador Excell – Bench Top Ambassador SL Operational Conditions 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.	BIOS	S Flash	(PIE): AGTX0	003)	Main Board U7			
Ambassador SL Operational Conditions 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.	R	OM	(PIE): AGTX0	004)	Main Board U7			
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.							ench Top)	
	_				" facilitie	es are not approve	ed in the	ACT.	
						**			

New Poker Machine Game				
Game Name	Year Of The Tiger Deluxe	(2 iSAP Levels)		
Specification Number	44.BF091			
Manufacturer	Ainsworth Game Technology Limited			
Gaming Machine Type	iSAP (Integrated Stand-alo	ne Progressive)		
Game Type	Spinning Reels			
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)			
Submission Standards	NSW CPTS 2.2			
	TITO Technical Standard V	V4.18		
	NSW Jackpot Technical St	andards Rev 1.2		
Progressive levels supported	iSAP: Yes			
	Type: Standard			
	Levels: 2			
	Wins transferred to 'Total Wins' meter: Yes			
Maximum Bet Value	\$10.00			
Base Credit Value	1c, 2c			
Variation Details				
Var Game PRTP	iSAP RTP	Min / Max PRTP		
01 87.39%	2.718071	90.11%		
02 89.10%	2.875864	91.98%		
15 90.35%	3.152002 93.50%			
Platform/Cabinet	A560-H – High Boy			
	A560-L – Low Boy (with A560 Topper)			
Operational Conditions				
1. The A560 Topper must be in	stalled on the A560 Low Boy	platform when operating the		

- above-mentioned game.
- 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No. 44-A0647/S01

Updated List o	f Regression Tested Game	s for Previously Apr	proved Gen7 Base Software	
System/Device Name		Gen7 BASE Software (System Software, Linux		
·		OS, BIOS)		
Manufacturer			logies Australia Pty Ltd	
Category				
SF Type	Other (System Software)			
	nnical Standards NS 10.0 + NSW Appendix (dated 14/01/0			
Submission St	andards	NSW CPTS 2.2	,	
		TITO Technical Standard V4.18		
		NSW Jackpot Tec	hnical Standard Rev 1.2	
Software Deta	ils 1			
Firmware	Flash/Eeprom Program ID	POS	HMAC-SHA1	
System Software	27012070	CF Partition 2	3447c55c 645fc37c d1ad29e0 c8cd9493 89e890ba	
Linux OS	3042	CF Partition 1	a9d70894 353755a9 bc4d34e8	
Linux Ob	3072	CI I di di di Oli I	5aadefc3 f1f4d178	
Boot Loader	0401	CF First Cylinder	46c0286a 8fb23a6b 4449c0bc	
		<u> </u>	56abb20f c526f55c 9d10fdde 515226b0 1663c78b	
MBR	0401	CF First Cylinder	61117f24 4b1aa7c2	
BIOS Flash	590176 1.00.0	U1 (Carrier	61b4fdfd e741f742 2e70b1fa	
DIOS I Iusii	Bios_1.00.0signed.bin	Board)	82de139c 4ab07a08	
Bios Flash	590176 _01 1.00.7	U1 (Carrier	c5fa974c f5088824 285bb069	
FPGA	Bios_1.00.7signed.bin 590175 1.0000	Board)	70181832 0d2f0889	
Configuration Configuration	M71_EP2C20@01_	U2 (Carrier	5ece36ba 9ad6ac2d 8a3379f3	
EEPROM	0000.bin	Board)	50554a65 b203eabe	
FPGA	590175_01 1.0002	U2 (Carrier	954ad201 62b159c9 208187b9	
Configuration EEPROM	M71_EP2C20@01_ 0002.bin	Board)	6d55f36f bd25dd56	
Platform/Cabinet Details		Gen7 Viridian – Chop Top, Casino Top (with inmachine LCD) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant – Round Top, Casino Top (with inmachine LCD) (Configured with Ticket Printer only) Gen7 Upgrade XCite – Low Boy (Configured with either Ticket Printer and/or Hopper option) Gen7 Upgrade XTreme – Casino Top (with in-		
		machine LCD) (Configured with either Ticket Printer and/or Hopper option)		
List of previou Software	sly approved games recom	<u> </u>	this version of System	
Game Name		Program ID	Spec Number	
Jazee		10161172	1.F0073	
Jazee (Bonus L	Link)	10161173	1.HF025	
Jackpot Catche	,		1.BF017	
Chariot Champ		10261250 1026 1232	1.BF018	
		10261349	. 323	
Gold Bullion –	Silver & Gold Jackpots	10161228	1.BF021	
Stuck On You	2 P	10161187	1.F0068	
Dragon Emper	or	10161174	1.F0070	
,	or (Bonus Link)	10161175	1.HF023	
Don Quixote	or (20100 21111)	10261193	1.F0071	
Don Quixote (1	Bonus Link)	10261183	1.HF024	
2CAN	Come Limit	10361190	1.F0079	
201111		10501170	1.1 0017	

Contin	nued

Firmware Program ID System Software 27012070 Linux OS 3042 Boot Loader 0401 MBR 0401 BIOS Flash 590422 2.02.0 Bios_2.02.0signed.bin FPGA 590324 2.0 Configuration EPROM 590324_v2-0.bin Platform/Cabinet Details List of previously approved game(s) resoftware: Game Name	POS CF Partition 2 CF Partition 1 CF First Cylinder CF First Cylinder U1 (Carrier Board) U2 (Carrier Board)	HMAC-SHA1 3447c55c 645fc37c d1ad29e0 c8cd9493 89e890ba a9d70894 353755a9 bc4d34e8 5aadefc3 f1f4d178 46c0286a 8fb23a6b 4449c0bc 56abb20f c526f55c 9d10fdde 515226b0 1663c78b 61117f24 4b1aa7c2 f48a92a6 b75f6926 cb6821d3 0b5ee380 dd50b0a1 aa5685cc 32e51bc9 62eed47a
System Software Linux OS Boot Loader MBR 0401 MBR 0401 BIOS Flash FPGA Configuration EEPROM Platform/Cabinet Details List of previously approved game(s) resoftware:	CF Partition 1 CF First Cylinder CF First Cylinder U1 (Carrier Board) U2 (Carrier Board)	c8cd9493 89e890ba a9d70894 353755a9 bc4d34e8 5aadefc3 f1f4d178 46c0286a 8fb23a6b 4449c0bc 56abb20f c526f55c 9d10fdde 515226b0 1663c78b 61117f24 4b1aa7c2 f48a92a6 b75f6926 cb6821d3 0b5ee380 dd50b0a1
Boot Loader 0401 MBR 0401 BIOS Flash 590422 2.02.0 Bios_2.02.0signed.bin FPGA 590324 2.0 Configuration EEPROM 590324_v2-0.bin Platform/Cabinet Details List of previously approved game(s) resoftware:	CF First Cylinder CF First Cylinder U1 (Carrier Board) U2 (Carrier Board)	5aadefc3 f1f4d178 46c0286a 8fb23a6b 4449c0bc 56abb20f c526f55c 9d10fdde 515226b0 1663c78b 61117f24 4b1aa7c2 f48a92a6 b75f6926 cb6821d3 0b5ee380 dd50b0a1
MBR 0401 BIOS Flash 590422 2.02.0 Bios_2.02.0signed.bin FPGA 590324 2.0 590324_v2-0.bin Platform/Cabinet Details List of previously approved game(s) resoftware:	CF First Cylinder U1 (Carrier Board) U2 (Carrier Board)	56abb20f c526f55c 9d10fdde 515226b0 1663c78b 61117f24 4b1aa7c2 f48a92a6 b75f6926 cb6821d3 0b5ee380 dd50b0a1
BIOS Flash FPGA Configuration EEPROM Platform/Cabinet Details List of previously approved game(s) resoftware:	U1 (Carrier Board) U2 (Carrier Board)	61117f24 4b1aa7c2 f48a92a6 b75f6926 cb6821d3 0b5ee380 dd50b0a1
FPGA 590324 2.0 Configuration EEPROM 590324_v2-0.bin Platform/Cabinet Details List of previously approved game(s) resoftware:	U2 (Carrier Board)	0b5ee380 dd50b0a1
Configuration EEPROM 590324_v2-0.bin Platform/Cabinet Details List of previously approved game(s) resoftware:	, i	aa5685cc 32e51bc9 62eed47a
List of previously approved game(s) re- Software:		62feeffa 575bbdd3
Software:	Gen7 Viridian Wid	lescreen – Chop Top, Casino
Software:	Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)	
	commended for use	with this version of System
	Program ID	Spec Number
The Phantom	10261295	1.F0072
Jazee	10161172	1.F0073
Jazee (Bonus Link)	10161173	1.HF025
Polynesian Bounty – Emperor Penguin	10261082	1.BF019
Harlequin Hearts – Emperor Penguin	10261101	1.BF020
Jackpot Catcher	10261250	1.BF017
Chariot Champion	10261232 10261349	1.BF018
Gold Bullion – Silver & Gold Jackpots	10161228	1.BF021
Stuck On You	10161187	1.F0068
Dragon Emperor	10161174	1.F0070
Dragon Emperor (Bonus Link)	10161175	1.HF023
Don Quixote	10261193	1.F0071
Don Quixote (Bonus Link)	10261183	1.HF024
Bunny's Rabbits	10261180	1.F0075
2CAN	10361190	1.F0079
Operational Conditions		
1. The "Ticket In" and "Cashless" faciliti Application Reference No.		n the ACTI

Updated List of Regression Tested Games for Previously Approved Gen7 Base Software					
System/Device		Gen7 BASE Software (System Software, Linux			
7.7		OS, BIOS)			
Manufacturer	Aristocrat Technologies Australia Pty Ltd		·		
Category	-				
SF Type		Other (System Sof	,		
Technical Standards Submission Standards		NSW CPTS 2.2	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2		
		TITO Technical Standard V4.18			
	NSW Jackpot Technical Standard Rev 1		hnical Standard Rev 1.2		
Software Deta					
Firmware	Flash/Eeprom Program ID	POS	HMAC-SHA1		
System Software	27012070	CF Partition 2	3447c55c 645fc37c d1ad29e0 c8cd9493 89e890ba		
Linux OS	3042	CF Partition 1	a9d70894 353755a9 bc4d34e8 5aadefc3 f1f4d178		
Boot Loader	0401	CF First Cylinder	46c0286a 8fb23a6b 4449c0bc 56abb20f c526f55c		
MBR	0401	CF First Cylinder	9d10fdde 515226b0 1663c78b 61117f24 4b1aa7c2		
BIOS Flash	590176 1.00.0 Bios_1.00.0signed.bin	U1 (Carrier Board)	61b4fdfd e741f742 2e70b1fa 82de139c 4ab07a08		
Bios Flash	590176 _01 1.00.7 Bios_1.00.7signed.bin	U1 (Carrier Board)	c5fa974c f5088824 285bb069 70181832 0d2f0889		
FPGA Configuration EEPROM	590175 1.0000 M71_EP2C20@01_ 0000.bin	U2 (Carrier Board)	5ece36ba 9ad6ac2d 8a3379f3 50554a65 b203eabe		
FPGA Configuration EEPROM	590175_01 1.0002 M71_EP2C20@01_ 0002.bin	U2 (Carrier Board)	954ad201 62b159c9 208187b9 6d55f36f bd25dd56		
Platform/Cabinet Details		Gen7 Viridian – Chop Top, Casino Top (with inmachine LCD) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant – Round Top, Casino Top (with inmachine LCD) (Configured with Ticket Printer only) Gen7 Upgrade XCite – Low Boy (Configured with either Ticket Printer and/or Hopper option) Gen7 Upgrade XTreme – Casino Top (with inmachine LCD) (Configured with either Ticket Printer and/or Hopper option)			
List of previous Software	sly approved games recom	nmended for use with	this version of System		
Game Name		Program ID	Spec Number		
Jazee		10161172	1.F0073		
Jazee (Bonus L	ink)	10161173	1.HF025		

Continued

Software Det	ails 2		
Firmware	Flash/Eeprom Program ID	POS	HMAC-SHA1
System Software	27012070	CF Partition 2	3447c55c 645fc37c d1ad29e0 c8cd9493 89e890ba
Linux OS	3042	CF Partition 1	a9d70894 353755a9 bc4d34e8 5aadefc3 f1f4d178
Boot Loader	0401	CF First Cylinder	46c0286a 8fb23a6b 4449c0bc 56abb20f c526f55c
MBR	0401	CF First Cylinder	9d10fdde 515226b0 1663c78b 61117f24 4b1aa7c2
BIOS Flash	590422 2.02.0 Bios_2.02.0signed.bin	U1 (Carrier Board)	f48a92a6 b75f6926 cb6821d3 0b5ee380 dd50b0a1
FPGA Configuration EEPROM	590324 2.0 590324_v2-0.bin	U2 (Carrier Board)	aa5685cc 32e51bc9 62eed47a 62feeffa 575bbdd3
Platform/Cabinet Details		Gen7 Viridian Wid	lescreen – Chop Top, Casino
			LCD) (Configured with either Ticket
List of previous Software:	ously approved game(s) re	commended for use	with this version of System
Game Name		Program ID	Spec Number
The Phantom		10261295	1.F0072
Jazee		10161172	1.F0073
Jazee (Bonus Link)		10161173	1.HF025
Polynesian Bounty – Emperor Penguin		10161082	1.BF019
Harlequin Hea	arts – Emperor Penguin	10261101	1.BF020
Operational			
1. The "Ticke	t In" and "Cashless" faciliti	ies are not approved i	n the ACT.
Application 1	Reference No.	01-A1247/S01	

Additional Platforms For Previously Approved Poker Machine Game					
Game Name	Don Qu	Don Quixote			
Specification Number	1.F0071	1.F0071			
Manufacturer	Aristoc	rat Technologies Austra	ılia Pty Ltd		
Gaming Machine Type	Conven	Conventional			
Game Type	Spinnin	Spinning Reels			
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)				
		NSW CPTS 2.2			
	TITO T	echnical Standard V4.1			
Variation Details	Var	Var Min PRTP Max PRTP			
	99	85.08%	90.18%		
	02	87.60%	92.67%		
	03	89.70%	94.84%		
Platform/Cabinet Details	Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant – Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only) Gen7 Upgrade XCite – Low Boy (with / without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)				
Operational Conditions 1. Gaming machine variation number 99 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked					

- jackpot contribution is at least 87%.

 The "Ticket In" and "Cashless" facilities are not approved in the ACT.

S01

Additional Platforms For Previously Approved Poker Machine Game				
Game Name		ixote (Bonus Link)		
Specification Number	1.HF024			
Manufacturer	Aristocrat Technologies Australia Pty Ltd			
Gaming Machine Type	SFS			
Game Type	Spinnin	g Reels		
LPJS	1.YA002			
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)			
	NSW C	PTS 2.2		
		echnical Standard V4.1		
	NSW Jackpot Technical Standards Rev 1.1			
Variation Details	Var	Min PRTP	Max PRTP	
	05	83.40%	88.40%	
Platform/Cabinet Details Operational Conditions	Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only) Gen7 Upgrade XCite – Low Boy (with / without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)			
1. The above mentioned game 'L	Oon Ouix	ote (Bonus Link)' must	operate in conjunction with	
the Standard Linked Progressi	_			
the approved 'Bonus Link' jac			1,011001, 1,111	
2. The "Ticket In" and "Cashless	•	•	e ACT.	
Application Reference No.	01-A12			

This is Page 11 (of 22 pages) of the Schedule to the *Gaming Machine Approval 2011* (No 20)

Additional Platforms For Previous	Additional Platforms For Previously Approved Poker Machine Game							
Game Name	Jazee	Jazee						
Specification Number	1.F0073							
Manufacturer	Aristoci	rat Technologies Austra	lia Pty Ltd					
Gaming Machine Type	Conven	tional						
Game Type	Spinnin	g Reels						
Technical Standards) + NSW Appendix (dat	ed 14/01/09)					
		PTS 2.2						
		echnical Standard V4.1						
Variation Details	Var	Min PRTP	Max PRTP					
	99 87.61% 87.74%							
	01 90.06% 90.16%							
	07 88.59% 88.73%							
Platform/Cabinet Details	Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant – Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only) Gen7 Upgrade XCite – Low Boy (with / without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option) Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)							
Operational Conditions 1. The "Ticket In" and "Cashless	" facilitie	es are not approved in th	ο Δ С Τ					
Application Reference No.	01-A12		EACI.					
Trpmounton rector ence 140.	01 1112	07,001						

Additional Platforms For Previous	Additional Platforms For Previously Approved Poker Machine Game						
Game Name	Jazee (Bonus Link)						
Specification Number	1.HF025						
Manufacturer	Aristocrat Technologies Australia Pty Ltd						
Gaming Machine Type	SFS						
Game Type	Spinnin	g Reels					
LPJS	1.YA00	2					
Technical Standards	NS 10.0) + NSW Appendix (dat	red 14/01/09)				
	NSW C	PTS 2.2					
		echnical Standard V4.1					
	NSW Ja	ackpot Technical Standa	ards Rev 1.1				
Variation Details	Var	Min PRTP	Max PRTP				
	06	85.51%	85.71%				
Platform/Cabinet Details Operational Conditions	Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant – Casino Top (with in-machine LCD for Hyperlink) (Configured with Ticket Printer only) Gen7 Upgrade XCite – Low Boy (with / without external LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option) Gen7 Upgrade XTreme – Casino Top (with in-machine LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option) Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)						
 The above mentioned game 'Jazee (Bonus Link)' must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Bonus Link' jackpot settings. The "Ticket In" and "Cashless" facilities are not approved in the ACT. 							
Application Reference No.	01-A12		0.1101.				

Poker Machine Game and Updated Base Software							
Game Name			Chinese P				
Specification I	Number		6.F0031				
Manufacturer			Aruze Gaming Australia Pty Ltd				
Gaming Mach	ine Type		Conventional				
Game Type			Spinning l	Reels			
Technical Star	ndards		NS 10.0 +	NSW	Appe	ndix (dated 14/01/09))
Submission St	andards		NSW CP7	ΓS 2.2			
			TITO Technical Standard V4.18				
Maximum Bet	Value		\$10.00				
Base Credit V	alue		1c, 2c				
Variation Deta	ails		Var Min / Max PRTP				TP
			01		85.26%		
			02 88.06%				
			03			89.07%	
			04			90.02%	
			05			91.99%	
			06			94.08%	
			07			97.95%	
Software Deta				•			
Firmware	Identifier		ition	Medi	a	HMAC-SHA1	SDB PID
Compact Flash			GMEM	_		7e5b3dd7 ffcab16d	
Card Security	0990	Cas			A L	d8cecbbf b9873787	N/A
			(U1)			ddb4a4a4	
Game			GMEM	Com	pact	8380ebcc dfc580fa	
Base	07CHPMG1		ssette PCB (aster Slot)	Flash	•	2d1c73c1 d309799e d09260c5	07CHPMG1

53197a9b 9722ff5a

6aac453b e54d649e

e38273c4 02bfe2b5 959c0025

265093ad fa138b58

9febb68c 72e27fe7 939c59eb

8c49a3fe

G06BAP75

0000O1X7

Peripheral I/O Control	uYDOB032	Body PCB (IC15)	Flash Memory	1be40739 0956c4da 83553a0f	16B2O1D5
Peripheral I/O Control	SPMRD055	Door PCB (IC4)	Flash Memory	1d96b42f d9b55c5d c53b61a9 cc31abe0	10820103

PROM

Flash

Memory

Motherboard

(U22)

Auscom PCB

(U3)

Platform/Cabinet Details G-ENEX – Midway, Low Boy

Operational Conditions

BIOS

X Series

Communication

Interface

- 1. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- 2. The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No.	06-A0320/S01
---------------------------	--------------

AP75

SMOCX067

	New Poker Machine Game and Updated Base Software						
Game Name	\T 1			ucky Samurai			
Specification N			6.F0032				
Manufacturer					Austral	ia Pty Ltd	
Gaming Mach	ine Type		Convention				
Game Type			Spinning				
Technical Star					Appe	ndix (dated 14/01/09))
Submission St	andards		NSW CP				
			TITO Tec	hnical	Standa	ard V4.18	
Maximum Bet			\$5.00				
Base Credit V	alue		1c, 2c				
Variation Deta	ails		Var			Min / Max PR	RTP
			01			87.98%	
			02			88.97%	
			03			89.99%	
			04			90.99%	
			05			91.95%	
			06			92.98%	
			07			95.96%	
Software Deta							
Firmware	Identifier		ition	Medi	a	HMAC-SHA1	SDB PID
Compact Flash	05.4		GMEM			8f2b3e4a 0891faed	27/4
Card Security	0761	Cas	ssette PCB (U1)	GA	AL	a02ae7cb 413b1bff 0f136b22	N/A
Game			(01)			01130022	
Game			GMEM	Com	pact	9b141d82	
Base	09pLSMG1		ssette PCB		Card	03232d27 6f56d71e	09pLSMG1
		(M	aster Slot)			1495a635 3a9f7dcb	
		Me	otherboard			53197a9b 9722ff5a	
BIOS	AP75	1010	(U22)	PR	MC	6aac453b e54d649e	G07HAP75
			(5==)			e38273c4	
X Series Communication	SMOCX067	Au	scom PCB	Fla	ash	02bfe2b5 959c0025	00000127
Interface	SMOCA00/		(U3)	Mer	nory	265093ad fa138b58 9febb68c	0000O1X7
		<u> </u>				e6f6ed28 8f9dec9d	
Peripheral I/O	uYDOB035		ody PCB	Fla		bf21f36a b3ae43a2	
Control			(IC15)	Mer	nory	6c034c5d	16D5O1D5
Peripheral I/O			oor PCB	Fle	ash	1d96b42f d9b55c5d	16B5O1D5
Control	SPMRD055	MRD055			nory	c53b61a9 cc31abe0	
		<u> </u>	(IC4)			8c49a3fe	
Platform/Cabi			G-ENEX	– IVI1d	way, L	ow Boy	
Operational C		1000''	facilities	no not		ad in the ACT	
1. The "Ticket		iess			ıpprov	eu iii iiie ACT.	
Application Reference No. 06-A0322/S01							

New Poker	Machine Game						
Game Nam	ie	Duelling Progressives Imperial Lion					
Specification	on Number	18.B0584					
Manufactu	rer	IGT (Australia) Pty Ltd					
Gaming Ma	achine Type	iSAP (Integrated Stand-	alone Progressive)				
Game Type	9	Spinning Reels					
Technical S	Standards	NS 10.0 + NSW Appen	dix (dated 14/01/09)				
Submission	Standards	NSW CPTS 2.2					
		TITO Technical Standar	rd V4.18				
		NSW Jackpot Technical	l Standards Rev 1.2				
Progressive	e levels supported	iSAP: Yes					
		Type: Standard					
		Levels: 4					
		Wins transferred to 'Tot	tal Wins' meter: Yes				
Maximum	Bet Value	\$2.50					
Base Credi	t Value	1c, 2c					
Variation I	Details						
Var	Game RTP	iSAP RTP	Min / Max Total PRTP				
02	87.50%	3.986128 91.49%					
Platform/C	abinet	AVP BC20 – Video Top					
		AVP ST22 – Video Slant Top					
Operationa	l Conditions	Conditions					
1. The "Ti	cket In" and "Cashless	ess" facilities are not approved in the ACT.					
Application	n Reference No.	18-A5119/S01					

This is Page 16 (of 22 pages) of the Schedule to the *Gaming Machine Approval 2011* (No 20)

New Poker Machine Game						
Game Name	Imperial Dragons					
Specification Number	18.A0592					
Manufacturer	IGT (Australia) Pty Ltd					
Gaming Machine Type	Conventional					
Game Type	Spinning Reels					
Technical Standards	NS 10.0 + NSW Appendix ((dated 14/01/09)				
Submission Standards	NSW CPTS 2.2					
	TITO Technical Standard V4.18					
Maximum Bet Value	\$10.00					
Base Credit Value	1c, 2c, 5c					
Variation Details	Var Min / Max PRTP					
	99	87.94%				
	02	90.93%				
	03	92.00%				
	05	88.53%				
	07	89.75%				
Platform/Cabinet	AVP BC20 – Video Top					
	AVP ST22 – Video Slant Top					
Operational Conditions						
1. The "Ticket In" and "Cashless	" facilities are not approved i	n the ACT.				
Application Reference No.	18-A5020/S01					

This is Page 17 (of 22 pages) of the Schedule to the *Gaming Machine Approval 2011* (No 20)

Additional Hardware Assembly		
System/Device Name	Podium Video Switch	
Manufacturer	Konami Australia Pty Ltd	
Category	GM (Gaming Machine)	
GM Type	Hardware Component	
Technical Standards	rds NS 10.0 + NSW Appendix (dated 14/01/09)	
Submission Standards		
Hardware Details		
Podium Video Switch:	Konami P/N: 490477A VSW	
Platform/Cabinet Details	KGP 2.0 UVS Podium – Upper LCD Box,	
	Tombstone LCD Box	
Application Reference No.	39-A0923/S01	

Additional Standard, Platforms and Regression Tested Games							
System/Device Name			Ke	Kernel / BIOS			
Manufacturer			Sh	Shuffle Master Australasia Pty Limited			
Category			SF	(Supporting Fu	nction)		
SF Type			Oth	ner (System Sof	tware)		
Technical Sta	andards		NS	10.0 + NSW A	ppendix (dated 14/01/09)		
Submission S	Standards		NS	W CPTS 2.2			
			TI	ΓO Technical St	tandard V4.20		
			NS	W Jackpot Te	chnical Standards Rev 1.2		
Software Det	tails						
Firmware	Program ID	Med	dia	Position	HMAC-SHA1		
Kernel	W4NWX02B	Com		Main Board	8167939f b39174e5 9103fb45		
Kerner	WHIWAO2D	Flash	Card	IDE1	8d3e72f6 478a5819		
Bios	SBGEN024	Flash	ROM	Main Board	6bf72b22 495b9fc2 f51e0f1a		
Dlo4forms/Col	Platform/Cabinet Details			U16 abe76bda c7449f0f			
Platform/Ca	omet Detans		Vegas Star PC4 Classic ATS				
			Vegas Star PC4 Mojo / Mojo ST				
			Vegas Star PC4 Equinox eStar PC4 – Low Top, Round Top, Round Top				
			(with in-machine 17" LCD Display)				
			PC4 Mojo ST – Slant Top				
			PC4 - Equinox, Equinox Low Boy				
List of previo	usly approved gar	nes reco			this version of Kernel		
Software:	, II &						
Game Name			Specification Number		er Program ID		
Lakota – Pink	Panther Returns		35.BF	062	LPRNSW3B		
Lucky Panda – Pink Panther Returns			35.BF063		MPRNSW2B		
Arctic Quest - Pink Panther Returns			35.BF064		RPRNSW3A		
Texas Star - Pink Panther Returns			35.BF065		TPRNSW3A		
Megataur - Pink Panther Returns			35.BF066		EPRNSW1B		
King of Baby	lon		35.BF	068	KOBNSW1B		
Operational	Conditions		_		_		
1. The "Ticke	t In" and "Cashle	ss" facili	ties are	not approved i	n the ACT.		
Application 1	Reference No.		35-A0728/S01				

This is Page 19 (of 22 pages) of the Schedule to the *Gaming Machine Approval 2011* (No 20)

New 1	New Poker Machine Game						
Game	e Name		Emer	rald Fortunes			
Speci	fication Number	•	35.B	F075			
Manu	ıfacturer		Shuf	fle Master Austr	alasia Pty Limited	[
Gami	ing Machine Typ	e	iSAP	(Integrated Star	nd-alone Progress	ive)	
	e Type			ning Reels			
	nical Standards		NS 10.0 + NSW Appendix (dated 14/01/09)				
Subm	nission Standards	S	NSW CPTS 2.2				
			TITO Technical Standard V4.20				
			NSW Jackpot Technical Standards Rev 1.2				
Progr	essive levels sup	ported	iSAP: Yes				
			Type: Standard				
			Levels: 3				
					Total Wins' meter	: Yes	
	mum Bet Value		\$10.0				
	Credit Value		50c,	\$1.00			
	tion Details			T			
Var	Min Game	Max Ga		Progressive	Min Total	Max Total	
	RTP	RTP		RTP	PRTP	PRTP	
99	87.53	87.65			90.23	90.35	
03	85.54	85.66		2.696230%	88.24	88.36	
15	88.88	88.94		2.09025070	91.58	91.64	
16	90.83	90.92			93.53	93.62	
Platfo	orm/Cabinet		eStar PC4 – Low Top, Round Top (with in-machine 17" LCD)				
				T			
				PC4 Mojo ST – Slant Top			
PC4 - Equinox, Equinox Low Boy							
	ational Condition		" facil	ities are not appr	oved in the ACT.		
					Oved in the ACT.		
Application Reference No. 35-A0729/S01							

New Poker Machine Game					
Game Name	Money Buzz				
Specification Number	35.F0187				
Manufacturer	Shuffle Master Australasia	a Pty Limited			
Gaming Machine Type	Conventional	•			
Game Type	Spinning Reels				
Technical Standards	NS 10.0 + NSW Appendix	x (dated 14/01/09)			
Submission Standards	NSW CPTS 2.2				
	TITO Technical Standard	V4.18			
Maximum Bet Value	\$5.00				
Base Credit Value	1c, 2c, 5c, 10c, 20c				
Variation Details	Var Min / Max PRTP				
	99	90.19%			
	01 85.17%				
	02	87.31%			
	03	88.28%			
	05	89.11%			
	07	86.01%			
	15	91.52%			
	16	93.50%			
Platform/Cabinet	eStar PC4 – Round Top, I	Low Top			
	eStar PC4 – Round Top (with in-machine 17" LCD)				
	PC4 Mojo ST – Slant Top				
	PC4 - Equinox, Equinox Low Boy				
Operational Conditions					

- 1. Gaming machine variation numbers 01 & 07 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
- The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No. 35-A0723/S01

New	Poker Machine G	ame						
Game Name			Monkey Power – Potion Power					
Specification Number			35.BF073					
Manufacturer			Shuffle Master Australasia Pty Limited					
Gaming Machine Type			iSAP (Integrated Stand-alone Progressive)					
Game Type			Spinning Reels					
Technical Standards			NS 10.0 + NSW Appendix (dated 14/01/09)					
Submission Standards			NSW CPTS 2.2					
			TITO Technical Standard V4.18					
				NSW Jackpot Technical Standards Rev 1.2				
Progressive levels supported			iSAP: Yes					
			Type: Standard					
			Levels: 3					
			Wins transferred to 'Total Wins' meter: Yes					
Maximum Bet Value			\$6.00					
Base Credit Value			1c, 2c					
Variation Details								
Var	Min Game	Max Game		Progressive	Min Total	Max Total		
	RTP	RTP		RTP	PRTP	PRTP		
99	86.08	86.13		3.944444%	90.02	90.07		
03	84.00	84.04			87.94	87.98		
05	85.00	85.04			88.94	88.98		
15	87.52	87.56		 -	91.46	91.50		
16	89.49	89.53			93.43	93.47		
Platform/Cabinet			eStar PC4 – Low Top, Round Top (with in-machine 17"					
			LCD) PC4 Mojo ST – Slant Top					
			PC4 - Equinox, Equinox Low Boy					
Once	etional Canditia	na.	FC4	1 CT - Equinox, Equinox Low Boy				
Operational Conditions 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.								
	ication Reference		35-A0724/S01					
L whan	icativii Keterelico	C 140.		33-AU124/3U1				

This is Page 22 (of 22 pages) of the Schedule to the *Gaming Machine Approval 2011* (No 20)

	New Poker Machine Game						
Game Name	Pearl Fortunes (2 Fixed / 2 iSAP)						
Specification Number	35.BF072						
Manufacturer	Shuffle Master Australasia Pty Limited						
Gaming Machine Type	iSAP (Integrated Stand-alone Progressive)						
Game Type	Spinning Reels						
Technical Standards	NS 10.0 + NSW Appendix (dated 14/01/09)						
Submission Standards	NSW CPTS 2.2						
	TITO Technical Standard V4.18						
	NSW Jackpot Technical Standards Rev 1.2						
Progressive levels supported	iSAP: Yes						
	Type: Standard						
	Levels: 2						
	Wins transferred to 'Total Wins' meter: Yes						
Maximum Bet Value	\$10.00						
Base Credit Value	5c, 10c						
Variation Details							
Var Game RTP	Progressive RTP	Min Total	Max Total				
		RTP	RTP				
13 88.49% - 88.54%	3.440000%	91.93%	91.99%				
14 87.08% - 87.22%	3.44000070	90.52%	90.66%				
Platform/Cabinet	eStar PC4 – Low Top, Round Top (with in-machine 17" LCD)						
	PC4 Mojo ST – Slant Top						
	PC4 - Equinox, Equinox Low Boy						
Operational Conditions							
1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.							
Application Reference No.	35-A0719/S01	35-A0719/S01					