Gaming Machine Approval 2013 (No 8)

Notifiable instrument NI2013-185

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2013 (No 8).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission
12 April 2013

New Gaming Machine					
Game Name	50 Lions – Roaring Riches				
Specification Number	1.A0830				
Manufacturer	Aristocrat Technologies	Australia Pty Ltd			
Gaming Machine Type	Conventional				
Game Type	Spinning Reels				
Game Identifier	20301311				
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)				
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20				
Maximum Bet Value	\$6.00				
Base Credit Value	1c, 2c				
Variation Details	Variation Number Min/Max PRTP%				
	5	85.03-90.17			
	6 87.57-92.58				

Platform/Cabinet Details

Mk 6 (Xtra) – Low Boy, Casino Top, (Configured with either Ticket Printer and/or Hopper option)

Mk 6 (XCeed) – Low Boy, Casino Top, Slant Top (Configured with either Ticket Printer and/or Hopper option)

Mk 6 (SER1RX) – Casino Top (Configured with either Ticket Printer and/or Hopper option) Mk 6 (XCite) – Low Boy, Casino Top (Configured with either Ticket Printer and/or Hopper option)

Mk 6 (XTreme) — Casino Top (with in-machine LCD for Mystery Link)(Configured with either Ticket Printer and/or Hopper option)

Slant Mk 6 – Round Top (Configured with Ticket Printer only)

Operational Conditions

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 5 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

New Gaming Machine						
Game Name		Cash Express Ticket to Ride				
Specification N	umber	1.HF036				
Manufacturer		Aristocrat Techn	ologies Austra	lia Pty Ltd		
Gaming Machin	ne Type	MGGM - SFS				
Game Type		Spinning Reels				
Game Identifie	r	10162094				
LPJS		1.YA002				
		 Cash Expi 	ress / Money T	rain (1c)		
		 Cash Expi 	ress Link (2c)			
Technical Stand	dards	NS 10.1 + NSW Appendix (dated 24/11/11)				
Submission Sta	ndards	NSW CPTS 2.3; T	ITO Technical S	Standard V4.20		
		NSW Jackpot Technical Standards Rev 1.2				
Progressive levels supported		Linked: Yes				
		Type: Standard				
		Levels: 4				
Maximum Bet	Value	\$4.80				
Base Credit Val	ue	1c, 2c				
Component Game Set		Game Number		Game Name		
Details		1 5 Dragons Deluxe				
		2 There's the Gold				
Multi-Game Co	Multi-Game Combination					
MGC	CRP%	Game Number	Variation	SDB PRTP%		
99	77.14	1	7	77.10		
	, , , , , ,	2	10	77.18		

Platform/Cabinet Details

Gen7 Viridian Widescreen — Casino Top (with in-machine LCD; Stand-alone)(Configured with either Ticket Printer and/or Hopper option)

Specific Approval Conditions

- 1. This multi-game gaming machine (MGGM) must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Cash Express / Money Train (1c)' and 'Cash Express Link (2c)' jackpot settings.
- 2. This MGGM must be used in conjunction with the Paltronics Hyperlink Controller (Rev 7) with firmware version 6.04 or later and the Interface card (SEI) firmware version L600H111 or later.
- 3. This MGGM must be used in conjunction with a Graphics Server as given below:
 - a. Thin client ATA Graphics Server, Specification No: 01-SES01, with Graphics Server Application Software (System Version SYS005) and Graphics Software Configuration Text File (Version 01031) or later.
 - b. Kontron ATA Graphics Server, Specification Number: 1.SES03, with Graphics Installation System (KSYS-HM-3.1.7) and Graphics Theme Data Disk (ATA P/N:01033 (or later).
- 4. This MGGM must operate in conjunction with the 'Nteractive Button Midtrim Deck Kit'.

Operational Conditions

Application Reference No.

- 5. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 6. This Multi-Game gaming machine combination is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

Application Reference No. 01-A1401/S01

New Gaming Machine						
Game Name	Inca Empire					
Specification Number	6.F0063					
Manufacturer	Aruze Gaming Australia	Pty Ltd				
Gaming Machine Type	Conventional					
Game Type	Spinning Reels					
Game Identifier	INCMG002					
Technical Standards	NS 10.1 + NSW Appendi	x (dated 24/11/11)				
Submission Standards	NSW CPTS 2.3; TITO Tec	hnical Standard V4.20				
Maximum Bet Value	\$10.00					
Base Credit Value	1c, 2c, 5c					
Variation Details	Variation Number	Min/Max PRTP%				
	1	90.11				
	2	91.99				
	3 94.04					
	4	96.00				
	5	97.99				
	6	87.08				
	7 88.08					
Platform/Cabinet Details						
G-ENEX-WD00 –Midway, Low b	ооу					
GENX-WD00 (G-ENEX II) – Midv	GENX-WD00 (G-ENEX II) – Midway, Low boy					
G-Comfort	G-Comfort Comfort					
G-Comfort II						
Operational Conditions						
The "Ticket In" and "Cashless" facilities are not approved in the ACT.						

06-A0435/S01

New Gaming Machine					
Game Name		Longevity Forever			
Specification Number		6.BF02	24		
Manufacturer		Aruze	Gaming Australia	Pty Ltd	
Gaming Machine	Туре	iSAP			
Game Type		Spinni	Spinning Reels		
Game Identifier		pLFM	G003		
Technical Standar	ds	NS 10	.1 + NSW Appendi	x (dated 24/11/11)	
Submission Stand	ards		•	hnical Standard V4.20	
		NSW J	lackpot Technical S	Standard Rev 1.2	
Progressive levels	supported	iSAP: `	Yes		
			Standard		
		Levels	_		
		Wins transferred to 'Total Wins' meter: Yes			
Maximum Bet Va	lue	\$6.00			
Base Credit Value		1c, 2c			
Variation Details	-		T	T	
Var	Game RT	Р%	iSAP RTP%	Min / Max Total PRTP%	
1	85.91			90.97	
2	86.92		5.063004	91.98	
3	87.93			92.99	
4	88.91			93.97	
Platform/Cabinet					
G-ENEX-WD00 –Midway					
GENX-WD00 (G-ENEX II) – Midway					
G-Comfort					
	G-Comfort II				
Operational Conditions					
The "Ticket In" and "Cashless" facilities are not approved in the ACT.					
Application Reference No. 06-A0423/S01					

Gaming Machine Bugfix	
Game Name	Rainbow Riches
Specification Number	18.B0622
Manufacturer	IGT (Australia) Pty Ltd
Gaming Machine Type	iSAP
Game Type	Spinning Reels
Game Identifier	X64510GA
	X64510RA
Technical Standards	NS10.1 + NSW Appendix (dated 24/11/11)
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
	NSW Jackpot Technical Standards Rev 1.2
Progressive levels supported	iSAP: Yes
	Type: Standard
	Levels: 3
	Wins transferred to 'Total Wins' meter: Yes
Maximum Bet Value	\$10.00
Base Credit Value	5c, 10c

Variation Details

Var	BCV	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
2	5c		10.991017	90.99
3	5c	80.00	11.991017	91.99
8	10c		11.944489	91.94

Platform/Cabinet

AVP BC20 - Video Top

AVP ST22 - Video Slant Top

Universal – Slant Top

Operational Conditions

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Additional Information

This approval of 'Rainbow Riches' revokes the previous approval for this gaming machine notified under 2012-384 of 26 July 2012.

Application Reference No. 18-A5267/S01

New Gaming Machine						
Game Name		Eagle Bay – Blaze Pays				
Specification Number		35.BF106				
Manufa	cturer		SHFL entertainment (Australasia) Pty Ltd			
Gaming	Machine '	Туре	iSAP			
Game T	уре		Spinni	Spinning Reels		
Game Id	lentifier		EBPNS	SW1E		
Technic	al Standar	ds	NS 10.	.1 + NSW Appendix	(dated 24/11/11)	
Submiss	ion Stand	ards	NSW (CPTS 2.3; TITO Tech	nnical Standard V4.20	
				ackpot Technical S	tandard Rev 1.2	
Progress	sive levels	supported	iSAP: \			
				Standard		
			Levels			
					al Wins' meter: Yes	
	ım Bet Val	ue	\$10.00			
	edit Value		1c, 2c, 5c, 10c			
	n Details				T	
Var	BCV	Game RTP%		Drogroccivo	NAIS / NASS TOTAL DOTOS	
		Gaille Ki	P70	Progressive RTP%	Min / Max Total PRTP%	
99	5c, 10c	86.73-86		_	90.10-90.20	
			.83	RTP%		
99	5c, 10c	86.73-86	.83	RTP% 3.371264	90.10-90.20	
99	5c, 10c 5c, 10c	86.73-86 86.36-86	.83 .46 .91	RTP% 3.371264 3.235365	90.10-90.20 89.60-89.70	
99 5 15	5c, 10c 5c, 10c 5c, 10c	86.73-86 86.36-86 87.81-87	.83 .46 .91	RTP% 3.371264 3.235365 3.434967	90.10-90.20 89.60-89.70 91.24-91.34	
99 5 15 16	5c, 10c 5c, 10c 5c, 10c 5c, 10c	86.73-86 86.36-86 87.81-87 88.21-88	.83 .46 .91 .31	RTP% 3.371264 3.235365 3.434967 3.536891	90.10-90.20 89.60-89.70 91.24-91.34 91.75-91.85	
99 5 15 16 25	5c, 10c 5c, 10c 5c, 10c 5c, 10c 1c, 2c	86.73-86 86.36-86 87.81-87 88.21-88 87.70-87	.83 .46 .91 .31 .80	RTP% 3.371264 3.235365 3.434967 3.536891 3.694024	90.10-90.20 89.60-89.70 91.24-91.34 91.75-91.85 91.39-91.49	
99 5 15 16 25 26	5c, 10c 5c, 10c 5c, 10c 5c, 10c 1c, 2c 1c, 2c	86.73-86 86.36-86 87.81-87 88.21-88 87.70-87 88.09-88	.83 .46 .91 .31 .80 .27	RTP% 3.371264 3.235365 3.434967 3.536891 3.694024 3.715259	90.10-90.20 89.60-89.70 91.24-91.34 91.75-91.85 91.39-91.49 91.81-91.99	
99 5 15 16 25 26 29	5c, 10c 5c, 10c 5c, 10c 5c, 10c 1c, 2c 1c, 2c 1c, 2c	86.73-86 86.36-86 87.81-87 88.21-88 87.70-87 88.09-88 86.62-86	.83 .46 .91 .31 .80 .27	RTP% 3.371264 3.235365 3.434967 3.536891 3.694024 3.715259 3.630322	90.10-90.20 89.60-89.70 91.24-91.34 91.75-91.85 91.39-91.49 91.81-91.99 90.25-90.35	
99 5 15 16 25 26 29 35 Platforn PC4 – Ec	5c, 10c 5c, 10c 5c, 10c 5c, 10c 1c, 2c 1c, 2c 1c, 2c 1c, 2c n/Cabinet	86.73-86 86.36-86 87.81-87 88.21-88 87.70-87 88.09-88 86.62-86 86.18-86	.83 .46 .91 .31 .80 .27	RTP% 3.371264 3.235365 3.434967 3.536891 3.694024 3.715259 3.630322	90.10-90.20 89.60-89.70 91.24-91.34 91.75-91.85 91.39-91.49 91.81-91.99 90.25-90.35	
99 5 15 16 25 26 29 35 Platforn PC4 – Ec	5c, 10c 5c, 10c 5c, 10c 5c, 10c 1c, 2c 1c, 2c 1c, 2c 1c, 2c n/Cabinet quinox onal Cond	86.73-86 86.36-86 87.81-87 88.21-88 87.70-87 88.09-88 86.62-86 86.18-86	.83 .46 .91 .31 .80 .27 .72	RTP% 3.371264 3.235365 3.434967 3.536891 3.694024 3.715259 3.630322 3.481682	90.10-90.20 89.60-89.70 91.24-91.34 91.75-91.85 91.39-91.49 91.81-91.99 90.25-90.35 89.66-89.83	
99 5 15 16 25 26 29 35 Platforn PC4 – Ec Operation	5c, 10c 5c, 10c 5c, 10c 5c, 10c 1c, 2c 1c, 2c 1c, 2c 1c, 2c n/Cabinet quinox onal Cond	86.73-86 86.36-86 87.81-87 88.21-88 87.70-87 88.09-88 86.62-86 86.18-86	.83 .46 .91 .31 .80 .27 .72 .35	RTP% 3.371264 3.235365 3.434967 3.536891 3.694024 3.715259 3.630322	90.10-90.20 89.60-89.70 91.24-91.34 91.75-91.85 91.39-91.49 91.81-91.99 90.25-90.35 89.66-89.83	

This is Page 7 (of 7 pages) of the Schedule to the Gaming Machine Approval 2013 (No 8)

New Gaming Machine						
Game Name		Imperial Fortunes				
Specification Number		35.BF110				
Manufac			SHFL entertainment (Australasia) Pty Ltd			
Gaming	Machine '	Туре	iSAP			
Game Ty	· •		•	Spinning Reels		
Game Id			IMFNS			
	al Standar			• •	x (dated 24/11/11)	
Submiss	ion Stand	ards			hnical Standard V4.20	
				Jackpot Technical S	Standard Rev 1.2	
Progress	sive levels	supported	iSAP: `			
				Standard		
			Levels			
					al Wins' meter: Yes	
	m Bet Val		\$10.00			
-	dit Value		50C, \$1.00			
	n Details			T	T	
Var	Max	Game RT	Ъ%	iSAP RTP%	Min / Max Total PRTP%	
	Bet					
99		87.47-88			90.17-90.36	
14	10	88.91-88			91.61-91.64	
15		89.88-89			92.58-92.61	
16		90.88-90		2.696230	93.58-93.62	
24		88.90-88			91.60-91.63	
25	5	89.87-89		-	92.57-92.60	
26		90.87-90	.90		93.57-93.60	
49		87.46-87.63			90.16-90.33	
Platform	Platform/Cabinet					
PC4 – Equinox						
Operational Conditions						
1 , ,, ,	ka+ la" an	d "Cachlace" f	facilitia	s are not approved	linthe ACT	
	ion Refer		iaciliue	s are not approved	THE ACT.	