## **Gaming Machine Approval 2013 (No 13)**

Notifiable instrument NI2013-220

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

#### 1 Name of instrument

This instrument is the Gaming Machine Approval 2013 (No 13).

#### 2 Commencement

This instrument commences the day after the date of notification.

#### 3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

10 May 2013

Updated Gaming Machine Approval		
Game Name	Blazing Lion	
Specification Number	44.BF146	
Manufacturer	Ainsworth Game Technology Ltd	
Gaming Machine Type	iSAP	
Game Type	Spinning Reels	
Game Identifier	GDNSBL1F	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
	NSW Jackpot Technical Standard Rev 1.2	
Progressive levels supported	iSAP: Yes	
	Type: Standard	
	Levels: 2	
	Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value	\$10.00	
Base Credit Value	50c, \$1.00	

Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
1	86.12		90.61
2	87.75	4.489328	92.24
3	89.61		94.10

## **Platform/Cabinet Details**

A560-H - High Boy

A560-L – Low Boy (with A560 Topper)

A560-ST – Slant Top

## **Specific Approval Conditions**

The A560 Topper must be installed on the A560 Low Boy platform when operating this game.

#### **Operational Conditions**

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

#### **Additional Information**

This approval of 'Blazing Lion revokes the previous approval for this gaming machine notified under instrument 2013-197 of 2 May 2013.

**Application Reference No.** 44-A0767/S01

New Gaming Machine	
Game Name	China Dragon
Specification Number	44.BF154
Manufacturer	Ainsworth Game Technology Ltd
Gaming Machine Type	iSAP
Game Type	Spinning Reels
Game Identifier	GDNSCA1E
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
	NSW Jackpot Technical Standard Rev 1.2
Progressive levels supported	iSAP: Yes
	Type: Standard
	Levels: 3
	Wins transferred to 'Total Wins' meter: Yes
Maximum Bet Value	\$10.00
Base Credit Value	5c, 10c

Var	BCV	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
51		85.47	5.594740	91.07
52	5c	86.13	5.607944	91.74
53	50	84.59	5.495710	90.08
54		83.69	5.451697	89.14
61		85.89	4.919491	90.81
62	10c	86.91	4.945899	91.86
63	100	85.08	4.670817	89.75
64		84.11	4.776449	88.88

## **Platform/Cabinet Details**

A560-H - High Boy

A560-L - Low Boy (with A560 Topper)

A560 ST – Slant Top

## **Specific Approval Conditions**

The A560 Topper must be installed on the A560 Low Boy platform when operating this game.

## **Operational Conditions**

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

**Application Reference No.** 44-A0783/S01

Updated Player Tracking Panel Art				
Device Name		Topper / Player Tracking Panel Artwork		
Manufacturer		Ainsworth Game Technology Ltd		
Category		Gaming Machine	e	
Category Type		Other		
<b>Technical Standards</b>		NS 10.1 + NSW A	Appendix (dated 24/11/11)	
Artwork Details				
Topper Artwork		Content	Player Tracking Panel Artwork	
401345 Rev A	Triple S	hot	a) 470161 Rev A	
			b) 470020 Rev A	
			c) 470159 Rev A	
			d) 470160 Rev A	
Platform/Cabinet Details				
A560-H – High Boy (with/without A560 Topper)				
A560-L — Low Boy (with/without A560 Topper)				
A560 -L – Low Boy (with 32" LCD Topper)				
Application Reference No.		44-A0783/S01		

New Gaming Machine	
Game Name	Reels of Wheels 1
Specification Number	44.BF152
Manufacturer	Ainsworth Game Technology Ltd
Gaming Machine Type	iSAP
Game Type	Spinning Reels
Game Identifier	GDNSX11G
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
	NSW Jackpot Technical Standard Rev 1.2
Progressive levels supported	iSAP: Yes
	Type: Standard
	Levels: 4
	Wins transferred to 'Total Wins' meter: Yes
Maximum Bet Value	\$10.00
Base Credit Value	1c, 2c

Var	BCV	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
1		63.42	27.519434	90.93
2	1c	63.68	29.122534	92.80
11		63.50	28.313055	91.81
31		63.42	27.696951	91.11
32	2c	63.68	29.706567	93.38
41		63.50	28.701818	92.20

#### **Platform/Cabinet Details**

A560-L - Low Boy (with 32" Wide Boy Topper)

## **Specific Approval Conditions**

- 1. This game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED panel).
- 2. The 32" Wide Boy Topper must be installed on the A560 Low Boy platform when operating this game.

## **Operational Conditions**

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

**Application Reference No.** 44-A0776/S01

## This is Page 5 (of 15 pages) of the Schedule to the Gaming Machine Approval 2013 (No 13)

Updated Hardware Assemblies a	nd Player Tracking Panel Art	
Device Details 1	na rayer tracking raner Art	
Manufacturer	Ainsworth Game Technology Ltd	
Device Name	Topper / Player Tracking Panel Artwork	
Category	Gaming Machine	er / ii ework
Category Type	Other	
Technical Standards	NS 10.1 + NSW Appendix (da	ted 24/11/11)
Artwork Details	113 10:1 · 113 tt //ppenaix (da	1, 11, 11,
Content	Player Tracking Panel Ar	twork
Reels of Wheels	470602 Rev A	
Platform/Cabinet Details		
A560-H – High Boy (with/without A	560 Topper)	
A560-L – Low Boy (with/without A5		
A560 -L – Low Boy (with 32" LCD To		
Device Details 2		
Device Name	32" Wide Boy Topper Cabine	t
Category	Gaming Machine	
Category Type	Hardware Component	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Hardware Details		
Description		Part Number
-		220652 Rev A
• 32" Effinet LCD Non Touch, EFL-3203HUIG including cable		025021 Rev A
<ul> <li>A560 32 Inch Topper Harness</li> </ul>	5	211227 Rev B
32 Inch Topper Gold Bezel		220653-01 Rev A
Platform/Cabinet Details		
A560-L – Low Boy		
Device Details 3		
<b>Device Name</b>	Reels of Wheels Chrome Topper	
Category	Gaming Machine	
Category Type	Hardware Component	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Hardware Details		
Description		Part Number
Reels of Wheels Chrome Topper 220651-02 R		220651-02 Rev A
Platform/Cabinet Details		
A560-L – Low Boy (with 32" Wide B		
Application Reference No.	44-A0776/S01	

New Gaming Machine	
Game Name	King Penguin Returns
Specification Number	1.BF039
Manufacturer	Aristocrat Technologies Australia Pty Ltd
Gaming Machine Type	iSAP
Game Type	Spinning Reels
Game Identifier	10261892
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
	NSW Jackpot Technical Standard Rev 1.2
Progressive levels supported	iSAP: Yes
	Type: Random
	Levels: 1
	Wins transferred to 'Total Wins' meter: Yes
Maximum Bet Value	\$9.00
Base Credit Value	1c, 2c

Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
99	83.23-88.38		85.03-90.18
1	85.88-90.89	1.800000	87.68-92.69
2	86.72-91.79		88.52-93.59

#### **Platform/Cabinet Details**

Gen7 Viridian Widescreen — With Feature Top Box (Stand-alone)(Configured with either Ticket Printer and/or Hopper Option)

### **Operational Conditions**

- 1. The "Ticket In" and "Cashless" facilities are not approved in the ACT.
- 2. Gaming machine variation number 99 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.

#### **Specific Approval Conditions**

This game must operate on the Gen7 Viridian Wide-screen platform with the Feature Top Box (ATA P/N: 579359 Revision B01)

## This is Page 7 (of 15 pages) of the Schedule to the Gaming Machine Approval 2013 (No 13)

Updated Hardware Kit		
Device Name	Feature Top Box Kit	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Category	Gaming Machine	
Category Type	Hardware Component	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3	
Hardware Details		
Feature Top Box (WS) Kit ATA P/N: 579359 Revision B01		
Platform/Cabinet Details		
Gen7 Viridian Widescreen – with Feature Top Box (Configured with either Ticket Printer		
and/or Hopper Option)		
Application Reference No.	01-A1383/S01	

Alternate Hardware Assembly				
Device Name	LCD Monito	LCD Monitor Assembly		
Manufacturer	Aristocrat To	echnologies Australia Pty Ltd		
Category	Gaming Mad	chine		
Category Type	Hardware Component			
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)			
Submission Standards	NSW CPTS 2	3		
Hardware Details				
Top Box LCD Monitor Assembly (Non-Touch) ATA P/N: 442288_6 Revision C				
22" LCD (KTK SS TN NT TVD GEN	7W)	Kortek P/N: KT-ES22AXA9		
Platform/Cabinet Details				
Gen7 Viridian Widescreen – Casino Top (with in-machine LCD)(Configured with either				
Ticket Printer and/or Hopper Option)				
Application Reference No. 01-A1402/S01				

New Gaming Machine							
Game Name			Player's Choice Classic Edition				
Specification Number		1.CG000	1.CG000				
Manufacture	r		Aristocrat Techn	ologies	Austral	ia Pty Ltd	
Gaming Mach	nine T	ype	MGGM – Multi -	denom	ination		
Game Type			Spinning Reels				
Game Identif	ier		10262020				
Technical Sta	ndard	S	NS 10.1 + NSW A	ppend	ix (date	d 24/11/11)	
Submission S	tanda	rds	NSW CPTS 2.3; T	ITO Te	chnical S	Standard V4.20	
Maximum Be	t Valu	е	\$10.00				
Base Credit V	alue		1c, 2c, 50c, \$1.00	)			
Component C	ame	Set Details					
Game Num	ber		Game Name			BCV	
1		Qı	ueen of the Nile			1c	
2		Qı	ueen of the Nile			2c	
3		In	dian Dreaming			1c	
4		In	dian Dreaming			2c	
5			Wild Stallion			50c	
6			Wild Stallion			\$1.00	
7	7		Big Red		50c		
8			Big Red		\$1.00		
Multi-Game (	Combi	nation					
MGC		CRP%	Game Number	Vari	ation	SDB PRTP%	
			1, 2		8	90.31	
99		91.11	3, 4		1	90.10	
99		91.11	5, 6	1	.1	92.03	
			7, 8		5	92.13	
			1, 2	1	.1	92.26	
1		02 72	3, 4	•	2	91.85	
1		92.73	5, 6	•	4	93.52	
			7, 8	•	4	93.61	
Platform/Cab				-			
			sino Top (with in-ma	achine L	CD; Stand	-alone)(Configured	
with either Ticke		•					
	t – Cas	sino Top (wit	h in-machine LCD; Sta	and-alon	e)(Config	ured with Ticket	
Printer Option)	ovel C	onditions					
Specific Appr			. conjunction with	+ha (N	toroctiv	a Dutton Midtrim	
This game must only operate in conjunction with the 'Nteractive Button Midtrim							
Deck Kit'.							
I -	Operational Conditions The "Ticket In" and "Cashless" facilities are not approved in the ACT						
The "Ticket In" and "Cashless" facilities are not approved in the ACT.							

01-A1403/S01

Application Reference No.

## This is Page 9 (of 15 pages) of the Schedule to the Gaming Machine Approval 2013 (No 13)

Gaming Machine Hardware Updates				
Device Name BC20 Part Update #7				
Manufacturer	IGT (Australia) Pty Ltd			
Category	Gaming Machine			
Category Type	Hardware Component			
Technical Standards	NS 10.1 + NSW Appendix	(dated 24/11/11)		
Submission Standards	NSW CPTS 2.3			
Hardware Details				
Description		Part Number		
Power Supply	40013000W Rev A			
(PSUNIVRS 440W 12V/24V PFC C	OCP ROHS HIREL)			
(Manuf: eUrasia & 3Y)				
PCB Tape Light Controller ASY	75403900W Rev A			
Harness Topper SUZO-HAPP BC2	68407503W Rev A			
Harness Poly Topper EXT BC20		A3090572 Rev B		
Harness Extension Candle 6WAY	A3090631 Rev A			
Harness Candle EXT 6POS SL W/	64850501W Rev A			
Platform/Cabinet Details				
AVP BC20 – Video Top, Portrait Top 32IN Top Box				
Application Reference No.	18-A1248/S01			

## This is Page 10 (of 15 pages) of the Schedule to the *Gaming Machine Approval 2013* (No 13)

Now Coming Machine						
New Gaming Machine	Watabaa Hata					
Game Name	Knights Unite					
Specification Number	18.80657					
Manufacturer	IGT (Australia) Pty Ltd					
Gaming Machine Type	iSAP					
Game Type	Spinning Reels					
Game Identifier	X72600GA					
	X72600RA					
Technical Standards	NS10.1 + NSW Appendix (dated 2	4/11/11)				
Submission Standards	NSW CPTS 2.3; TITO Technical Sta					
	NSW Jackpot Technical Standards	Rev 1.2				
Progressive levels supported	iSAP: Yes					
	Type: Standard					
	Levels: 2					
	Wins transferred to 'Total Wins' meter: Yes					
Maximum Bet Value	\$5.00					
Base Credit Value	1c, 2c, 5c					
Variation Details						
Var BCV Game	RTP% iSAP RTP% N	/lin / Max Total				
		PRTP%				
2 87.	53 3.463512	90.99				
3 1c, 2c 87.	4.458652	91.98				
7	1.982993	89.50				
8 5c 87.	53 4.383736	91.91				
Platform/Cabinet						
AVP BC20 – Video Top						
AVP ST22 – Video Top						
Universal – Slant Top						
Operational Conditions						
The "Ticket In" and "Cashless" facilities are not approved in the ACT.						
Application Reference No.	18-A5277/S01					

## This is Page 11 (of 15 pages) of the Schedule to the *Gaming Machine Approval 2013* (No 13)

New Gaming	Machine and	Upd	ated Supporting S	Software		
Game Name			Multistar Jetsetter			
Specification	ation Number 18.DF0017					
Manufacture	r		IGT (Australia) P	ty Ltd		
Gaming Mach	nine Type		MGGM - iSAP			
Game Type			Spinning Reels			
Game Identif	ier		X68100GA			
			X68100RA			
Technical Sta	ndards		NS 10.1 + NSW A	Appendix (date	ed 24/11/11)	
Submission S	tandards		NSW CPTS 2.3; T	TTO Technical	Standard V4.20	
			NSW Jackpot Te	chnical Standa	rds Rev 1.2	
Progressive le	evels support	ed	iSAP: Yes			
			Type: Standard			
			Levels: 3			
			Wins transferred	d to 'Total Win	s' meter: Yes	
Maximum Be			\$10.00			
Base Credit V			1c, 2c			
Component C		ails				
Game N	umber		Game Name			
1			ra Chance Jetsetter Las Vegas			
2			ra Chance Jetsetter Sydney			
3		Jets	setter Paris			
Multi-Game (	1	1		Τ	T -	
MGC	CRP%		Game Number	Variation	SDB PRTP%	
			1	8	90.83	
1	90.83		2	8	90.83	
			3	8	90.83	
			1	9	88.00	
2	88.00		2	9	88.00	
			3	9	88.00	
			1	3	87.99	
3	87.99		2	3	87.99	
			3	3	87.99	
Platform/Cab						
AVP BC20 – V	=					
Universal – SI	•					
Operational Conditions						
The "Ticket In" and "Cashless" facilities are not approved in the ACT.				e ACT.		
Specific Approval Conditions						

## **Specific Approval Conditions**

This game must only be operated on the specified platforms with their respective Dynamic Button Panel Assembly.

## This is Page 12 (of 15 pages) of the Schedule to the *Gaming Machine Approval 2013* (No 13)

Device Details			
Device Name AVP BC20 Shell (Shell, OS & BIOS)			
Category	Supporting Function		
Category Type	System Software		
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)		
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20		
	NSW Jackpot Technical Standards Rev 1.2		
Software Details			
Shell	AP010805		
Platform/Cabinet Details			
AVP BC20 – Video Top, Portrait	Тор		
AVP ST22 – Video Slant Top			
AVPC – Video Top			
Universal – Slant Top			
Application Reference No.	18-A5232/S01; 18-A5268/S01		

Spring Queen 2
18.B0656
IGT (Australia) Pty Ltd
iSAP
Spinning Reels
X71100GA
X71100RA
NS10.1 + NSW Appendix (dated 24/11/11)
NSW CPTS 2.3; TITO Technical Standard V4.20
NSW Jackpot Technical Standards Rev 1.2
iSAP: Yes
Type: Standard
Levels: 2
Wins transferred to 'Total Wins' meter: Yes
\$10.00
1c, 2c, 5c

1/	.: _ +: .	D	:	۱.
vai	Tatio	ט חכ	etail	ıs

Var	BCV	Game RTP%	iSAP RTP%	Min / Max Total
				PRTP%
2	4 2	87.50	3.466960	90.97
3	1c, 2c		4.483497	91.99
4		87.51	6.483548	93.99
7		67.51	2.000118	89.51
8	5c		4.514988	92.02

## Platform/Cabinet

AVP BC20 - Video Top

AVP ST22 - Video Top

Universal – Slant Top

## **Operational Conditions**

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

**Application Reference No.** 18-A5269/S01

## This is Page 13 (of 15 pages) of the Schedule to the *Gaming Machine Approval 2013* (No 13)

New Gaming Machine					
Game Name			Big Africa Free Spin Safari		
Specification Number 39.BF007					
Manufa	octurer		Konami Aust	ralia Pty Ltd	
Gaming	Machine Type		iSAP		
Game T	уре		Spinning Ree	els	
Game I	dentifier		L033SPB001	XX_0333NAXX	
Technic	al Standards		NS 10.1 + NS	W Appendix (date	ed 24/11/11)
Submis	sion Standards		NSW CPTS 2.	3; TITO Technical	Standard V4.20
			NSW Jackpot	t Technical Standa	rd Rev 1.2
Progres	sive levels support	ed	iSAP: Yes		
			Type: Standa	ırd	
			Levels: 2		
			Wins transfe	rred to 'Total Win	s' meter: Yes
Maxim	um Bet Value		\$10.00		
Base Cr	edit Value		50c, \$1.00		
Variatio	on Details				
Var	Game RTP%		iSAP	RTP%	Min / Max Total
			50c	\$1.00	PRTP%
1	89.69		0.474878	0.474877	90.16
2	90.63		0.53	2143	91.19
3	91.57		0.589406	0.589409	92.16
4	92.51		0.646674	0.646674	93.16
5	93.46		0.703939	0.703940	94.16
Platforr	m/Cabinet Details				
KP3 KGI	P 2.0 UVS Podium –	· Upp	er LCD Box, T	ombstone LCD Bo	X
	P 2.0 UVS Podium U	. •	• •	CD Box, Tombston	e LCD Box
	P 3.0 SVRS Podium -		nt Top		
_	Approval Conditio				
The BCV of 25c is not a subject of this approval.					
Operational Conditions					
The "Tic	cket In" and "Cashle tion Reference No.		acilities are n	• • • • • • • • • • • • • • • • • • • •	e ACT.

# This is Page 14 (of 15 pages) of the Schedule to the *Gaming Machine Approval 2013* (No 13)

Now Go	ming Machine					
New Gaming Machine Game Name			Gypsy Fire Jackpots			
Manufa			39.BF008  Konami Australia Pty Ltd			
			iSAP	istralia Pty Ltu		
	Machine Type			oolo		
Game T	ype dentifier		Spinning R			
				01XX_0223NCXX	- 1 24/44/44)	
	al Standards			NSW Appendix (date	•	
Submis	sion Standards			2.3; TITO Technical		
D	-: ll			ot Technical Standa	ard Rev 1.2	
Progres	sive levels supp	ortea	iSAP: Yes	مامسما		
			Type: Stan	aara		
			Levels: 2	formed to (Total M/in	o' mantan Van	
D.d.o.v.i.eo.	Wins transferred to 'Total Wins' meter: Yes				is meter, res	
	um Bet Value		\$7.50			
	edit Value		1c, 2c, 5c			
	n Details		DTD0/	'CAR REPO	0.0° - / 0.0 - Total	
Var	BCV	Game RTP%		iSAP RTP%	Min / Max Total	
					PRTP%	
1	1c, 2c, 5c		89.57	1.051800		
1 2	1c, 2c, 5c 1c, 2c		89.57 89.35	1.051800 1.385173	PRTP%	
					<b>PRTP%</b> 90.62	
2	1c, 2c		89.35	1.385173	<b>PRTP%</b> 90.62 90.74	
2	1c, 2c 1c, 2c, 5c	(	89.35 90.46	1.385173 1.051544	90.62 90.74 91.51	
2 3 4	1c, 2c 1c, 2c, 5c 1c, 2c		89.35 90.46 90.26	1.385173 1.051544 1.384875	90.62 90.74 91.51 91.64	
2 3 4 5	1c, 2c 1c, 2c, 5c 1c, 2c 1c, 2c, 5c		89.35 90.46 90.26 90.96	1.385173 1.051544 1.384875 1.051544	90.62 90.74 91.51 91.64 92.01	
2 3 4 5 6	1c, 2c 1c, 2c, 5c 1c, 2c 1c, 2c, 5c 1c, 2c		89.35 90.46 90.26 90.96 90.76	1.385173 1.051544 1.384875 1.051544 1.384875	90.62 90.74 91.51 91.64 92.01 92.14	
2 3 4 5 6 7 8	1c, 2c 1c, 2c, 5c 1c, 2c 1c, 2c, 5c 1c, 2c 1c, 2c, 5c		89.35 90.46 90.26 90.96 90.76 91.87	1.385173 1.051544 1.384875 1.051544 1.384875 1.051262	90.62 90.74 91.51 91.64 92.01 92.14 92.92	
2 3 4 5 6 7 8 Platforr	1c, 2c 1c, 2c, 5c 1c, 2c 5c 1c, 2c, 5c 1c, 2c 1c, 2c 1c, 2c, 5c 1c, 2c, 5c 1c, 2c		89.35 90.46 90.26 90.96 90.76 91.87 91.66	1.385173 1.051544 1.384875 1.051544 1.384875 1.051262	90.62 90.74 91.51 91.64 92.01 92.14 92.92 93.04	
2 3 4 5 6 7 8 Platforr KP3 KGR	1c, 2c 1c, 2c, 5c 1c, 2c, 5c 1c, 2c, 5c 1c, 2c 1c, 2c 1c, 2c, 5c 1c, 2c 2c 1c, 2c 1c, 2c 1c, 2c 1c, 2c	9 9 9 9 9 9 9 9 9	89.35 90.46 90.26 90.96 90.76 91.87 91.66	1.385173 1.051544 1.384875 1.051544 1.384875 1.051262 1.384561	PRTP% 90.62 90.74 91.51 91.64 92.01 92.14 92.92 93.04	
2 3 4 5 6 7 8 Platforr KP3 KGF	1c, 2c 1c, 2c, 5c 1c, 2c, 5c 1c, 2c, 5c 1c, 2c 1c, 2c 1c, 2c, 5c 1c, 2c 2c 1c, 2c 1c, 2c 1c, 2c 1c, 2c	ils n – Uppra	89.35 90.46 90.26 90.96 90.76 91.87 91.66 per LCD Box,	1.385173 1.051544 1.384875 1.051544 1.384875 1.051262 1.384561	PRTP% 90.62 90.74 91.51 91.64 92.01 92.14 92.92 93.04	
2 3 4 5 6 7 8 Platforr KP3 KGI KP3 KGI	1c, 2c 1c, 2c, 5c 1c, 2c, 5c 1c, 2c 1c, 2c 1c, 2c 5c 1c, 2c 1c, 2c 1c, 2c 1c, 2c 1c, 2c 1c, 2c	g g g g g s l <b>is</b> m – Upp m Upgra	89.35 90.46 90.26 90.96 90.76 91.87 91.66 per LCD Box,	1.385173 1.051544 1.384875 1.051544 1.384875 1.051262 1.384561	PRTP% 90.62 90.74 91.51 91.64 92.01 92.14 92.92 93.04	
2 3 4 5 6 7 8 Platforr KP3 KGI KP3 KGI KP3 KGI KP3 KGI	1c, 2c 1c, 2c, 5c 1c, 2c, 5c 1c, 2c 1c, 2c 1c, 2c 1c, 2c 2c 1c, 2	ils m – Upp m – Sla	89.35 90.46 90.26 90.96 90.76 91.87 91.66 Der LCD Box, ade – Upper	1.385173 1.051544 1.384875 1.051544 1.384875 1.051262 1.384561 Tombstone LCD Bo	PRTP% 90.62 90.74 91.51 91.64 92.01 92.14 92.92 93.04	
2 3 4 5 6 7 8 Platforr KP3 KGI KP3 KGI KP3 KGI Specific The BC\	1c, 2c 1c, 2c, 5c 1c, 2c, 5c 1c, 2c 1c, 2c 1c, 2c 1c, 2c 2.0 UVS Podiur 2.0 UVS Podiur 3.0 SVRS Podiu Approval Condi	ils m – Uppra m – Sla itions	89.35 90.46 90.26 90.96 90.76 91.87 91.66 Der LCD Box, ade – Upper	1.385173 1.051544 1.384875 1.051544 1.384875 1.051262 1.384561 Tombstone LCD Bo	PRTP% 90.62 90.74 91.51 91.64 92.01 92.14 92.92 93.04	

39-A1125/S01

Application Reference No.

# This is Page 15 (of 15 pages) of the Schedule to the *Gaming Machine Approval 2013* (No 13)

Alternate LCD Monitors			
Device Name	LCD Monit	or	
Manufacturer	SHFL enter	tainment (Australasia) Pty Ltd	
Category	Gaming M	achine	
Category Type	Hardware	Component	
Technical Standards	NS 10.1 + N	NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS	2.3	
Hardware Details 1			
Description		Part Number	
22" LCD Monitor (Touch Screen)		03-519 Rev 1	
		Effinet Model No.: EFL-2203WUIT	
22" LCD Monitor (Non Touch)		03-520 Rev 1	
		Effinet Model No.: EFL-2203WUIG	
Platform/Cabinet Details	PC4 – Equi	nox, Vegas Star PC4 Equinox	
Hardware Details 2			
Description		Part Number	
22" LCD Monitor (Touch Screen)		03-519 Rev 1	
		Effinet Model No.: EFL-2203WUIT	
Platform/Cabinet Details	PC4 – Equi	nox Low Boy, Equinox Super Top	
Application Reference No.	35-A0830/	S01	