Gaming Machine Approval 2013 (No 1)

Notifiable instrument NI2013-6

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2013 (No 1).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

James Mullan
Delegate
ACT Gambling and Racing Commission

9 January 2013

Updated Firmware			
Device Name	Nteractive Button Midtrim Deck Kit		
Manufacturer	Aristocrat Technologies Australia Pty Ltd		
Category	Gaming Machine		
Category Type	Hardware Component		
Submission Standards		W Appendix (dated 24/11/11)	
Technical Standards	NSW CPTS 2.3	• • • • • • • • • • • • • • • • • • • •	
Hardware details 1	14544 61 15 2	5	
Nteractive Button Midtrim De	ck Kit	ATA P/N: 579270 701 (Chrome)	
Assembly		ATA P/N: 579270 782 (Gold)	
Nteractive Button Deck Midt	rim	• ATA P/N: GSA01504	
Assembly		, 55.15255	
Nteractive Button Matrix Sul	o Assembly	• ATA P/N: GSA01515	
Nteractive Button Driver PCB	•	• ATA P/N: 494246	
Firmware Version 2.1.0 (File	•	• ATA P/N: 596610 200	
Nteractive Buttons 2 1 0.r		,, <u>,</u>	
SHA1: 1B8A11E0 B7A2A244			
FC9FCC9C FFFF0487 5DF66	5D7		
13 Button Loom		• ATA P/N: 593120	
Ribon Cable LCD		• ATA P/N: GPP01289	
USB Cable		• ATA P/N: GFP01187	
		Widescreen – Chop Top, Casino	
		achine LCD) (Configured with either ticket	
printer and/or h		nopper option)	
Hardware details 2			
Nteractive Button Midtrim D	eck Kit	ATA P/N: L42425 (Chrome)	
Assembly			
Vii Slant Top Midtrim Sub A	•	- ATA P/N: L42425 (GSA01504)	
Nteractive Button Matrix Su	-	- ATA P/N: GSA01515	
Nteractive Button Driver Po		- ATA P/N: 494246	
• Firmware Version 2.1.0 (File		- ATA P/N: 596610_200	
Nteractive_Buttons_2_1_0	•		
HMAC-SHA1:1B8A11E0 B7			
FC9FCC9C FFFF0487 5DF66	5D7	- ATA P/N: 593120	
	• 13 Button Loom		
Ribon Cable LCD		- ATA P/N: GPP01289 - ATA P/N: GFP01187	
USB Cable		- AIA F/N. GIF01187	
Platform/Cabinet		t – Chop Top, Casino Top (with in- Configured with ticket printer option)	
Specific Approval Conditions	machine LCD) (0	Configured with ticket printer option)	
Specific Approval Conditions The Nteractive Button Midtrim D	machine LCD) (0	Configured with ticket printer option) n 7 Viridian WS & Vii Slant EGMs	
Specific Approval Conditions The Nteractive Button Midtrim E shall only be used with the minir	machine LCD) (0	Configured with ticket printer option) n 7 Viridian WS & Vii Slant EGMs	
Specific Approval Conditions The Nteractive Button Midtrim E shall only be used with the minir • Bootloader:0403	machine LCD) (0	Configured with ticket printer option) n 7 Viridian WS & Vii Slant EGMs	
Specific Approval Conditions The Nteractive Button Midtrim E shall only be used with the minir	machine LCD) (0	Configured with ticket printer option) n 7 Viridian WS & Vii Slant EGMs	

01-A1384/S01

Application Reference No.

New Gaming Machine			
Game Name	Dolphin Paradise		
Specification Number	6.F0058		
Manufacturer	Aruze Gaming Australia	Pty Ltd	
Gaming Machine Type	Conventional		
Game Type	Spinning Reels		
Game Identifier	09pDPMG1		
Technical Standards	NS10.1 + NSW Appendi	x (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Ted	chnical Standard V4.20	
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c		
Variation Details	Variation Number Min/Max PRTP%		
	1	87.99	
	2 88.98		
	3 89.89		
	4	90.95	
	5	91.97	
	6	92.98	
	7 95.95		
Platform/Cabinet			
G-ENEX –WD00 – Midway, Low boy GENX-WD00 (G-ENEX II) – Midway, Low boy G-Comfort G-Comfort II			
Operational Conditions			
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			

06-A0421/S01

Application Reference No.

New Gaming Machine			
Game Name Tokyo Rose Deluxe			
Specification Number	6.BF022		
Manufacturer	Aruze Gaming Australia I	Pty Ltd	
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Game Identifier	pTDMG002		
Technical Standards	NS10.1 + NSW Appendix	(dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Tech	nnical Standard V4.20	
	NSW Jackpot Technical S	tandards Rev 1.2	
Progressive levels supported	iSAP: Yes		
	Type: Mystery		
	Levels: 2		
	Wins transferred to 'Tota	al Wins' meter: Yes	
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c		
Variation Details			
Var Game RTP	isap RTP	Min / Max Total PRTP	
1 85.02		89.01	
2 86.02		90.01	
3 87.01	3.990000	91.00	
4 87.92		91.91	
5 89.00		92.99	
Platform/Cabinet			
G-ENEX –WD00 – Midway GENX-WD00 (G-ENEX II) – Midway G-Comfort G-Comfort II			
Operational Conditions			
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			
Application Reference No.	nce No. 06-A0417/S01		

New Gaming Machine				
Game Name	Tiki Treasure	Tiki Treasure		
Specification Number	42.A0034			
Manufacturer	BGI Australia Pty Ltd			
Gaming Machine Type	Conventional			
Game Type	Spinning Reels			
Game Identifier	302035A			
Technical Standards	NS10.1 + NSW Appendix (dated 24/11/11)			
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20			
Maximum Bet Value	\$3.00			
Base Credit Value	1c, 2c	1c, 2c		
Variation Details	Variation Number Min/Max PRTP%			
	99	88.31		
	1	89.00		
	2	90.10		
	3	91.86		

Platform/Cabinet

ALPHA II – Alpha Pro Upright AP-1 (with/without ALPHA PRO TOPPER) ALPHA II – Alpha Pro Slant Top AS-1 (with/without ALPHA PRO TOPPER)

Specific Approval Conditions

- 1. Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it.
- 2. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for the above identified game to operate.
- 3. Multi-denomination mode must be set to "disabled" when the gaming machine is configured.
- 4. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks.
- 5. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time.
- 6. The optional Alpha Pro Topper must be used for the above identified game to operate.

Operational Conditions

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

THE HOREETH AND CASHICSS	racing are not approved in the 7.611
Application Reference No.	42-A0043/S01

New Gaming Machine			
Game Name	Classics Platinum Golden Goddess		
Specification Number	18.H0120		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	SFS		
Game Type	Spinning Reels		
Game Identifier	X67700GA		
	X67700RA		
LPJS	18.YA009		
Technical Standards	NS10.1 + NSW Appendix (dated 24/11/11)		
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20		
	NSW Jackpot Technical Standards Rev 1.2		
Progressive levels supported	Linked: Yes		
	Type: Standard		
	Levels: 4		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c, 10c		
Variation Details	Variation Number Min/Max PRTP%		
	8 83.89		

Platform/Cabinet

AVP BC20 - Video Top

AVP ST22 – Video Slant Top

Specific Approval Conditions

- 1. This game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 18.YA009, with the approved 'Classics Platinum' jackpot setting combinations.
- 2. Touch-screen functionality must be enabled in the Configuration menu after a RAM Clear.
- 3. The BCV of 4c is not a subject of this approval.

Operational Conditions

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

Application Reference No.	18-A5228/S01
Application Reference No.	1 10-A3//0/3U1

This is Page 6 (of 12 pages) of the Schedule to the Gaming Machine Approval 2013 (No 1)

New Gaming Machine			
Game Name	Diamond Strike Kingfisher		
Specification Number	18.B0647		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Game Identifier	X64700GA		
	X64700RA		
Technical Standards	NS10.1 + NSW Appendix	(dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Tecl	nnical Standard V4.20	
	NSW Jackpot Technical S	Standards Rev 1.2	
Progressive levels supported	iSAP: Yes		
	Type: Standard		
	Levels: 4		
	Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	5c, 10c		
Var Game RTP	iSAP RTP	Min / Max Total PRTP	
2 80.41	10.577099	90.99	
3 81.41		91.99	
7 79.84	9.699799	89.54	
Platform/Cabinet AVP BC20 – Video Top AVP ST22 – Video Slant Top			
Operational Conditions			
The "Ticket In" and "Cashless"	The "Ticket In" and "Cashless" facilities are not approved in the ACT.		
Application Reference No. 18-A5206/S01			

This is Page 7 (of 12 pages) of the Schedule to the Gaming Machine Approval 2013 (No 1)

New Gaming Machine			
Game Name	Name Siberian Storm		
Specification	Number	18.B0635	
Manufacture	r	IGT (Australia) Pty Ltd	
Gaming Mach	nine Type	iSAP	
Game Type		Spinning Reels	
Game Identifi	ier	X67010GA	
		X67010RA	
Technical Sta	ndards	NS10.1 + NSW Appendix	x (dated 24/11/11)
Submission St	tandards	NSW CPTS 2.3; TITO Ted	chnical Standard V4.20
		NSW Jackpot Technical	Standards Rev 1.2
Progressive le	evels supported	iSAP: Yes	
		Type: Standard	
		Levels: 2	
		Wins transferred to 'Total Wins' meter: Yes	
Maximum Be	t Value	\$5.00	
Base Credit V	alue	1c, 2c	
Var	Game RTP	isap RTP	Min / Max Total PRTP
2	87.52-87.53	2.983516	90.50-90.51
Platform/Cab	inet		
AVP BC20 – V	ideo Top		
AVP ST22 – Vi	deo Slant Top		
AVPC – Video	AVPC – Video Top		
Operational C	Conditions		
The "Ticket In" and "Cashless" facilities are not approved in the ACT.			d in the ACT.
Application Reference No. 18-A5219/S01, /S02			

New Gaming Machine	
Game Name	Summer Queen 2
Specification Number	18.B0648
Manufacturer	IGT (Australia) Pty Ltd
Gaming Machine Type	iSAP
Game Type	Spinning Reels
Game Identifier	X68700GA
	X68700RA
Technical Standards	NS10.1 + NSW Appendix (dated 24/11/11)
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
	NSW Jackpot Technical Standards Rev 1.2
Progressive levels supported	iSAP: Yes
	Type: Standard
	Levels: 2
	Wins transferred to 'Total Wins' meter: Yes
Maximum Bet Value	\$10.00
Base Credit Value	1c, 2c, 5c

Var	BCV	Game RTP	isap RTP	Min / Max Total PRTP
2			3.467500	90.97
3	1c, 2c	07.50	4.495598	92.00
7		87.50	2.001000	89.50
8	5c		4.511485	92.01

Platform/Cabinet

AVP BC20 – Video Top AVP ST22 – Video Slant Top

Specific Approval Conditions

Touch-screen functionality must be enabled in the Configuration menu after a RAM Clear.

Operational Conditions

The "Ticket In" and "Cashless" facilities are not approved in the ACT.

18-A5239/S01 **Application Reference No.**

Regression tested games with previously approved shell			
Device Name	AVP BC20 Shell (She	II, OS & BIOS)	
Manufacturer	IGT (Australia) Pty Lt	:d	
Category	Supporting Function		
Category Type	System Software		
Shell	AP010804		
Submission Standards	NS 10.1 + NSW Appe	endix (dated 24/11/11)	
Technical Standards	NSW CPTS 2.3; TITO	NSW CPTS 2.3; TITO Technical standard V4.20	
	NSW Jackpot Techni	NSW Jackpot Technical Standard Rev 1.2	
Platform/Cabinet AVP BC20 – Video Top, Portrait Top AVP ST22 – Video Slant Top AVPC – Video Top Universal – Video Top			
List of previously approved games suitable for operation with this Shell version			
Game Name	Specification Number	Program ID	
100 Pandas	18.A0571	X37800GA, RA	
Dakota Thunder	18.B0626 X63610GA, RA		

Game Name	Spec	cification Number	Program ID
100 Pandas	18.A	.0571	X37800GA, RA
Dakota Thunder	18.B	0626	X63610GA, RA
Ice Horse	18.B	0610	X62300GA, RA
Fire Horse	18.B	0611	X62200GA, RA
Rhino Riches	18.B	0628	X61600GA, RA
Royal Riches Deluxe	18.B	0637	X64000GA, RA
Sun Bear	18.B0609		X59700GA, RA
Water Dragons	18.B0625		X63100GA, RA
Wild Princess 2	18.B0639		X67300GA, RA
Application Reference No.		18-A5255/S01	

Platform hardware updates				
Device Name	AVP BC20 Platform Parts Update #6			
Manufacturer	IGT (Australia) Pty Ltd			
Category	Gaming machine			
Category Type	Hardware Component			
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)			
Technical Standards	NSW CPTS 2.3			
Hardware Details 1				
Platform/Cabinet AVP BC20 – Video Top				
Hardware Details 2				
Platform/Cabinet AVP BC20 – Portrait 32IN Top Box				
Application Reference No. 18-A1242/S01				

Nov. Cara	ing Machine	Indo+-	'Y C	norting Caft	rare and Hard	waro		
			ed Supporting Software and Hardware					
Game Name				White Winter Snow Stars				
Specification Number			39.BF001 Konami Australia Pty Ltd					
Manufacturer					Ply Llu			
Gaming Machine Type			iSAP					
Game Typ				ning Reels	20C2NDVV			
Game Ide				6MLA001XX_0		24/44/44)		
Technical Standards				•	pendix (dated			
Submission Standards			NSW CPTS 2.3; TITO Technical Standard V4.20					
Progressive levels supported				NSW Jackpot Technical Standards Rev 1.2 iSAP - yes				
Progressiv	ve levels supp	ortea		•				
				e - standard els - 2				
				_	to 'Total Wins	′ – vos		
Mavimum	n Bet Value		\$5.0		to Total Wills	— yes		
Base Cred				2c, 5c				
Variation			10, 2	-c, Jc				
Variation	Max Lines			Game		Min/Max Total		
Var	Configured	ВС	V	RTP%	iSAP RTP%	PRTP%		
1	- Comigariou	1c,	2c	,	2.937062	90.16		
2	20	50			2.890567	90.11		
3			-	87.22	4.724124	91.95		
5		1c,2c 1c, 2c		07.22	2.916256	90.14		
7	25	1c,			4.590990	91.81		
Platform/	Cabinet	10,	KP3 KGP 2.0 UVS Podium – Tall Top Box (with Snow					
,			Stars Door)					
			KP3 KGP 2.0 UVS Podium Upgrade – Tall Top Box					
				(with Snow Stars Door)				
-	pproval Condi							
	of 4c is not a su		of this	approval.				
-	nal Conditions							
	et In" and "Cas	hless"	tacilit	ties are not ap	proved in the	ACT.		
Device De								
Device Name				System / Game Control Software				
Category			Supporting Function					
Category			System Software					
	Standards		NS10.1 + NSW Appendix (dated 24/11/11)					
Submission Standards			NSW CPTS 2.3; TITO Technical Standard V4.20					
			NSW Jackpot Technical Standards Rev 1.2					
Software			LL DCVCCO24VV NINA24CVVV					
•	- Cystein			LLPSYSC021XX_NW310XXX				
Platform/	Cabinet		KP3 KGP 2.0 UVS Podium – Upper LCD Box,					
			Tombstone LCD Box, Short Top Box, Tall Top Box					
				KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD				
			Box, Tombstone LCD Box, Short Top Box, Tall Top					
				Box				
				KP3 KGP 3.0 SVRS Podium – Slant Top				

Device Det	ails 2						
Device Name			Tall Top Box Door				
Category			Gaming Machine				
Category Type			Hardw	are Component			
Technical Standards				NS10.1 + NSW Appendix (dated 24/11/11)			
Top Box de	tails						
Device		Descri	ption			Konami Part Number	
	 Ta 	II Top B	ОХ				
Tall Tan Da		 To 	vis 32"	LCD Mc	del L3265AGCKN	331131	
Tall Top Bo Assembly	ox [• Co	olingFa	n			
Assembly		Suppo	rt			192270	
LED Control E			oard E343332				
Platform/0	Cabinet	t		крз кс	P 2.0 UVS Podium	– Tall Top Box	
				KP3 KG	SP 2.0 UVS Podium	Upgrade – Tall Top Box	
Application	n Refei	rence l	No.	39-A11	.18/S01		
New Gamir	ng Mad	hine					
Game Nam	ne			5 Trea	sures		
Specification	on Nur	nber		35.BF1	103		
Manufactu	ırer			SHFL entertainment (Australasia) Pty Ltd			
Gaming Machine Type				iSAP			
Game Type				Spinning Reels			
Game Identifier				5TRNSW1B			
Technical S				NS10.1 + NSW Appendix (dated 24/11/11)			
Submission	n Stand	dards		NSW CPTS 2.3; TITO Technical Standard V4.20			
	.			NSW Jackpot Technical Standards Rev 1.2			
Progressive	e level	s supp	orted	iSAP - Yes			
				Type - Standard			
				Levels - 4 Wins transferred to 'Total Wins' – Yes			
Maximum	Rot Va	مرار		\$6.00	iansierieu to Tota	ai vviiis — i es	
Base Credi				1c, 2c			
Variation D				10, 20			
Variation	Ctans		Ga	me	Progressive		
Var	BC	CV		гР%	RTP%	Min/Max Total PRTP%	
99	1	С			10.019988	91.84-92.01	
9		C			7.567041	89.39-89.56	
19		С			7.652230	89.48-89.64	
29		C	81.82-81.99		8.432301	90.26-90.42	
39		С			8.407181	90.23-90.40	
59	2				9.349700	91.17-91.34	
69	1	С			9.243912	91.07-91.24	
89	2	С			10.010040	91.83-92.00	
Platform/Cabinet			PC4 – Equinox				
Operational Conditions							
				facilities are not approved in the ACT.			
Application Reference No.			No.	35-A0805/S01			
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							

New Gami	ng Machine						
Game Nan	ne		Summer Festival – Blaze Pays				
Specificati	on Number		35.BF	35.BF101			
Manufactu	Manufacturer			entertainment (Au	stralasia) Pty Ltd		
Gaming M	achine Type		iSAP				
Game Type	е		Spinni	Spinning Reels			
Game Ider	ntifier		FBPNS	FBPNSW1B			
Technical S	Standards		NS10.	NS10.1 + NSW Appendix (dated 24/11/11)			
Submissio	Submission Standards			NSW CPTS 2.3; TITO Technical Standard V4.20			
				NSW Jackpot Technical Standards Rev 1.2			
Progressiv	Progressive levels supported			iSAP - Yes			
				Type - Standard			
				Levels - 2			
				Wins transferred to 'Total Wins' – Yes			
Maximum	Bet Value		\$10.00				
Base Credit Value			1c, 2c, 5c, 10c				
Variation I	Details	•					
Var	BCV	Game		Progressive	Min/Max Total PRTP%		
	501	PRT	ГР%	RTP%	•		
99			.09	3.318179	90.41		
5	5c, 10c	86	.81	3.173786	89.98		
15	30, 100	87	.81	3.458325	91.27		
16		88	.22	3.640939	91.86		
25		87	.46	3.834170	91.30		
26	1c, 2c	87	.96	3.982810	91.94		
29	10, 20	86	.75	3.668543	90.42		
35		86.46		3.456201	89.92		
Platform/Cabinet			PC4 – Equinox				
Operational Conditions							
			facilities are not approved in the ACT.				
Applicatio	n Reference I	No.	35-A0801/S01				