

# Gaming Machine Approval 2014 (No 28)

Notifiable instrument NI2014–403

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

---

## 1 Name of instrument

This instrument is the *Gaming Machine Approval 2014 (No 28)*.

## 2 Commencement

This instrument commences on the day after its notification.

## 3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

## 4 Revocation

This instrument revokes:

- 2010-166
- 2010-183
- 2010-195
- 2010-196
- 2010-212
- 2010-223
- 2010-238
- 2010-249
- 2010-273
- 2010-294
- 2010-322

James Mullan  
Delegate  
ACT Gambling and Racing Commission

25 August 2014

<b>Device Name</b>	Coin Validator
<b>Manufacturer</b>	Ainsworth Game Technology Ltd
<b>Category</b>	Gaming Machine
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
<b>Platform/Cabinet Details</b>	Ambassador Excell – Bench Top Ambassador SL
<b>Application Reference No.</b>	44-A0550/S01

<b>Device Name</b>	Double Backup Memory & Security Board
<b>Manufacturer</b>	Ainsworth Game Technology Ltd
<b>Category</b>	Gaming Machine
<b>Category Type</b>	Hardware Component
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
<b>Platform/Cabinet Details</b>	Ambassador SL
<b>Application Reference No.</b>	44-A0545/S01

<b>Device Name</b>	LCD Monitor Assembly
<b>Manufacturer</b>	Ainsworth Game Technology Ltd
<b>Category</b>	Gaming Machine
<b>Category Type</b>	Hardware Component
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
<b>Platform/Cabinet Details</b>	Ambassador Excell - Bench Top Ambassador SL
<b>Application Reference No.</b>	44-A0547/S01

<b>Game Name</b>	5 Dragons (Fa Fa Fa)	
<b>Specification Number</b>	1.HF005	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	SFS – Ante Bet	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Progressive levels supported</b>	Linked - yes Type - standard Levels - 4	
<b>Maximum Bet Value</b>	\$4.50	
<b>Base Credit Value</b>	1c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	05	78.14-83.23
<b>Platform/Cabinet</b>	Gen7 Viridian – Casino Top (with in-machine LCD for hyperlink) (configured with either a ticket printer and/or hopper option) Gen7 Slant – Casino Top (with in-machine LCD for hyperlink) (configured with a ticket printer only)	
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>1. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> <li>2. The above-mentioned game “5 Dragons (Fa Fa Fa)” must operate in conjunction with the Standard Linked Progressive Jackpot System, specification Number 1.YA002, with the approved “Fa Fa Fa” jackpot settings.</li> </ol>		
<b>Application Reference No.</b>	01-A1157/S01	

<b>Game Name</b>	50 Dragons (Fa Fa Fa)	
<b>Specification Number</b>	1.HF004	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	SFS	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Progressive levels supported</b>	Linked - yes Type - standard Levels - 4	
<b>Maximum Bet Value</b>	\$5.00	
<b>Base Credit Value</b>	1c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	05	82.01
<b>Platform/Cabinet</b>	Gen7 Viridian – Casino Top (with in-machine LCD for hyperlink) (configured with either a ticket printer and/or hopper option) Gen7 Slant – Casino Top (with in-machine LCD for hyperlink) (configured with a ticket printer only)	
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>1. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> <li>2. The above-mentioned game “50 Dragons (Fa Fa Fa)” must operate in conjunction with the Standard Linked Progressive Jackpot System, specification Number 1.YA002, with the approved “Fa Fa Fa” jackpot settings.</li> </ol>		
<b>Application Reference No.</b>	01-A1154/S01	

<b>Game Name</b>	Multilink Deluxe			
<b>Specification Number/LPJS</b>	1.H0318 – 01-YH030 1.H2904 – 01-YH290 1.H3004 – 01-YH300 1.H3104 – 01-YH310			
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd			
<b>Gaming Machine Type</b>	Multi Game Gaming Machine - SFS			
<b>Game Type</b>	Spinning Reels			
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)			
<b>Progressive levels supported</b>	Linked - yes Type - standard Levels - 4			
<b>Maximum Bet Value</b>	\$5.00			
<b>Base Credit Value</b>	1c			
<b>Percentage Return to Player (P RTP)</b>				
<b>MGC</b>	<b>CRP</b>	<b>Game Number/Name</b>	<b>Var</b>	<b>SDB P RTP</b>
99	82.00	01 Ladies Day	05	82.06
		02 2Can	05	82.09
		03 Fortune Foo	05	82.13
		04 Polynesian Pearl	05	82.11
<b>Operational Conditions</b>				
<ol style="list-style-type: none"> <li>1. Gaming machine variation number 99 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> <li>2. The above-mentioned game multi-game gaming machine must operate in conjunction with a Standard Linked Progressive Jackpot System, specification number 01-YH030, with hyperlink controller firmware version 3.30 or later.</li> <li>3. The above-mentioned game multi-game gaming machine must be used in conjunction with an ATA Graphics Server / Thin Client ATA Graphics Server, specification number 01-SES00 / 01-SES01, with graphics server application software (system version SYS004) and graphics software configuration text file (version 01023) or later.</li> </ol>				
<b>Application Reference No.</b>	01-A1115/S01			

<b>Device Name</b>	ATA Graphics Server Thin Client ATA Graphics Server	
<b>Specification Number</b>	1.SES00 1.SES01	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Category</b>	Gaming Machine	
<b>Category Type</b>	Other (Graphics Server)	
<b>Technical Standards</b>	NSW Jackpot Technical Standards Rev 1.1	
<b>Linked Progressive Jackpot System (LPJS) Details</b>		
<b>1. Random – With Mk6 and/or Gen7 platforms</b>		
<b>LPJS Type</b>	<b>Software Version</b>	<b>Specification Number</b>
a) Mikohn	CCCE44	32.YC000
b) Paltronics	52XO199C / 52XE199C	52.YC000
	XST0207O / XST0207E	52.YC000
c) Paltronics	XSE0116O/ SXE0116E	52.YC001
<b>2. Hyperlink – with Mk6 and or Gen7 Platforms</b>		
a) Hyperlink	SHL0328O / SHL0328E	1.YA000
		1.YH030
		1.YH050
		1.YH060 to YH170
	a) SHL0330O / SHL0330E b) SHL0332O / SHL0332E	1.YA000
		1.YH030
		1.YH050
		1.YH060 to YH170
		1.YH280
		1.YH290 to 1.YH310
	SHL0335O / SHL0335E	1.YA000
		1.YH030
		1.YH050
		1.YH060 to 1.YH170
		1.YH280
		1.YH290 to 1.YH310
1.YH320		
1.YHD00		
SHL0404O / SHL0404E	1.YA001	
SHL0501O / SHL0501E	1.YA002	
SHL0502O / SHL0502E	1.YA002	
<b>3. Standard – with Gen7 platforms</b>		
a) Standard	SHL0404O / SHL0404E	1.YA001
<b>Specific Approval Conditions</b>		
1. The Acres Doli Protocol functionality is not a subject of this approval.		
2. The number of jackpot levels displayed on the ATA Graphics Server of a selected mystery link should match the number of jackpot levels configured in the jackpot controller.		
<b>Operational Conditions</b>		
1. The ATA Graphics Server or Thin Client ATA Graphics Server must be connected to an approved standard hyperlink / random link progressive jackpot system as given above.		
2. The ATA Graphics Server or Thin Client ATA Graphics Server active external I/O ports must be housed in a security cage fitted with a security seal to prevent connection or removal of data cables.		
<b>Application Reference No.</b>	01-A1167/S01	

<b>Game Name</b>			Jade Dynasty		
<b>Specification Number</b>			18.B0551		
<b>Manufacturer</b>			IGT Australia Pty Ltd		
<b>Gaming Machine Type</b>			iSAP		
<b>Game Type</b>			Spinning Reels		
<b>Technical Standards</b>			NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Submission Standards</b>			NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Progressive levels supported</b>			iSAP - yes Type - standard Levels - 3		
<b>Maximum Bet Value</b>			\$5.00		
<b>Base Credit Value</b>			1c, 2c		
<b>Percentage Return to Player (P RTP)</b>					
<b>VAR</b>	<b>BCV</b>	<b>Setting Combination</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total P RTP</b>
02	1c	SC1	81.35	9.550115	90.90
	2c	SC3			
03	1c	SC0	81.35	10.651299	92.00
	2c	SC2			
<b>Device Details</b>					
<b>Device Name</b>			AVP BC20 Shell (Shell, OS & BIOS)		
<b>Category</b>			Supporting Function		
<b>Category Type</b>			Other (system software)		
<b>Submission Standards</b>			NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Technical Standards</b>			NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Platform/Cabinet Details</b>			AVP BC20 – Video Top AVP ST22 – Video Slant Top		
<b>Application Reference No.</b>			18-A5008/S01, 18-A5014/S01		

<b>Game Name</b>		Russian Riches			
<b>Specification Number</b>		18.B0552			
<b>Manufacturer</b>		IGT Australia Pty Ltd			
<b>Gaming Machine Type</b>		iSAP			
<b>Game Type</b>		Spinning Reels			
<b>Technical Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Submission Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Progressive levels supported</b>		iSAP - yes Type - standard Levels - 3			
<b>Maximum Bet Value</b>		\$5.00			
<b>Base Credit Value</b>		1c, 2c			
<b>Percentage Return to Player (P RTP)</b>					
<b>VAR</b>	<b>BCV</b>	<b>Setting Combination</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total P RTP</b>
02	1c	SC1	81.35	9.550115	90.90
	2c	SC3			
03	1c	SC0	81.35	10.651299	92.00
	2c	SC2			
<b>Platform/Cabinet Details</b>		AVP BC20 – Video Top AVP ST22 – Video Slant Top			
<b>Application Reference No.</b>		18-A5007/S01			

<b>Device Name</b>		Dynamic Button Panel Kit			
<b>Manufacturer</b>		IGT (Australia Pty Ltd)			
<b>Category</b>		Gaming Machine			
<b>Category Type</b>		Hardware Component			
<b>Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Platform/Cabinet Details</b>		AVP BC20 – Video Top			
<b>Operational Conditions</b>					
The 'Dynamic Button Panel Kit', when installed on the AVP BC20 platform, must operate with the AVP BC20 shell software version 'AP010601' or above.					
<b>Application Reference No.</b>		18-A1187/S01			



<b>Game Name</b>	Lakota - Grand Central (BCV 1c) Lakota - Grand Central (BCV 2c)	
<b>Specification Number</b>	35.HF012 (BCV1c) 35.HF013 (BCV 2c)	
<b>Manufacturer</b>	Shuffle Master Australasia Pty Ltd	
<b>Gaming Machine Type</b>	SFS	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)	
<b>Progressive levels supported</b>	Linked - yes Type - standard Levels - 4	
<b>Maximum Bet Value</b>	\$4.80 (BCV 1c) \$9.60 (BCV 2c)	
<b>Base Credit Value</b>	1c, 2c	
<b>Percentage Return to Player (PRTP)</b>	Variation Number	Min/Max PRTP
	56	81.17
	57	83.62
<b>Platform/Cabinet Details</b>	eStar PC4 – Round Top (with in-machine 17" LCD)	
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>1. The above-mentioned games must operate in conjunction with the Standard Linked Progressive Jackpot System, specification number 35-YA000, with the approved settings.</li> <li>2. The touch screen option must be enabled (to allow the help pages to be accessible via the on-screen buttons).</li> <li>3. When operating on the Round Top platform (with the in-machine 17" LCD), the above-mentioned games must be installed in conjunction with the Shuffle Master VGA ADD2 board (STG P/N: ASY-0175) and a 'DVI to VGA' cable that connects the Top Box LCD to the DVI2 port on the EGM's backplane board.</li> </ol>		
<b>Application Reference No.</b>	35-A0642/S01	

<b>Game Name</b>	Kitsune – Grand Central Metro		
<b>Specification Number</b>	35.BF049		
<b>Manufacturer</b>	Shuffle Master Australasia Pty Ltd		
<b>Gaming Machine Type</b>	iSAP		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)		
<b>Progressive levels supported</b>	iSAP - yes Type - standard Levels - 3		
<b>Maximum Bet Value</b>	\$10.00		
<b>Base Credit Value</b>	5c, 10c		
<b>Percentage Return to Player (PRTP)</b>			
<b>Var</b>	<b>Game RTP</b>	<b>Progressive RTP</b>	<b>Min/Max Total RTP</b>
11	82.07	10.000000	92.07
12	80.16	10.000000	90.16
31	81.55	9.000000	90.55
32	80.56	9.000000	89.56
<b>Platform/Cabinet Details</b>	eStar PC4 – Low Top, Round Top (with in-machine 17" LCD) PC4 – Mojo ST (Slant Top)		
<b>Operational Conditions</b>			
1. The touch screen option must be enabled (to allow the help pages to be accessible via the on-screen buttons).			
<b>Application Reference No.</b>	35-A0646/S01		

<b>Game Name</b>		Multiplay Dragon Time				
<b>Specification Number</b>		44.D0001				
<b>Manufacturer</b>		Ainsworth Game Technologies Limited				
<b>Gaming Machine Type</b>		MGGM – iSAP / 3				
<b>Game Type</b>		Spinning reels				
<b>Progressive levels supported</b>		iSAP - Yes Type - Random Levels - 2 Wins Transferred to 'Total Wins' meter - Yes				
<b>Maximum Bet Value</b>		\$10.00				
<b>Base Credit Value</b>		1c, 2c				
<b>MCG</b>	<b>Line Configuration</b>	<b>BCV</b>	<b>CRP</b>	<b>Game Number</b>	<b>Var</b>	<b>SDB PRTP</b>
01	40 lines	1c	91.58	01	19	91.63
				02	19	91.53
				03	19	91.61
02	40 lines	2c	91.91	01	29	91.96
				02	29	91.87
				03	29	91.94
03	40 lines	1c	93.74	01	11	93.70
				02	11	93.69
				03	11	93.79
04	40 lines	2c	94.07	01	21	94.04
				02	21	94.02
				03	21	94.13
05	50 lines	1c	91.58	01	19	91.63
				02	19	91.53
				03	19	91.61
06	50 lines	2c	91.91	01	29	91.96
				02	29	91.87
				03	29	91.94
07	50 lines	1c	93.74	01	11	93.70
				02	11	93.69
				03	11	93.79
08	50 lines	2c	94.07	01	21	94.04
				02	21	94.02
				03	21	94.13
<b>Component Games Set Details:</b>						
Game Number 1 – Dragon Festival						
Game Number 2 – Dragon Lines						
Game Number 3 – Dragon Lines Hold 'Em						
<b>Platform/Cabinet</b>			Ambassador Excell Ambassador SL			
<b>Operational Conditions</b>						
1. This game must be operated on the Ambassador Excell / SL platform with touch-screen functionality enabled.						
2. This game must be operated on the Ambassador Excell / SL platform fitted with an LCD Monitor.						
<b>Application Reference No.</b>			44-A0558/S01			

<b>Game Name</b>	Roaming Reels	
<b>Specification Number</b>	44.F0306	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Gaming Machine Type</b>	Conventional / 1	
<b>Game Type</b>	Spinning Reels	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Percentage Return to Player (PRTP)</b>	Variation Number	Min/Max PRTP
	99	88.21
	01	90.20
	02	92.20
	06	86.14
<b>Platform/Cabinet</b>	Ambassador Excell Ambassador SL	
<b>Operational Conditions</b>		
1. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
<b>Application Reference No.</b>	44-A0552/S01	

<b>Game Name</b>	Roaming Reels (2 iSap Levels)			
<b>Specification Number</b>	44.BF051			
<b>Manufacturer</b>	Ainsworth Game Technology Limited			
<b>Gaming Machine Type</b>	iSAP / 1			
<b>Game Type</b>	Spinning Reels			
<b>Progressive levels supported</b>	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' meter: Yes			
<b>Maximum Bet Value</b>	\$10.00			
<b>Base Credit Value</b>	1c, 2c			
<b>Percentage Return to Player (PRTP)</b>				
<b>Var</b>	<b>BCV</b>	<b>Min/Max Game PRTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>
16	1c	86.14	3.416667	89.56
19	1c	88.21	3.416667	91.63
26	2c	86.14	3.750000	89.89
29	2c	88.21	3.750000	91.96
<b>Platform/Cabinet</b>	Ambassador Excell Ambassador SL			
<b>Application Reference No.</b>	44-A0552/SO1			

<b>Game Name</b>		Players Choice Ultimate			
<b>Specification Number</b>		1.DF001			
<b>Manufacturer</b>		Aristocrat Technologies Australia Pty Ltd			
<b>Gaming Machine Type</b>		MGGM – iSAP / 4			
<b>Game Type</b>		Spinning Reels			
<b>Progressive levels supported</b>		iSAP - Yes Type - Standard Levels - 1 Wins transferred to 'Total Wins' meter - Yes			
<b>Maximum Bet Value</b>		\$9.00			
<b>Base Credit Value</b>		10c, 20c, 50c, \$1.00			
<b>MGC</b>	<b>CRP</b>	<b>Game Number</b>	<b>BCV</b>	<b>Variation</b>	<b>SDB PRTP</b>
99	91.40	01	10c	99	90.80
		02	20c	99	90.80
		03	50c	01	92.00
		04	\$1.00	01	92.00
<b>Details for Component Games 01-02</b>					
<b>Game Name</b>		Rhino Thunder			
<b>Gaming Machine Type</b>		iSAP / 2			
<b>Var</b>	<b>Min/Max Game PRTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>		
99	86.38	4.416667	90.80		
<b>Details for Component Games 03-04</b>					
<b>Game Name</b>		Super Bucks 3			
<b>Gaming Machine Type</b>		iSAP / 2			
<b>Var</b>	<b>Min/Max Game PRTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>		
01	87.58	4.416667	92.00		
<b>Platform/Cabinet</b>		Gen7 Viridian (with in-machine LCD; Stand alone) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant (with in-machine LCD; Stand alone) (Configured with Ticket Printer only)			
<b>Application Reference No.</b>		01-A1135/S01			

<b>Device Name</b>	Bill Acceptor
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	GM (Gaming Machine)
<b>Category Type</b>	Other (BNA Firmware)
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18
<b>Platform/Cabinet Details</b>	Mk6 (XCite) – Casino Top, Lowboy (Configured with either Ticket Printer and/or Hopper option) Mk6 (XTreme) – Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)
<b>Operational Conditions</b>	1. The MEI Bill Acceptor (Cashflow SC Series SC6607) must be used in conjunction with the base software 21012901 or later versions.
<b>Application Reference No.</b>	01-A1149/S01

<b>Game Name</b>			Flying Ace		
<b>Specification Number</b>			18.B0550		
<b>Manufacturer</b>			IGT (Australia) Pty Ltd		
<b>Gaming Machine Type</b>			iSAP / 1		
<b>Game Type</b>			Spinning Reels		
<b>Progressive levels supported</b>			iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes		
<b>Maximum Bet Value</b>			\$10.00		
<b>Base Credit Value</b>			1c, 2c, 5c		
<b>Var</b>	<b>BCV</b>	<b>Setting Combination</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total P RTP</b>
02	1c	SC0	80.14	10.323191	90.47
	2c	SC2			
	5c	SC4			
03	1c	SC1	80.14	11.699165	91.85
	2c	SC3			
	5c	SC5			
<b>Platform/Cabinet</b>			AU1 – Video Top (Casino Top with in-machine LCD display) AU1CII Video Top		
<b>Application Reference No.</b>			18-A5011/S01		

<b>Game Name</b>		Royal Heart			
<b>Specification Number</b>		18.B0549			
<b>Manufacturer</b>		IGT (Australia) Pty Ltd			
<b>Gaming Machine Type</b>		iSAP / 1			
<b>Game Type</b>		Spinning Reels			
<b>Progressive levels supported</b>		iSAP - Yes Type - Standard Levels - 3 Wins transferred to 'Total Wins' meter - Yes			
<b>Maximum Bet Value</b>		\$10.00			
<b>Base Credit Value</b>		1c, 2c, 5c, 10			
<b>Var</b>	<b>BCV</b>	<b>Setting Combination</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>
02	1c	SC1	67.66	23.226069	90.89
	2c	SC3			
	5c	SC5			
	10c	SC7			
03	1c	SC0	67.66	24.324979	91.99
	2c	SC2			
	5c	SC4			
	10c	SC6			
<b>Platform/Cabinet</b>		AVP BC20 AVP ST22			
<b>Application Reference No.</b>		18-A0998/S01			

<b>Device Name</b>	AVP ST22 Platform
<b>Manufacturer</b>	IGT (Australia) Pty Ltd
<b>Category</b>	GM (Gaming Machine)
<b>Category Type</b>	Hardware Component
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
<b>Platform/Cabinet Details</b>	AVP ST22 – Video Slant Top
<b>Application Reference No.</b>	18-A1188/S01

<b>Game Name</b>	Emperor Guan – Grand Central Metro		
<b>Specification Number</b>	35.BF050		
<b>Manufacturer</b>	Shuffle Master Australasia Pty Ltd		
<b>Gaming Machine Type</b>	iSAP / 1		
<b>Game Type</b>	Spinning Reels		
<b>Progressive levels supported</b>	iSAP - Yes Type - Standard Levels - 3 Wins transferred to 'Total Wins' meter - Yes		
<b>Maximum Bet Value</b>	\$10.00		
<b>Base Credit Value</b>	5c, 10c		
<b>Percentage Return to Player (P RTP)</b>			
<b>Var</b>	<b>Game P RTP</b>	<b>Progressive RTP</b>	<b>Min/Max Total P RTP</b>
11	81.98	10.000000	91.98
12	80.16	10.000000	90.16
31	81.57	9.000000	90.57
32	80.52	9.000000	89.52
<b>Platform/Cabinet</b>	eStar PC4 – Low Top, Round Top (With in machine 17” LCD Display) PC4 – Mojo ST (Slant Top)		
<b>Operational Conditions</b>			
1. The touch-screen option must be enabled (to allow the help pages to be accessible via the on-screen buttons).			
<b>Application Reference No.</b>	35-A0643/S01		



<b>Game Name</b>	Hey Presto – Potion Power		
<b>Specification Number</b>	35.BF051		
<b>Manufacturer</b>	Shuffle Master Australasia Pty Ltd		
<b>Gaming Machine Type</b>	iSAP / 1		
<b>Game Type</b>	Spinning Reels		
<b>Progressive levels supported</b>	iSAP - Yes Type - Standard Levels - 3 Wins transferred to 'Total Wins' meter - Yes		
<b>Maximum Bet Value</b>	\$6.00		
<b>Base Credit Value</b>	1c, 2c		
<b>Percentage Return to Player (P RTP)</b>			
<b>Var</b>	<b>Game P RTP</b>	<b>Progressive RTP</b>	<b>Min/Max Total P RTP</b>
99	86.16	3.944444	90.10-90.10
03	84.57	3.944444	88.51-88.60
15	87.65	3.944444	91.60-91.62
16	89.38	3.944444	93.32-93.32
<b>Platform/Cabinet</b>	eStar PC4 – Low Top, Round Top (With in machine 17" LCD Display) PC4 – Mojo ST (Slant Top)		
<b>Operational Conditions</b>			
<ol style="list-style-type: none"> <li>1. The touch-screen option must be enabled (to allow the help pages to be accessible via the on-screen buttons).</li> <li>2. When operating on the Round Top platform (with the in-machine 17" LCD), the above-mentioned games must be installed in conjunction with the Shuffle Master Australasia VGA ADD2 board (STG P/N: ASY-0175) and a 'DVI to VGA' cable that connects the Top Box LCD to the DV12 port on the EGM's Backplane Board.</li> </ol>			
<b>Application Reference No.</b>	35-A0644/S01		

<b>Game Name</b>	Blue Whale (2 iSAP Levels)		
<b>Specification Number</b>	44.BF035		
<b>Manufacturer</b>	Ainsworth Game Technology Ltd		
<b>Gaming Machine Type</b>	iSAP		
<b>Game Type</b>	Spinning Reels		
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)		
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Progressive levels supported</b>	iSAP - yes Type - standard Levels - 2		
<b>Maximum Bet Value</b>	\$10.00		
<b>Base Credit Value</b>	1c, 2c, 5c		
<b>Percentage Return to Player (PRTP)</b>			
<b>Var</b>	<b>Min/Max Game PRTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>
02	88.25	3.718842	91.97
11	87.54	3.626414	91.17
31	86.58	3.250102	89.83
<b>Platform/Cabinet</b>	Ambassador Excell – Bench Top Ambassador SL		
<b>Application Reference No.</b>	44-A0540/S01		

<b>Game Name</b>	Gold Lion Triple Shot (3 iSAP levels)		
<b>Specification Number</b>	44.BF054		
<b>Manufacturer</b>	Ainsworth Game Technology Ltd		
<b>Gaming Machine Type</b>	iSAP		
<b>Game Type</b>	Spinning Reels		
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Progressive levels supported</b>	iSAP - yes Type - standard Levels – 3		
<b>Maximum Bet Value</b>	\$10.00		
<b>Base Credit Value</b>	1c, 2c, 5c		
<b>Percentage Return to Player (PRTP)</b>			
<b>Var</b>	<b>Min/Max Game PRTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>
01	84.04	6.085410	90.12
02	84.85	6.567353	91.41
11	84.43	6.314278	90.74
21	84.08	6.514596	90.58
22	84.89	6.996540	91.88
<b>Platform/Cabinet</b>	Ambassador Excell – Bench Top Ambassador SL		
<b>Operational Conditions</b>			
1. The game must be operated on the Ambassador Excell / Ambassador SL platform fitted with an LCD monitor.			
<b>Application Reference No.</b>	44-A0577/S01		

<b>Game Name</b>	Red Hot Dragons	
<b>Specification Number</b>	44.F0307	
<b>Manufacturer</b>	Ainsworth Game Technology Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Percentage Return to Player (P RTP)</b>		
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	99	88.20
	01	90.49
	02	91.86
	06	86.22
<b>Platform/Cabinet</b>	Ambassador Excell – Bench Top Ambassador SL	
<b>Operational Conditions</b>		
1. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
<b>Application Reference No.</b>	44-A0570/S01	

<b>Game Name</b>	Red Hot Dragons (2 iSAP levels)			
<b>Specification Number</b>	44.BF053			
<b>Manufacturer</b>	Ainsworth Game Technology Ltd			
<b>Gaming Machine Type</b>	iSAP			
<b>Game Type</b>	Spinning Reels			
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Progressive levels supported</b>	iSAP - yes Type - random Levels – 2			
<b>Maximum Bet Value</b>	\$10.00			
<b>Base Credit Value</b>	1c, 2c, 5c			
<b>Percentage Return to Player (P RTP)</b>				
<b>Var</b>	<b>BCV</b>	<b>Min/Max Game P RTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total P RTP</b>
16	1c	86.22	3.416667	89.64
19	1c	88.20	3.416667	91.62
26	2c	86.22	3.750000	89.97
29	2c	88.20	3.750000	91.95
56	5c	86.22	3.983333	90.21
59	5c	88.20	3.983333	92.18
<b>Platform/Cabinet</b>	Ambassador Excell – Bench Top Ambassador SL			
<b>Application Reference No.</b>	44-A0570/S01			

<b>Game Name</b>	Genie's Riches	
<b>Specification Number</b>	1.F0053	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$6.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	99	87.96
	01	90.11
	07	88.56
	09	87.18
<b>Platform/Cabinet</b>		
Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper). Gen7 Slant – Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only). Gen7 Upgrade XCite – Lowboy (with / without external LCD for mystery link) (Configured with either Ticket Printer and/or Hopper). Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper)		
<b>Operational Conditions</b>		
1. The Gen7 Upgrade platforms must be configured with a touch screen monitor to facilitate the saving of the 15 button panel configuration.		
<b>Application Reference No.</b>	01-A1156/S01	

<b>Game Name</b>	Norse Warrior Free Spin Festival	
<b>Specification Number</b>	39.A0289	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$5.00	
<b>Base Credit Value</b>	1c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	10	92.19
<b>Platform/Cabinet</b>	KGP 2.0 UVS Podium – Upper LCD box, Tombstone LCD Box	
<b>Application Reference No.</b>	39-A0861/S01	

<b>Game Name</b>	Bone-Bonus	
<b>Specification Number</b>	1.F0054	
<b>Manufacturer</b>	Aristocrat Technologies Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Percentage Return to Player (PRTP)</b>	<b>Variation Number</b>	<b>Min/Max PRTP</b>
	99	87.86
	01	90.16
	07	88.49
<b>Platform/Cabinet</b>	<p>Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper).</p> <p>Gen7 Slant – Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only).</p> <p>Gen7 Upgrade XCite – Lowboy (with / without external LCD for mystery link) (Configured with either Ticket Printer and/or Hopper).</p> <p>Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper).</p>	
<b>Application Reference No.</b>	01-A1150/S01	



<b>Game Name</b>	Bone-Bonus (Bonus Link)	
<b>Specification Number</b>	1.HF006	
<b>Manufacturer</b>	Aristocrat Technologies Pty Ltd	
<b>Gaming Machine Type</b>	SFS	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Progressive levels supported</b>	Linked - yes Type - standard Levels - 3	
<b>Maximum Bet Value</b>	\$5.00	
<b>Base Credit Value</b>	1c	
<b>Percentage Return to Player (PRTP)</b>	Variation Number	Min/Max PRTP
	06	85.62
<b>Platform/Cabinet</b>		
Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper).		
Gen7 Slant – Casino Top (with in-machine LCD for Hyperlink) (Configured with Ticket Printer only).		
Gen7 Upgrade XCite – Lowboy (with / without external LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper).		
Gen7 Upgrade XTreme – Casino Top (with in-machine LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper).		
<b>Operational Conditions</b>		
1. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
2. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Bonus Link' jackpot settings.		
<b>Application Reference No.</b>	01-A1150/S01	

<b>Device Name</b>	Mechanical Meters Board Assembly
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	Gaming Machine
<b>Category Type</b>	Hardware Component
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Platform/Cabinet Details</b>	Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD) (configured with either ticket printer and/or hopper option).
<b>Application Reference No.</b>	01-A1162/S01

<b>Device Name</b>	Thermal Ticket Printer
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	Gaming Machine
<b>Category Type</b>	Hardware Component
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18
<b>Platform/Cabinet Details</b>	Gen7 Slant – Round Top, Casino Top (with in-machine LCD) (configured with either ticket printer only).
<b>Operational Conditions</b>	The MEI Futurelogic Gen2 Thermal Ticket Printer must only operate with the Gen7 system Software version 21502020 and above.
<b>Application Reference No.</b>	01-A1164/S01

<b>Game Name</b>	Empress of the East Xtra Choice	
<b>Specification Number</b>	18.A0581	
<b>Manufacturer</b>	IGT (Australia) Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)	
<b>Maximum Bet Value</b>	\$9.00	
<b>Base Credit Value</b>	50c, \$1.00	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	02	90.80
	03	91.70
	04	93.86
	06	95.39
<b>Platform/Cabinet</b>	AVP BC20 – Video Top AVP ST22 – Video Slant Top	
<b>Application Reference No.</b>	18-A0996/S01	

<b>Game Name</b>	Multistar Dynamic			
<b>Specification Number</b>	18.C0025			
<b>Manufacturer</b>	IGT (Australia) Pty Ltd			
<b>Gaming Machine Type</b>	MGGM			
<b>Game Type</b>	Spinning Reels			
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18			
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18			
<b>Maximum Bet Value</b>	\$10.00			
<b>Base Credit Value</b>	1c, 2c			
<b>Percentage Return to Player (P RTP)</b>				
<b>MGC</b>	<b>CRP</b>	<b>Game Number/Name</b>	<b>Var</b>	<b>SDB P RTP</b>
01	90.88	01 Wild Girls	02	90.90
		02 Savanna	02	90.87
		03 Apache Chief	02	90.90
02	91.98	01 Wild Girls	03	91.99
		02 Savanna	03	91.96
		03 Apache Chief	03	92.00
03	88.51	01 Wild Girls	05	88.57
		02 Savanna	05	88.46
		03 Apache Chief	05	88.50
04	89.71	01 Wild Girls	07	89.57
		02 Savanna	07	89.86
		03 Apache Chief	07	89.76
05	87.82	01 Wild Girls	99	87.14
		02 Savanna	99	87.45
		03 Apache Chief	05	88.50
<b>Platform/Cabinet</b>	AVP BC20 – Video Top			
<b>Operational Conditions</b>				
1. The above-mentioned MGGM must operate in conjunction with the 'Dynamic Button Panel Kit' installed in the AVP BC20 platform.				
<b>Application Reference No.</b>	18-A5010/S01			

<b>Game Name</b>	Black Rose Cash Carriage			
<b>Specification Number</b>	39.B0081			
<b>Manufacturer</b>	Konami Australia Pty Ltd			
<b>Gaming Machine Type</b>	iSAP			
<b>Game Type</b>	Spinning Reels			
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Progressive levels supported</b>	iSAP - yes Type - standard Levels - 2			
<b>Maximum Bet Value</b>	\$6.00			
<b>Base Credit Value</b>	1c, 2c			
<b>Percentage Return to Player (PRTP)</b>				
<b>Var</b>	<b>Game PRTP</b>	<b>Setting Combination</b>	<b>Progressive RTP</b>	<b>Min/Max Total PRTP</b>
01	82.16	1	7.800361	89.96
02	82.16	2	7.790464	89.95
03	82.16	3	7.780489	89.94
04	82.16	4	7.770470	89.93
05	82.16	5	7.760451	89.92
06	82.16	6	7.750028	89.91
07	82.16	7	8.020500	90.18
08	82.16	8	8.000470	90.16
<b>Platform/Cabinet</b>	K2V – Casino Top with LCD K2V 500 – Casino Top with LCD KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box			
<b>Specific Approval Conditions</b>				
The player selectable multi-denomination functionality contained in the system software NSW50240 is not a subject of this approval.				
<b>Application Reference No.</b>	39-A0840/S01			

<b>Game Name</b>	Dragon Charm	
<b>Specification Number</b>	39.A0291	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$5.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	99	87.19
	01	90.20
	02	91.99
	03	94.01
	04	96.08
	05	85.13
	06	88.54
08	88.08	
<b>Platform/Cabinet</b>	<p>K2V – Casino Top, Low Boy, Casino Top with LCD                      K2V Upgrade – Casino Top, Low Boy                      K2V 500 – Casino Top, Low Boy, Casino Top with LCD                      K2V 500 Upgrade – Casino Top, Low Boy                      KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box</p>	
<b>Specific Approval Conditions</b>	<p>The player selectable multi-denomination functionality contained in the system software NSW50240 is not a subject of this approval.</p>	

Continued...

<b>Operational Conditions</b>	
<ol style="list-style-type: none"><li>1. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li><li>2. When the game 'Dragon Charm' is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as 2 level mystery jackpot.</li><li>3. When the game 'Dragon Charm' is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.</li></ol>	
<b>Application Reference No.</b>	39-A0847/S01

<b>Game Name</b>	Dragon Charm Lucky Garden		
<b>Specification Number</b>	39.B0077		
<b>Manufacturer</b>	Konami Australia Pty Ltd		
<b>Gaming Machine Type</b>	iSAP		
<b>Game Type</b>	Spinning Reels		
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Progressive levels supported</b>	iSAP - yes Type - random Levels - 2		
<b>Maximum Bet Value</b>	\$5.00		
<b>Base Credit Value</b>	1c, 2c, 5c		
<b>Percentage Return to Player (P RTP)</b>			
<b>Var</b>	<b>Game P RTP</b>	<b>Progressive RTP</b>	<b>Min/Max Total P RTP</b>
11	85.13	5.150000	90.28
12	85.13	5.200000	90.33
13	85.13	5.250000	90.38
14	85.13	5.400000	90.53
15	87.19	4.400000	91.59
16	87.19	4.450000	91.64
17	87.19	4.500000	91.69
18	87.19	4.600000	91.79
<b>Platform/Cabinet</b>	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box		
<b>Specific Approval Conditions</b> The player selectable multi-denomination functionality contained in the system software NSW56340 is not a subject of this approval.			
<b>Application Reference No.</b>	39-A0848/S01		



<b>Game Name</b>	Eternal Gold Cash Carriage			
<b>Specification Number</b>	39.B0079			
<b>Manufacturer</b>	Konami Australia Pty Ltd			
<b>Gaming Machine Type</b>	iSAP			
<b>Game Type</b>	Spinning Reels			
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Progressive levels supported</b>	iSAP - yes Type - standard Levels - 2			
<b>Maximum Bet Value</b>	\$5.00			
<b>Base Credit Value</b>	1c, 2c			
<b>Percentage Return to Player (P RTP)</b>				
<b>Var</b>	<b>Game P RTP</b>	<b>Setting Combination</b>	<b>Progressive RTP</b>	<b>Min/Max Total P RTP</b>
01	82.14	1	7.800361	89.94
02	82.14	2	7.790464	89.93
03	82.14	3	7.780489	89.92
04	82.14	4	7.770470	89.91
05	82.14	5	7.760451	89.90
06	82.14	6	7.750028	89.89
07	82.14	7	8.020500	90.16
08	82.14	8	8.000470	90.14
<b>Platform/Cabinet</b>	K2V – Casino Top with LCD K2V 500 – Casino Top with LCD KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box			
<b>Specific Approval Conditions</b>				
The player selectable multi-denomination functionality contained in the system software NSW50240 is not a subject of this approval.				

*Continued...*

<b>Device Details</b>	
<b>Device Name</b>	Oval Topper Artwork
<b>Category</b>	Gaming Machine
<b>Gaming Machine Type</b>	Generic Artwork
<b>Oval Topper Artwork</b>	a) KP2-AW(PT) b) CC-AW(PT) c) KNG-AW(PT)
<b>Platform/Cabinet</b>	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box
<b>Application Reference No.</b>	39-A0849/S01

<b>Game Name</b>	Inca Legend	
<b>Specification Number</b>	39.A0295	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$9.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	99	87.02
	01	90.17
	02	91.95
	03	94.05
	04	96.09
	05	85.19
	06	88.55
	08	88.03
<b>Platform/Cabinet</b>	<p>K2V – Casino Top, Low Boy, Casino Top with LCD                      K2V Upgrade – Casino Top, Low Boy                      K2V 500 – Casino Top, Low Boy, Casino Top with LCD                      K2V 500 Upgrade – Casino Top, Low Boy                      KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box</p>	
<b>Specific Approval Conditions</b>	<p>The player selectable multi-denomination functionality contained in the system software NSW50240 is not a subject of this approval.</p>	

Continued...

<b>Operational Conditions</b>	
1. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.	
2. When the game 'Inca Legend' is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.	
3. When the game 'Inca Legend' is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot	
<b>Application Reference No.</b>	39-A0855/S01

<b>Game Name</b>	Phoenix Empress	
<b>Specification Number</b>	39.A0294	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$5.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	99	87.18
	01	90.15
	02	91.84
	03	93.92
	04	95.93
	05	85.16
	06	88.59
08	87.96	
<b>Specific Approval Conditions</b>		
The player selectable multi-denomination functionality contained in the system software NSW50240 is not a subject of this approval.		
<b>Operational Conditions</b>		
1. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
2. When the game 'Phoenix Empress' is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.		
<b>Device Details</b>		
<b>Device Name</b>	Oval Topper Artwork	
<b>Category</b>	Gaming Machine	
<b>Gaming Machine Type</b>	Generic Artwork	
<b>Oval Topper Artwork</b>	MD-AW(PT)	
<b>Platform/Cabinet</b>	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box	
<b>Application Reference No.</b>	39-A0853/S01	

<b>Game Name</b>	Phoenix Empress Lucky Garden		
<b>Specification Number</b>	39.B0082		
<b>Manufacturer</b>	Konami Australia Pty Ltd		
<b>Gaming Machine Type</b>	iSAP		
<b>Game Type</b>	Spinning Reels		
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Progressive levels supported</b>	iSAP - yes Type - random Levels - 2		
<b>Maximum Bet Value</b>	\$5.00		
<b>Base Credit Value</b>	1c, 2c		
<b>Percentage Return to Player (P RTP)</b>			
<b>Var</b>	<b>Game P RTP</b>	<b>Progressive RTP</b>	<b>Min/Max Total P RTP</b>
11	85.16	5.150000	90.31
12	85.16	5.200000	90.36
13	85.16	5.250000	90.41
14	85.16	5.400000	90.56
15	87.18	4.400000	91.58
16	87.18	4.450000	91.63
17	87.18	4.500000	91.68
18	87.18	4.600000	91.78
<b>Specific Approval Conditions</b>			
The player selectable multi-denomination functionality contained in the system software NSW56340 is not a subject of this approval.			
<b>Device Details</b>			
<b>Device Name</b>	Topper Artwork		
<b>Category</b>	Gaming Machine		
<b>Gaming Machine Type</b>	Generic Artwork		
<b>Oval Topper Artwork</b>	LUG-AW(PT)		
<b>Platform/Cabinet</b>	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box		
<b>Application Reference No.</b>	39-A0854/S01		

<b>Game Name</b>		Roarin' Bear			
<b>Specification Number</b>		39.B0068			
<b>Manufacturer</b>		Konami Australia Pty Ltd			
<b>Gaming Machine Type</b>		iSAP			
<b>Game Type</b>		Spinning Reels			
<b>Submission Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09)			
<b>Technical Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Progressive levels supported</b>		iSAP - yes Type - standard Levels - 2			
<b>Maximum Bet Value</b>		\$5.00			
<b>Base Credit Value</b>		20c, 50c, \$1.00			
<b>Percentage Return to Player (P RTP)</b>					
<b>Var</b>	<b>BCV</b>	<b>Setting Combination</b>	<b>Game P RTP</b>	<b>Progressive RTP</b>	<b>Min/Max Total P RTP</b>
10	20c	10	85.15	6.746197	91.90
	50c	12			
	\$1.00	14			
11	20c	11	85.14	6.789688	91.93
	50c	13			
	\$1.00	15			
<b>Platform/Cabinet</b>			K2V – Casino Top with LCD K2V 500 – Casino Top with LCD KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box		
<b>Specific Approval Conditions</b>					
The player selectable multi-denomination functionality contained in the system software NSW50240 is not a subject of this approval.					
<b>Application Reference No.</b>			39-A0839/S01		

<b>Device Name</b>	LCD Display Software (Wildlife)
<b>Manufacturer</b>	Konami Australia Pty Ltd
<b>Category</b>	Supporting Function
<b>Category Type</b>	Top Box LCD Driver
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2
<b>Platform/Cabinet Details</b>	
K2V - Casino Top with LCD	
K2V 500 - Casino Top with LCD	
KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box	
<b>Application Reference No.</b>	39-A0825/S01



<b>Game Name</b>	Straight and Arrow	
<b>Specification Number</b>	39.A0293	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	99	87.00
	01	90.18
	02	91.97
	03	93.99
	04	96.06
	05	85.04
	06	88.58
08	88.06	
<b>Platform/Cabinet</b>	<p>K2V – Casino Top, Low Boy, Casino Top with LCD                      K2V Upgrade – Casino Top, Low Boy                      K2V 500 – Casino Top, Low Boy, Casino Top with LCD                      K2V 500 Upgrade – Casino Top, Low Boy                      KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box</p>	
<b>Specific Approval Conditions</b>	<p>The player selectable multi-denomination functionality contained in the system software NSW50240 is not a subject of this approval.</p>	

Continued...

<b>Operational Conditions</b>	
1. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.	
2. When the game 'Straight and Arrow' is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.	
3. When the game 'Straight and Arrow' is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.	
<b>Application Reference No.</b>	39-A0844/S01

<b>Game Name</b>	Straight and Arrow Lucky Garden		
<b>Specification Number</b>	39.B0078		
<b>Manufacturer</b>	Konami Australia Pty Ltd		
<b>Gaming Machine Type</b>	iSAP		
<b>Game Type</b>	Spinning Reels		
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Progressive levels supported</b>	iSAP - yes Type - random Levels - 2		
<b>Maximum Bet Value</b>	\$10.00		
<b>Base Credit Value</b>	1c, 2c, 5c		
<b>Percentage Return to Player (PRTP)</b>			
<b>Var</b>	<b>Game PRTP</b>	<b>Progressive RTP</b>	<b>Min/Max Total PRTP</b>
11	85.04	5.150000	90.19
12	85.04	5.200000	90.24
13	85.04	5.250000	90.29
14	85.04	5.400000	90.44
15	87.00	4.400000	91.40
16	87.00	4.450000	91.45
17	87.00	4.500000	91.50
18	87.00	4.600000	91.60
<b>Platform/Cabinet</b>	KGP 2.0 UVS Podium - Upper LCD Box, Tombstone LCD Box		
<b>Specific Approval Conditions</b>			
The player selectable multi-denomination functionality contained in the system software NSW56340 is not a subject of this approval.			
<b>Application Reference No.</b>	39-A0845/S01		

<b>Game Name</b>	Viking's Return Cash Carriage			
<b>Specification Number</b>	39.B0075			
<b>Manufacturer</b>	Konami Australia Pty Ltd			
<b>Gaming Machine Type</b>	iSAP			
<b>Game Type</b>	Spinning Reels			
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09)			
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Progressive levels supported</b>	iSAP - yes Type - standard Levels - 2			
<b>Maximum Bet Value</b>	\$6.00			
<b>Base Credit Value</b>	1c, 2c			
<b>Percentage Return to Player (P RTP)</b>				
<b>Var</b>	<b>Game P RTP</b>	<b>Setting Combination</b>	<b>Progressive RTP</b>	<b>Min/Max Total P RTP</b>
01	82.16	1	7.800361	89.96
02	82.16	2	7.790464	89.95
03	82.16	3	7.780489	89.94
04	82.16	4	7.770470	89.93
05	82.16	5	7.760451	89.92
06	82.16	6	7.750028	89.91
07	82.16	7	8.020500	90.18
08	82.16	8	8.000470	90.16
<b>Platform/Cabinet</b>	K2V – Casino Top with LCD K2V 500 – Casino Top with LCD KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box			
<b>Specific Approval Conditions</b> The player selectable multi-denomination functionality contained in the system software NSW50240 is not a subject of this approval.				
<b>Application Reference No.</b>	39-A0838/S01			

<b>Device Name</b>	System Software
<b>Manufacturer</b>	Konami Australia Pty Ltd
<b>Category</b>	Supporting Function
<b>Category Type</b>	System Software
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18
<b>Platform/Cabinet Details</b>	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box
<b>Application Reference No.</b>	39-A0821/SO1

<b>Game Name</b>	Year of the Tiger (2 iSAP levels) (bugfix)			
<b>Specification Number</b>	44.BF052			
<b>Manufacturer</b>	Ainsworth Game Technology Ltd			
<b>Gaming Machine Type</b>	iSAP			
<b>Game Type</b>	Spinning Reels			
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Progressive levels supported</b>	iSAP - yes Type - standard Levels - 2			
<b>Maximum Bet Value</b>	\$10.00			
<b>Base Credit Value</b>	1c, 2c, 5c, 10c			
<b>Percentage Return to Player (P RTP)</b>				
<b>Var</b>	<b>Min/Max Game P RTP</b>	<b>Game P RTP</b>	<b>Progressive RTP</b>	<b>Min/Max P RTP</b>
51	1c, 2c, 5c	88.08	3.528684	91.61
52	1c, 2c, 5c	88.79	3.621111	92.41
53	1c, 2c, 5c	86.91	3.614509	90.52
61	5c	86.91	4.839921	91.75
62	5c	88.09	4.674872	92.76
71	10c	86.91	4.227215	91.14
72	10c	88.08	4.101778	92.18
<b>Platform/Cabinet</b>	Ambassador Excell - Bench Top Ambassador SL			
<b>Operational Conditions</b>	1. This game must be operated on the Ambassador Excell/SL platform fitted with an LCD monitor.			
<b>Application Reference No.</b>	44-A0593/S01			

<b>Game Name</b>	Jaws Night Hunter	
<b>Specification Number</b>	1.HF007	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	SFS - Ante Bet	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Progressive levels supported</b>	Linked - yes Type - standard Levels - 4	
<b>Maximum Bet Value</b>	\$7.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	99	73.50-76.52
<b>Platform/Cabinet</b>	Gen7 Viridian – Casino Top (with in-machine LCD for Hyperlink only) and JAWS Topper (configured with either a ticket printer or hopper option)	
<b>Operational Conditions</b>	1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved settings.	
<b>Application Reference No.</b>	01-A1158/S01	

<b>Game Name</b>	Lucky Count	
<b>Specification Number</b>	1.F0055	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$4.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Percentage Return to Player (PRTP)</b>	Variation Number	Min/Max PRTP
	99	87.99
	01	90.03
	07	88.68
<b>Platform/Cabinet</b>	<p>Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either ticket printer and/or hopper).</p> <p>Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with ticket printer only).</p> <p>Gen7 Upgrade XCite - Lowboy (with / without external LCD for mystery link) (Configured with either ticket printer and/or hopper).</p> <p>Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either ticket printer and/or hopper).</p>	
<b>Application Reference No.</b>	01-A1155/S01	

<b>Game Name</b>	Lucky Count (Bonus Link)	
<b>Specification Number</b>	1.HF008	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	SFS	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Progressive levels supported</b>	Linked - yes Type - standard Levels - 3	
<b>Maximum Bet Value</b>	\$4.00	
<b>Base Credit Value</b>	1c	
<b>Percentage Return to Player (PRTP)</b>	Variation Number	Min/Max PRTP
	06	85.64
<b>Platform/Cabinet</b>		
Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper).		
Gen7 Slant - Casino Top (with in-machine LCD for Hyperlink) (Configured with ticket printer only).		
Gen7 Upgrade XCite - Lowboy (with / without external LCD for Hyperlink) (Configured with either ticket printer and/or hopper).		
Gen7 Upgrade XTreme - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper).		
<b>Operational Conditions</b>		
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Bonus link' settings.		
<b>Application Reference No.</b>	01-A1155/S01	



<b>Device Name</b>	Thermal Ticket Printer (Nanoptix Paycheck4)
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	Gaming Machine
<b>Category Type</b>	Hardware Component
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18
<b>Platform/Cabinet Details</b>	
Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD) (Configured with either ticket printer and/or hopper).	
Gen7 Slant - Round Top, Casino Top (with in-machine LCD) (Configured with ticket printer only).	
Gen7 Upgrade XCite - Lowboy (Configured with either ticket printer and/or hopper).	
Gen7 Upgrade XTreme - Casino Top (with in-machine LCD ) (Configured with either ticket printer and/or hopper).	
<b>Application Reference No.</b>	01-A1161/S01

<b>Game Name</b>	Age of Shogun				
<b>Specification Number</b>	18.B0553				
<b>Manufacturer</b>	IGT (Australia) Pty Ltd				
<b>Gaming Machine Type</b>	iSAP				
<b>Game Type</b>	Spinning Reels				
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1				
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1				
<b>Progressive levels supported</b>	iSAP - yes Type - standard Levels - 3				
<b>Maximum Bet Value</b>	\$10.00				
<b>Base Credit Value</b>	50c, \$1.00				
<b>Percentage Return to Player (P RTP)</b>					
<b>Var</b>	<b>BCV</b>	<b>Setting Combination</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max P RTP</b>
03	50c	SC0	74.85	17.146908	92.00
	\$1.00	SC1			
<b>Platform/Cabinet</b>			AVP BC20 – Video Top AVP ST22 – Video Slant Top		
<b>Application Reference No.</b>			18-A5006/S01		

<b>Game Name</b>	Ancient Troy	
<b>Specification Number</b>	18.A0582	
<b>Manufacturer</b>	IGT (Australia) Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Percentage Return to Player (P RTP)</b>		
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	99	87.50
	02	90.87
	03	92.00
	05	88.54
	07	89.94
<b>Platform/Cabinet</b>	AVP BC20 – Video Top AVP ST22 – Video Slant Top	
<b>Application Reference No.</b>	18-A5024/S01	

<b>Game Name</b>		Multistar Jackpots (bugfix)		
<b>Specification Number</b>		18.D0015		
<b>Manufacturer</b>		IGT (Australia) Pty Ltd		
<b>Gaming Machine Type</b>		MGGM		
<b>Game Type</b>		Spinning Reels		
<b>Submission Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Technical Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Progressive levels supported</b>		iSAP - yes Type - random Levels - 2		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		1c, 2c		
<b>Percentage Return to Player (P RTP)</b>				
<b>MGC</b>	<b>CRP</b>	<b>Game Number/Name</b>	<b>Var</b>	<b>SDB P RTP</b>
01	91.99	01 Major Money in the Arctic	03	91.99
		02 Double Mania Deluxe 2	03	91.99
		03 Queen of Atlantis	03	91.99
<b>Platform/Cabinet</b>		AVP BC20 – Video Top AVP ST22 – Video Slant Top		
<b>Application Reference No.</b>		18-A5053/S01		

<b>Game Name</b>	5 Fortunes	
<b>Specification Number</b>	35.F0185	
<b>Manufacturer</b>	Shuffle Master Australasia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$9.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Percentage Return to Player (P RTP)</b>		
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	99	90.31-90.36
	01	85.25-85.33
	02	87.16-87.28
	03	88.27-88.33
	07	86.17-86.23
<b>Platform/Cabinet</b>	eStar PC4 – Round Top, Square Top, Low Top	
	eStar PC4 – Round Top (with in-machine 17" LCD)	
	PC4 Mojo ST – Slant Top	
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>Gaming machine variation numbers 01 &amp; 07 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> <li>When operating on the Round Top platform (with in-machine 17" LCD), the above-mentioned game must be installed in conjunction with the Shuffle Master VGA ADD2 board (STG P/N: ASY-0175) and a 'DVI to VGA' cable that connects the Top Box to DVI2 port on the EGM's Backplane Board.</li> <li>The touch-screen option must be enabled (to allow the help pages to be accessible via the on-screen buttons)</li> </ol>		
<b>Application Reference No.</b>	35-A0645/S01,/S02	

<b>Game Name</b>	Seven Seas - Pink Panther (2 fixed/2 iSAP)		
<b>Specification Number</b>	35.BF052		
<b>Manufacturer</b>	Shuffle Master Australasia Pty Ltd		
<b>Gaming Machine Type</b>	iSAP		
<b>Game Type</b>	Spinning Reels		
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Progressive levels supported</b>	iSAP - yes Type - standard Levels - 2		
<b>Maximum Bet Value</b>	\$6.25		
<b>Base Credit Value</b>	1c, 2c, 5c		
<b>Percentage Return to Player (P RTP)</b>			
<b>Var</b>	<b>Game P RTP</b>	<b>Progressive RTP</b>	<b>Min/Max P RTP</b>
21	86.49	5.650000	92.14
22	89.03	4.225000	93.26
24	88.49	4.125000	92.62
27	86.19	4.925000	91.11
<b>Platform/Cabinet</b>	eStar PC4 – Round Top		
<b>Operational Conditions</b>			
<ol style="list-style-type: none"> <li>1. When the above-mentioned game operates on the eStar PC4 Round Top platform with a display controller driving the in-machine LCD in the top box, the display controller must operate with the 'Pink Panther' (PPLNWI01) display theme.</li> <li>2. The touch-screen option must be enabled (to allow the help pages to be accessible via the on-screen buttons)</li> </ol>			
<b>Application Reference No.</b>	35-0652/S01		

<b>Device Name</b>	Game Shell	
<b>Manufacturer</b>	Ainsworth Game Technology Ltd	
<b>Category</b>	Supporting Function	
<b>Category Type</b>	System Software	
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Platform/Cabinet Details</b>	Ambassador Excell – Bench Top Ambassador SL	
<b>Games recommended for use with this version of Base software</b>		
Game Name	Spec Number	Program Id
Royal Diamonds Deluxe (2iSAP Levels)	44.BF042	GANSRX1C
<b>Application Reference No.</b>	44-A0582/S01	

<b>Game Name</b>	Shield of Nanu	
<b>Specification Number</b>	1.A0819	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	SpinningReels	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	99	87.81-87.98
	01	90.09-90.19
	07	88.52-88.70
<b>Platform/Cabinet</b>	<p>Mk 6 (XTra) – Low Boy, Casino Top (configured with either a ticket printer and/or hopper option)</p> <p>Mk 6 (Exceed) – Low Boy, Casino Top, Slant Top (configured with either a ticket printer or hopper option)</p> <p>Mk 6 (SER1RX) – Casino Top (configured with either ticket printer or hopper option)</p> <p>Mk 6( XCite) – Low Boy, Casino Top (configured with either a ticket printer and/or hopper option)</p> <p>Mk 6 (XTreme) – Casino Top (with in-machine LCD for Mystery Link) (configured with either a ticket printer and/or hopper option)</p> <p>Slant Mk 6 – Round Top (configured with ticket printer only)</p>	
<b>Application Reference No.</b>	01-A1166/S01	

<b>Device Name</b>	Bill Acceptor
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	Gaming Machine
<b>Category Type</b>	Other
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18
<b>Platform/Cabinet</b>	
Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD) (Configured with either ticket printer and/or hopper option).	
Gen7 Slant - Round Top, Casino Top (with in-machine LCD) (Configured with ticket printer only).	
Gen7 Upgrade XCite - Lowboy (Configured with either ticket printer and/or hopper option).	
Gen7 Upgrade XTreme - Casino Top (with in-machine LCD) (Configured with either ticket printer and/or hopper option).	
<b>Application Reference No.</b>	01-A1165/S01



<b>Game Name</b>	Legend of the Qin Dynasty (update)	
<b>Specification Number</b>	6.F0020	
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Percentage Return to Player (PRTP)</b>	Variation Number	Min/Max PRTP
	01	85.14
	02	88.05
	03	89.01
	04	90.04
	05	92.00
	06	94.02
	07	98.03
<b>Platform/Cabinet</b>	G-ENEX – Midway, Low Boy	
<b>Operational Conditions</b>		
1. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
<b>Application Reference No.</b>	06-A0270/S01	

<b>Game Name</b>	Shen Long	
<b>Specification Number</b>	6.F0017	
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	01	85.26
	02	88.06
	03	89.07
	04	90.02
	05	91.99
	06	94.08
	07	97.95
<b>Platform/Cabinet</b>	G-ENEX – Midway, Low Boy	
<b>Operational Conditions</b>		
1. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
<b>Application Reference No.</b>	06-A0270/S01	

<b>Game Name</b>	Tiger Dragon				
<b>Specification Number</b>	18.B0554				
<b>Manufacturer</b>	IGT Australia Pty Ltd				
<b>Gaming Machine Type</b>	iSAP				
<b>Game Type</b>	Spinning Reels				
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1				
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1				
<b>Progressive levels supported</b>	iSAP - yes Type - standard Levels – 2				
<b>Maximum Bet Value</b>	\$10.00				
<b>Base Credit Value</b>	1c, 2c, 5c, 10c				
<b>Percentage Return to Player (PRTP)</b>					
<b>Var</b>	<b>BCV</b>	<b>Setting Combination</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>
02	1c	SC0	80.14	10.351287	90.50
	2c	SC3			
	5c	SC6			
	10c	SC9			
03	1c	SC1	80.14	11.791287	91.94
	2c	SC4			
	5c	SC7			
	10c	SC10			
07	1c	SC2	80.14	9.046463	89.19
	2c	SC5			
	5c	SC8			
	10c	SC11			
<b>Platform/Cabinet</b>	AVP BC20 – Video Top AVP T22 – Video Slant Top				
<b>Application Reference No.</b>	18-A5022/S01				

<b>Device Name</b>	AVP BC20 Shell (Shell, OS & BIOS)	
<b>Manufacturer</b>	IGT Australia Pty Ltd	
<b>Category</b>	Supporting Function	
<b>Category Type</b>	System Software	
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Platform/Cabinet Details</b>	AVP BC20 – Video Top AVP ST22 – Video Slant Top	
<b>Games recommended for use with this version of Base software</b>		
<b>Game Name</b>	<b>Spec Number</b>	<b>Program Id</b>
Pamplona	18.A0577	X42000GA, RA
Dolphin Dreams	18.A0578	X42000GA, RA
Taipan Xtra Choice	18.A0580	X42000GA, RA
Spartan	18.A0540	X42000GA, RA
Cooee Country	18.A0542	X42000GA, RA
Gold Fever 100 Pandas	18.A0543	X42000GA, RA
Gold Fever Flower of Mexico	18.A0544	X42000GA, RA
Extra Chance Major Jackpots in Australia	18.A0547	X42000GA, RA
Gold Fever Dolphin Treasures	18.A0548	X42000GA, RA
<b>Application Reference No.</b>	18-A5041/S01	

<b>Game Name</b>	Bow Wow Bucks (iSAP/1)			
<b>Specification Number</b>	6.BF002			
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd			
<b>Gaming Machine Type</b>	iSAP			
<b>Game Type</b>	Spinning reels			
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2; TITO TS V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Progressive levels supported</b>	iSAP - Yes Type - Standard Levels - 1 Wins transferred to 'Total Wins' - Yes			
<b>Maximum Bet Value</b>	\$9.00			
<b>Base Credit Value</b>	1c, 2c, 5c			
<b>Percentage Return to Player (P RTP)</b>				
<b>Var</b>	<b>Game RTP%</b>	<b>iSAP RTP%</b>	<b>Min RTP%</b>	<b>Max RTP%</b>
01	87.33	0.995158	88.32	88.35
02	88.35		89.34	89.37
03	89.36		90.36	90.39
04	91.35		92.34	92.37
05	93.36		94.36	94.39
06	95.36		96.35	96.38
07	97.37		98.36	98.39
<b>Device Details 1</b>				
<b>Device Name</b>	GENEX G-Deluxe			
<b>Category</b>	Gaming Machine			
<b>Gaming Machine Type</b>	Hardware Platform			
<b>Technical Standards</b>	NS 8.0 + NSW Appendix (dated 28/04/05)			
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Device Details 2</b>				
<b>Device Name</b>	Title Board Assembly			
<b>Category</b>	Gaming Machine			
<b>Gaming Machine Type</b>	Hardware Component			
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Title Board</b>	CET008300			
<b>Platform / Cabinet</b>	GENEX – G-Deluxe			
<b>Application Reference No.</b>	06-A0274/S01			

<b>Game Name</b>	Vampire and Beauty (iSAP/1)			
<b>Specification Number</b>	6.BF001			
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd			
<b>Gaming Machine Type</b>	iSAP			
<b>Game Type</b>	Spinning reels			
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Progressive levels supported</b>	iSAP - Yes Type - Standard Levels - 1 Wins transferred to 'Total Wins' - Yes			
<b>Maximum Bet Value</b>	\$9.00			
<b>Base Credit Value</b>	1c, 2c, 5c			
<b>Percentage Return to Player (P RTP)</b>				
<b>Var</b>	<b>Game RTP%</b>	<b>iSAP RTP%</b>	<b>Min RTP%</b>	<b>Max RTP%</b>
01	87.38	0.995158	88.37	88.40
02	88.40		89.39	89.42
03	89.41		90.41	90.44
04	91.40		92.39	92.42
05	93.42		94.41	94.44
06	95.41		96.41	96.44
07	97.42		98.42	98.45
<b>Device Details 1</b>				
<b>Device Name</b>	GENEX G-Deluxe			
<b>Category</b>	Gaming Machine			
<b>Gaming Machine Type</b>	Hardware Platform			
<b>Technical Standards</b>	NS 8.0 + NSW Appendix (dated 28/04/05)			
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Device Details 2</b>				
<b>Device Name</b>	Title Board Assembly			
<b>Category</b>	Gaming Machine			
<b>Gaming Machine Type</b>	Hardware Component			
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Title Board</b>	CET007500			
<b>Platform / Cabinet</b>	GENEX – G-Deluxe			
<b>Application Reference No.</b>	06-A0275/S01			

<b>Game Name</b>	Money Maze	
<b>Specification Number</b>	44.F0308	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$5.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	99	88.51
	01	90.23
	02	92.03
	06	86.21
<b>Platform/Cabinet</b>	Ambassador Excell - Bench Top Ambassador SL	
<b>Operational Conditions</b>	<ol style="list-style-type: none"> <li>Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> <li>This game must be operated on the Ambassador Excell / SL platform fitted with an LCD Monitor.</li> </ol>	
<b>Application Reference No.</b>	44-A0557/S01	

<b>Game Name</b>	Money Maze (2 iSAP Levels)			
<b>Specification Number</b>	44.BF055			
<b>Manufacturer</b>	Ainsworth Game Technology Limited			
<b>Gaming Machine Type</b>	iSAP			
<b>Game Type</b>	Spinning Reels			
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Progressive levels supported</b>	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' - Yes			
<b>Maximum Bet Value</b>	\$5.00			
<b>Base Credit Value</b>	1c, 2c			
<b>Percentage Return to Player (P RTP)</b>				
<b>Var</b>	<b>BCV</b>	<b>Min/Max Game P RTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total P RTP</b>
16	1c	86.20	3.416667	89.62
19	1c	88.50	3.416667	91.92
26	2c	86.20	3.750000	89.96
29	2c	88.50	3.750000	92.26
<b>Platform/Cabinet</b>	Ambassador Excell - Bench Top Ambassador SL			
<b>Operational Conditions</b>				
1. This game must be operated on the Ambassador Excell / SL platform fitted with an LCD Monitor.				
<b>Application Reference No.</b>	44-A0557/S01			



<b>Game Name</b>	Mustang Money (2 iSAP Levels)		
<b>Specification Number</b>	44.BF057		
<b>Manufacturer</b>	Ainsworth Game Technology Limited		
<b>Gaming Machine Type</b>	iSAP		
<b>Game Type</b>	Spinning Reels		
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Progressive levels supported</b>	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' - Yes		
<b>Maximum Bet Value</b>	\$10.00		
<b>Base Credit Value</b>	\$1.00		
<b>Percentage Return to Player (PRTP)</b>			
<b>Var</b>	<b>Min/Max Game PRTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>
99	87.75	4.550000	92.30
01	89.61		94.16
06	86.12		90.67
<b>Platform/Cabinet</b>	Ambassador Excell - Bench Top Ambassador SL		
<b>Application Reference No.</b>	44-A0574/S01		

<b>Game Name</b>	The King	
<b>Specification Number</b>	44.F0309	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Percentage Return to Player (P RTP)</b>	<b>Variation Number</b>	<b>Min/Max P RTP</b>
	99	88.26
	01	90.37
	02	91.93
	06	86.24
<b>Platform/Cabinet</b>	Ambassador Excell - Bench Top Ambassador SL	
<b>Operational Conditions</b>		
1. Gaming machine variation number 06 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
<b>Application Reference No.</b>	44-A0536/S01	

<b>Game Name</b>	The King (2 iSAP Levels)			
<b>Specification Number</b>	44.BF056			
<b>Manufacturer</b>	Ainsworth Game Technology Limited			
<b>Gaming Machine Type</b>	iSAP			
<b>Game Type</b>	Spinning Reels			
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Progressive levels supported</b>	iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' - Yes			
<b>Maximum Bet Value</b>	\$10.00			
<b>Base Credit Value</b>	1c, 2c, 5c			
<b>Percentage Return to Player (PRTP)</b>				
<b>Var</b>	<b>BCV</b>	<b>Min/Max Game PRTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>
16	1c	86.24	3.416667	89.65
19	1c	88.26	3.416667	91.68
26	2c	86.24	3.750000	89.99
29	2c	88.26	3.750000	92.01
56	5c	86.24	3.983333	90.22
59	5c	88.26	3.983333	92.25
<b>Platform/Cabinet</b>	Ambassador Excell - Bench Top Ambassador SL			
<b>Application Reference No.</b>	44-A0536/S01			

<b>Game Name</b>	Fire Light - Power Pay	
<b>Specification Number</b>	1.F0057	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$6.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	99	87.99-93.01
	01	85.17-90.20
<b>Platform/Cabinet</b>		
<p>Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with either ticket printer and/or hopper option).</p> <p>Gen7 Slant - Round Top, Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with ticket printer only).</p> <p>Gen7 Upgrade XCite – Lowboy (with/ without external LCD for Mystery Link) (Configured with either ticket printer and/or hopper).</p> <p>Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone /Mystery Link) (Configured with either ticket printer and/or hopper option).</p>		
<b>Operational Conditions</b>		
<p>1. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</p>		
<b>Application Reference No.</b>	01-A1172/S01	

<b>Game Name</b>	Fire Light - Power Pay (Bonus Link)	
<b>Specification Number</b>	1.HF010	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	SFS	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Maximum Bet Value</b>	\$6.00	
<b>Base Credit Value</b>	1c	
<b>Progressive levels supported</b>	Linked - Yes Type - Standard Levels - 3	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	04	83.50-88.60
<b>Platform/Cabinet</b>	<p>Gen7 Viridian - Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).</p> <p>Gen7 Slant - Casino Top (with in-machine LCD for Hyperlink) (Configured with ticket printer only).</p> <p>Gen7 Upgrade XCite – Lowboy (with/ without external LCD for Hyperlink) (Configured with either ticket printer and/or hopper).</p> <p>Gen7 Upgrade XTreme - Casino Top (with in-machine LCD for Hyperlink) (Configured with either ticket printer and/or hopper option).</p>	
<b>Operational Conditions</b>	<ol style="list-style-type: none"> <li>Gaming machine variation number 04 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> <li>The above-mentioned game 'Fire Light – Power Play (Bonus Link)' must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Bonus Link' jackpot settings.</li> </ol>	
<b>Application Reference No.</b>	01-A1172/S01	

<b>Game Name</b>	Lotus Flower	
<b>Specification Number</b>	18.A0583	
<b>Manufacturer</b>	IGT (Australia) Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c, 5c, 10c	
<b>Percentage Return to Player (P RTP)</b>	<b>Variation Number</b>	<b>Min/Max P RTP</b>
	99	87.90
	02	90.90
	03	91.90
	05	88.90
	07	89.90
<b>Platform/Cabinet</b>	AVP BC20 – Video Top AVP ST22 – Video Slant Top	
<b>Application Reference No.</b>	18-A5026/S01	

<b>GAME NAME</b>	Royal Diamonds Deluxe	
<b>SPECIFICATION NO.</b>	44-BF042	
<b>APPLICATION REFERENCE NUMBER</b>	44-A0509/S01	
<b>MANUFACTURER</b>	Ainsworth Game Technology Limited	
<b>GAME TYPE</b>	Spinning Reels	
<b>BASE CREDIT VALUE</b>	1c, 2c	
<b>MAXIMUM BET VALUE</b>	\$10.00	
<b>PERCENTAGE RETURN TO PLAYER (PRTP)</b>	<b>Variation Number</b>	<b>Min/Max PRTP</b>
	02	91.89-91.98
	15	93.41-93.50

<b>GAME NAME</b>	Jungle Beat – Hit the Heights	
<b>SPECIFICATION NO.</b>	1.F0043	
<b>APPLICATION REFERENCE NUMBER</b>	01-A1121/S01	
<b>MANUFACTURER</b>	Aristocrat Technologies Australia Pty Limited	
<b>GAME TYPE</b>	Spinning Reels	
<b>BASE CREDIT VALUE</b>	1c, 2c	
<b>MAXIMUM BET VALUE</b>	\$7.00	
<b>PERCENTAGE RETURN TO PLAYER (PRTP)</b>	<b>Variation Number</b>	<b>Min/Max PRTP</b>
	99	88.41-92.50
	01	88.42-93.46
	02	88.43-94.50

<b>GAME NAME</b>	Big Challenge Mammoth	
<b>SPECIFICATION NO.</b>	6.F0024	
<b>APPLICATION REFERENCE NUMBER</b>	06-A0264/S01	
<b>MANUFACTURER</b>	Aruze Gaming Australia Pty Limited	
<b>GAME TYPE</b>	Spinning Reels	
<b>BASE CREDIT VALUE</b>	1c, 2c	
<b>MAXIMUM BET VALUE</b>	\$4.00	
<b>PERCENTAGE RETURN TO PLAYER (PRTP)</b>	<b>Variation Number</b>	<b>Min/Max PRTP</b>
	01	85.14-89.96
	02	86.13-90.97
	03	87.13-92.00
	04	88.08-92.95
	05	89.04-93.93
	06	90.98-95.91
	07	93.04-97.99
<b>Operational Conditions</b>		
Machine variation 01 is only approved to operate on a link jackpot arrangement where the combined machine/link percentage return to player is at least 87%.		

<b>GAME NAME</b>	Giant Panda	
<b>SPECIFICATION NO.</b>	6.F0025	
<b>APPLICATION REFERENCE NUMBER</b>	06-A0265/S01	
<b>MANUFACTURER</b>	Aruze Gaming Australia Pty Limited	
<b>GAME TYPE</b>	Spinning Reels	
<b>BASE CREDIT VALUE</b>	1c, 2c, 5c	
<b>MAXIMUM BET VALUE</b>	\$6.25	
<b>PERCENTAGE RETURN TO PLAYER (PRTP)</b>	<b>Variation Number</b>	<b>Min/Max PRTP</b>
	01	85.18-89.95
	02	86.17-91.00
	03	87.10-91.95
	04	88.09-92.97
	05	89.27-94.19
	06	91.14-96.11
	07	93.00-98.04
<b>Operational Conditions</b>		
Machine variation 01 is only approved to operate on a link jackpot arrangement where the combined machine/link percentage return to player is at least 87%.		



<b>GAME NAME</b>	Sabre Toothed Tiger	
<b>SPECIFICATION NO.</b>	6.F0023	
<b>APPLICATION REFERENCE NUMBER</b>	06-A0263/S01	
<b>MANUFACTURER</b>	Aruze Gaming Australia Pty Limited	
<b>GAME TYPE</b>	Spinning Reels	
<b>BASE CREDIT VALUE</b>	1c, 2c, 5c	
<b>MAXIMUM BET VALUE</b>	\$6.25	
<b>PERCENTAGE RETURN TO PLAYER (PRTP)</b>	<b>Variation Number</b>	<b>Min/Max PRTP</b>
	01	85.05-90.07
	02	86.01-91.02
	03	86.97-97.98
	04	88.01-93.02
	05	89.00-94.02
	06	90.89-96.00
	07	92.88-98.88
<b>Operational Conditions</b>		
Machine variation 01 is only approved to operate on a link jackpot arrangement where the combined machine/link percentage return to player is at least 87%.		

<b>GAME NAME</b>	The Last Emperor	
<b>SPECIFICATION NO.</b>	6.F0022	
<b>APPLICATION REFERENCE NUMBER</b>	06-A0266/S01	
<b>MANUFACTURER</b>	Aruze Gaming Australia Pty Limited	
<b>GAME TYPE</b>	Spinning Reels	
<b>BASE CREDIT VALUE</b>	1c, 2c, 5c	
<b>MAXIMUM BET VALUE</b>	\$6.25	
<b>PERCENTAGE RETURN TO PLAYER (PRTP)</b>	<b>Variation Number</b>	<b>Min/Max PRTP</b>
	01	85.18-89.95
	02	86.17-91.00
	03	87.10-91.95
	04	88.09-92.97
	05	89.27-94.19
	06	91.14-96.11
	07	93.00-98.04
<b>Operational Conditions</b>		
Machine variation 01 & 02 are only approved to operate on a link jackpot arrangement where the combined machine/link percentage return to player is at least 87%.		

<b>GAME NAME</b>	Inca Relics	
<b>SPECIFICATION NO.</b>	18.A0573	
<b>APPLICATION REFERENCE NUMBER</b>	18-A0973/S01	
<b>MANUFACTURER</b>	IGT (Australia) Pty Ltd	
<b>GAME TYPE</b>	Spinning Reels	
<b>BASE CREDIT VALUE</b>	1c, 2c, 5c	
<b>MAXIMUM BET VALUE</b>	\$5.00	
<b>PERCENTAGE RETURN TO PLAYER (PRTP)</b>	<b>Variation Number</b>	<b>Min/Max PRTP</b>
	99	87.91
	02	90.91
	03	91.99
	05	88.45
	07	89.85