

# Gaming Machine Approval 2014 (No 32)

Notifiable instrument NI2014–407

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

---

## 1 Name of instrument

This instrument is the *Gaming Machine Approval 2014 (No 32)*.

## 2 Commencement

This instrument commences on the day after its notification.

## 3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

## 4 Revocation

This instrument revokes:

- 2011-192
- 2011-214
- 2011-215
- 2011-228
- 2011-246
- 2011-279
- 2011-280
- 2011-281
- 2011-348
- 2011-361

James Mullan  
Delegate  
ACT Gambling and Racing Commission

25 August 2014

New Topper Kit		
<b>Device Name</b>	Phantom Topper Kit WS (Optional)	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Category</b>	GM (Gaming Machine)	
<b>Category Type</b>	Hardware Component	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>		
<b>Hardware Details</b>		
Topper Kit:	ATA P/N: 582938 Issue A02	
• Phantom Panel Assembly	ATA P/N: 593147 Issue A02	
• Loom Power RS232 F-F 725mm	ATA P/N: 590480 Issue B	
• Phantom Topper Assembly	ATA P/N: 593140	
o Lighting PCBA Base	ATA P/N: 494726 Issue B	
o Lighting PCBA Eye	ATA P/N: 494724 Issue B	
<b>Firmware Details</b>		
<b>Description</b>	<b>Program ID</b>	<b>HMAC-SHA1</b>
Lighting PCBA Base Firmware	590487A	33b49086 7b5a572e 9d3cd139 4257072a 60431e42
<b>Platform / Cabinet Details</b>	Gen7 Viridian Widescreen – Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)	
<b>Application Reference No.</b>	01-A1224/S01	

New Poker Machine Game			
<b>Game Name</b>	The Phantom		
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd		
<b>Specification Number</b>	1.F0072		
<b>Gaming Machine Type</b>	Conventional		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18		
<b>Maximum Bet Value</b>	\$6.00		
<b>Base Credit Value</b>	1c, 2c		
<b>Variation Details</b>	<b>Var</b>	<b>Min Total PRTP</b>	<b>Max Total PRTP</b>
	05	85.09%	90.15%
	06	87.60%	92.65%
<b>Platform/Cabinet Details</b>	Gen7 Viridian Widescreen – Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)		
<b>Operational Conditions</b>			
1. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.			
<b>Application Reference No.</b>	01-A1225/S01		

Additional Platform For Previously Approved System Software And Oval Topper Art			
<b>Device Details 1</b>			
<b>System/Device Name</b>		Oval Topper Artwork	
<b>Manufacturer</b>		Konami Australia Pty Ltd	
<b>Category</b>		GM (Gaming Machine)	
<b>GM Type</b>		Other (Generic Artwork)	
<b>Submission Standards</b>		NS 9.0 + NSW Appendix (dated 23/03/07)	
<b>Technical Standards</b>			
<b>Platform/Cabinet Details</b>		K2V – High Top, Casino Top, Low Boy, Casino Top with LCD K2V 500 – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – High Top, Casino Top, Low Boy K2V 500 Upgrade – Casino Top, Low Boy <b>KGP 2.0 UVS - Podium</b>	
<b>Device Details 2</b>			
<b>System/Device Name</b>		System Software	
<b>Category</b>		SF (Supporting Function)	
<b>SF Type</b>		Other (System Software)	
<b>Technical Standards</b>		NS 9.0 + NSW Appendix (dated 23/03/07)	
<b>Submission Standards</b>		NS 9.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Firmware</b>	<b>EPROM Label ID</b>	<b>POSITION</b>	<b>HMAC-SHA1</b>
System EPROM	NSW10335.ROM1	MMB (ROM1) / MPU	1e4b8235 9a3846de 38a7bd44 5119a3a5 96df387b
System EPROM	NSW10335.ROM2	MMB (ROM2) / MPU	a0254a32 2e2bb6dc f67ee3d8 7c107706 c7f64f1a
<b>Platform/Cabinet Details</b>		K2V – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – Casino Top, Low Boy K2V 500 – Casino Top, Low Boy, Casino Top with LCD K2V 500 Upgrade – Casino Top, Low Boy <b>KGP 2.0 UVS - Podium</b>	
<b>Application Reference No.</b>		39-A0834/S01, 39-A0833/S01	

Updated System Software			
<b>System/Device Name</b>		System Software	
<b>Manufacturer</b>		Konami Australia Pty Ltd	
<b>Category</b>		SF (Supporting Function)	
<b>SF Type</b>		Other (System Software)	
<b>Technical Standards</b>		NS 9.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
<b>Software Details</b>			
<b>Firmware</b>	<b>EPROM Label ID</b>	<b>POSITION</b>	<b>HMAC-SHA1</b>
System EPROM	NSW56240.ROM1	MMB (ROM1) / MPU	1adcf0f1 d625d0b3 e5a5bab4 d38d67e7 e4633898
System EPROM	NSW56240.ROM2	MMB (ROM2) / MPU	376a9576 fcd94efa 38d6a88c d04a7fa5 72240478
<b>Platform/Cabinet Details</b>		K2V – Casino Top with LCD K2V 500 – Casino Top with LCD KGP 2.0 UVS - Podium	
<b>Application Reference No.</b>		39-A0792/S01	

Updated System Software			
<b>System/Device Name</b>		System Software	
<b>Manufacturer</b>		Konami Australia Pty Ltd	
<b>Category</b>		SF (Supporting Function)	
<b>SF Type</b>		Other (System Software)	
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
<b>Software Details</b>			
<b>Firmware</b>	<b>EPROM Label ID</b>	<b>POSITION</b>	<b>HMAC-SHA1</b>
System EPROM	NSW50240.ROM1	MMB (ROM1) / MPU	9889f3d0 2aa232d5 30224820 96477b46 506d5bad
System EPROM	NSW50240.ROM2	MMB (ROM2) / MPU	e19cf845 da4227eb 15de1eb2 e7c7963f 77bf53b7
<b>Platform/Cabinet Details</b>		K2V – Casino Top with LCD K2V 500 – Casino Top with LCD KGP 2.0 UVS - Podium	
Previously approved games recommended for operation with this System version			
<b>Game Name</b>	<b>Spec Number</b>	<b>Program ID</b>	<b>Platform/Cabinet Details</b>
Danger Inc.	39.A0256	DAI5NA40	K2V – Casino Top with LCD K2V 500 – Casino Top with LCD
<b>Specific Approval Conditions</b>			
1. Please note that player selectable multi-denomination functionality is not a subject of this approval.			
<b>Application Reference No.</b>		39-A0809/S01	

Updated System Software			
<b>System/Device Name</b>		System Software	
<b>Manufacturer</b>		Konami Australia Pty Ltd	
<b>Category</b>		SF (Supporting Function)	
<b>SF Type</b>		Other (System Software)	
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
<b>Software Details</b>			
<b>Firmware</b>	<b>EPROM Label ID</b>	<b>POSITION</b>	<b>HMAC-SHA1</b>
System EPROM	NSW51240.ROM1	MMB (ROM1) / MPU	6d1b1c9d 4dee2425 0a78515c 775c4084 4a54434a
System EPROM	NSW51240.ROM2	MMB (ROM2) / MPU	778a130e 403da377 c6d3d5e2 9f5613ef 03ae1f1f
<b>Platform/Cabinet Details</b>		K2V – Casino Top with LCD K2V 500 – Casino Top with LCD	
Previously approved games recommended for operation with this System version			
<b>Game Name</b>	<b>Spec Number</b>	<b>Program ID</b>	
Danger Inc. Sport of Kings 2	39.A0273	DAI5NA40	
<b>Application Reference No.</b>	39-A0814/S01		

New Poker Machine Game				
<b>Game Name</b>		Harlequin Hearts – Emperor Penguin		
<b>Specification Number</b>		1.BF020		
<b>Manufacturer</b>		Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>		iSAP - Ante Bet		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$8.75		
<b>Base Credit Value</b>		1c, 2c, 5c		
<b>Variation Details</b>				
<b>Var</b>	<b>Game PRTP</b>	<b>iSAP RTP</b>	<b>Min Total PRTP</b>	<b>Max Total PRTP</b>
99	85.54% - 88.60%	4.380952%	89.92%	92.98%
01	85.74% - 89.37%		90.12%	93.75%
02	87.19% - 90.40%		91.57%	94.78%
<b>Platform/Cabinet Details</b>		Gen7 Viridian Widescreen – Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)		
<b>Application Reference No.</b>		01-A1219/S01		

New Poker Machine Game				
<b>Game Name</b>		Polynesian Bounty – Emperor Penguin		
<b>Specification Number</b>		1.BF019		
<b>Manufacturer</b>		Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>		iSAP - Ante Bet		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$8.75		
<b>Base Credit Value</b>		1c, 2c, 5c		
<b>Variation Details</b>				
<b>Var</b>	<b>Game PRTP</b>	<b>iSAP RTP</b>	<b>Min Total PRTP</b>	<b>Max Total PRTP</b>
99	85.14% - 88.58%	4.380952%	89.52%	92.96%
01	85.72% - 89.41%		90.10%	93.79%
02	87.24% - 90.44%		91.62%	94.82%
<b>Platform/Cabinet Details</b>		Gen7 Viridian Widescreen – Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)		
<b>Application Reference No.</b>		01-A1218/S01		



New Poker Machine Game			
<b>Game Name</b>	Trails Of Gold		
<b>Specification Number</b>	1.F0074		
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>	Conventional		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18		
<b>Maximum Bet Value</b>	\$4.50		
<b>Base Credit Value</b>	1c, 2c		
<b>Variation Details</b>	<b>Var</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
	99	88.54%	93.63%
	01	87.88%	93.03%
	02	86.87%	92.02%
<b>Platform/Cabinet Details</b>	<p>Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Slant – Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only)</p> <p>Gen7 Upgrade XCite – Low Boy (with / without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p>		
<b>Operational Conditions</b>			
1. Gaming machine variation number 02 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.			
<b>Application Reference No.</b>	01-A1222/S01		

Alternate Hardware Assemblies	
<b>System/Device Name</b>	Door Reflector & Door PCB
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd
<b>Category</b>	GM (Gaming Machine)
<b>GM Type</b>	Hardware Component
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Submission Standards</b>	
<b>Hardware Details</b>	
Alternate Door PCB:	P/N: CEK0A7000; Model: P509021-0202YA
Belly Door Panel Reflector:	P/N: CEK0B0100
<b>Platform/Cabinet Details</b>	GENEX – Midway, Lowboy, G-Deluxe
<b>Application Reference Number</b>	06-A0308/S01

Additional Regression Tested Games With Previously Approved Game Shell Software			
<b>Device Name</b>		AVP BC20 Shell (Shell, OS & BIOS)	
<b>Manufacturer</b>		IGT (Australia) Pty Ltd	
<b>Category</b>		SF (Supporting Function)	
<b>Category Type</b>		Other (System Software)	
<b>Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Technical Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
<b>Software Details</b>			
<b>Firmware</b>	<b>Program ID</b>	<b>POS</b>	<b>HMAC-SHA1</b>
Shell	AP010603	Hard Disk Application Partition	50545596 81026dba 9bff897c 933d14e8 15d086dc
OS XPe	OS000006	Hard Disk OS Partition	84d1cb83 9eecf48c b02670d2 84a637b1 0b0e3b0f
OS Authentication Sector	N/A (filename: auth_sector.bin)	Hard Disk OS Hash Position	376badd7 b580cf78 48a66701 ce296736 3d92d36a
Main BIOS	AD0PRD26	EEPROM U17 Processor Board	0db796e2 1619ed83 041537cf 1b50d149 3e662458
Extension BIOS	BIOSP006	FLASH U15 PCI Card	eddcbaaa de212e9e c7319c22 767d00b1 a05ff035
FPGA Configuration	N/A (filename: SysInterfaceFPGA ver2rev15.pof)	FPGA U1 PCI Card	a) 2ab3832d 6c7ea1a1 16695783 49bf92fe 5582398a b) fd3f6458 708eb408 6ec3d9bf 989300c6 7cd917cb
<b>Platform/Cabinet Details</b>		AVP BC20 – Video Top, Portrait Top AVP ST22 – Video Slant Top	

*Continued*

<b>List of previously approved games recommended for operation with this Shell Version:</b>			
<b>Game Name</b>		<b>Specification Number</b>	<b>Program ID</b>
1	Russian Riches Link	18.H0109	X45800GA, RA
2	Jade Dynasty Link	18.H0110	X45700GA, RA
3	Multistar Dynamic	18.C0025	X44800GA, RA
4	Multistar Jackpots	18.D0015	X44010GA, RA
5	Triple Pot of Gold	18.B0539	X41100GA, RA
6	Spartan	18.B0540	X42600GA, RA
7	Cooee Country	18.B0542	X42700GA, RA
8	Gold Fever 100 Pandas	18.B0543	X41800GA, RA
9	Gold Fever Flower of Mexico	18.B0544	X41900GA, RA
10	Treasures of the East	18.B0546	X41600GA, RA
11	Royal Heart	18.B0549	X43100GA, RA
12	Jade Dynasty	18.B0551	X44700GA, RA
13	Russian Riches	18.B0552	X44600GA, RA
14	Age of Shogun	18.B0553	X44500GA, RA
15	Tiger Dragon	18.B0554	X46200GA, RA
16	Diamond Club	18.B0555	X45100GA, RA
17	Diamond Club VIP	18.B0557	X48400GA, RA
18	EC Cash Climb	18.B0558	X46100GA, RA
19	Aztec Jewels	18.B0559	X47300GA, RA
20	Duelling Progressive Dolphin Dreams	18.B0560	X46700GA, RA
21	Dragon Master	18.B0561	X48300GA, RA
22	Treasure Bounty	18-B0537	X37700GA, RA B37710GA, RA
23	Celtic Riches	18-B0538	X40900GA, RA
<b>Application Reference No.</b>		18-A5108/S01, 18-A5116/S01, 18-A5109/S01	

Updated AVP BC20 Supporting Software			
<b>Device Name</b>		AVP BC20 Shell (Shell, OS & BIOS)	
<b>Manufacturer</b>		IGT (Australia) Pty Ltd	
<b>Category</b>		SF (Supporting Function)	
<b>Category Type</b>		Other (System Software)	
<b>Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Technical Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
<b>Software Details</b>			
<b>Firmware</b>	<b>Program ID</b>	<b>POS</b>	<b>HMAC-SHA1</b>
Shell	AP010701	Hard Disk Application Partition	b113efd7 8ce93e51 ac557199 b116a9d8 fe86608b
OS XPe	OS000006	Hard Disk OS Partition	84d1cb83 9eecf48c b02670d2 84a637b1 0b0e3b0f
OS Authentication Sector	N/A (filename: auth_sector.bin)	Hard Disk OS Hash Partition	376badd7 b580cf78 48a66701 ce296736 3d92d36a
Main BIOS	AD0PRD26	EEPROM U17 Processor Board	0db796e2 1619ed83 041537cf 1b50d149 3e662458
Extension BIOS	BIOSP006	FLASH U15 PCI Card	eddcbaaa de212e9e c7319c22 767d00b1 a05ff035
FPGA Configuration	N/A (filename: SysInterfaceFPGA ver2rev15.pof)	FPGA U1 PCI Card	a) 2ab3832d 6c7ea1a1 16695783 49bf92fe 5582398a b) fd3f6458 708eb408 6ec3d9bf 989300c6 7cd917cb
<b>Platform/Cabinet Details</b>		AVP BC20 – Video Top, Portrait Top AVP ST22 – Video Slant Top	
<b>List of previously approved games recommended for operation with this Shell Version:</b>			
<b>Game Name</b>	<b>Specification Number</b>	<b>Program ID</b>	
100 Pandas	18.A0571	X37800GA, RA	
<b>Application Reference No.</b>	18-A5101/S01		

New Poker Machine Game			
<b>Game Name</b>		King Of Sparta	
<b>Specification Number</b>		18.B0577	
<b>Manufacturer</b>		IGT (Australia) Pty Ltd	
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)	
<b>Game Type</b>		Spinning Reels	
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes	
<b>Maximum Bet Value</b>		\$10.00	
<b>Base Credit Value</b>		20c, 50c, \$1.00	
<b>Variation Details</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max Total P RTP</b>
02	88.17%	3.200163%	91.37%
<b>Platform/Cabinet Details</b>		AVP BC20 – Video Top AVP ST22 – Video Slant Top	
<b>Application Reference No.</b>		18-A5117/S01	

New Poker Machine Game		
<b>Game Name</b>	King Of The Castle 2	
<b>Specification Number</b>	18.A0591	
<b>Manufacturer</b>	IGT (Australia) Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	20c, 50c, \$1.00	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max PRTP</b>
	02	90.98%
	03	92.96%
	04	94.23%
	06	96.52%
<b>Platform/Cabinet Details</b>	AVP BC20 – Video Top AVP ST22 – Video Slant Top	
<b>Application Reference No.</b>	18-A5107/S01	

New Poker Machine Game			
<b>Game Name</b>	Jumpin' Jalapenos Prize Plus		
<b>Specification Number</b>	39.A0313		
<b>Manufacturer</b>	Konami Australia Pty Ltd		
<b>Gaming Machine Type</b>	Conventional – Ante Bet		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18		
<b>Maximum Bet Value</b>	\$9.00		
<b>Base Credit Value</b>	1c, 2c, 5c		
<b>Variation Details</b>	<b>Var</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
	10	85.04%	90.12%
	11	86.86%	91.91%
	12	88.06%	93.19%
<b>Variation Details</b>	13	90.03%	95.04%
	<b>Platform/Cabinet Details</b>		
	K2V – Casino Top, Low Boy K2V Upgrade – Casino Top, Low Boy K2V 500 - Casino Top, Low Boy K2V 500 Upgrade - Casino Top, Low Boy KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box		
	<b>Operational Conditions</b>		
1. Gaming machine variation numbers 10 & 11 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.			
<b>Application Reference No.</b>	39-A0918/S01		



New Poker Machine Game		
<b>Game Name</b>	Lion Festival	
<b>Specification Number</b>	39.A0314	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$5.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Variation Details</b>	<b>Var</b>	<b>Min/Max PRTP</b>
	99	87.20%
	01	90.19%
	02	92.00%
	03	94.09%
	04	96.10%
	05	85.19%
	06	88.53%
08	88.09%	
<b>Platform/Cabinet Details</b>	K2V – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – Casino Top, Low Boy K2V 500 - Casino Top, Low Boy, Casino Top with LCD K2V 500 Upgrade - Casino Top, Low Boy KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box	
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>When this game is installed in the K2V or the K2V500 ‘Casino Top with LCD’ platforms with the ‘Dollar Power’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52.YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.</li> <li>When this game is installed in the KGP 2.0 UVS platform with the ‘Money Dragon’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52.YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.</li> <li>Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> </ol>		
<b>Application Reference No.</b>	39-A0914/S01	

New Poker Machine Game and Updated System Software			
<b>Game Name</b>		Lion Festival Lucky Garden	
<b>Specification Number</b>		39.B0107	
<b>Manufacturer</b>		Konami Australia Pty Ltd	
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)	
<b>Game Type</b>		Spinning Reels	
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Random Levels: 2 Wins transferred to 'Total Wins' meter: Yes	
<b>Maximum Bet Value</b>		\$5.00	
<b>Base Credit Value</b>		1c, 2c	
<b>Variation Details</b>			
<b>Var</b>	<b>Game RTP</b>	<b>Progressive RTP</b>	<b>Min / Max P RTP</b>
11	85.19%	5.150000%	90.34%
12	85.19%	5.200000%	90.39%
13	85.19%	5.250000%	90.44%
14	85.19%	5.400000%	90.59%
15	87.20%	4.400000%	91.60%
16	87.20%	4.450000%	91.65%
17	87.20%	4.500000%	91.70%
18	87.20%	4.600000%	91.80%
<b>Platform/Cabinet Details</b>		KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box	
<b>Device Details</b>			
<b>Device Name</b>		System Software	
<b>Category</b>		SF (Supporting Function)	
<b>SF Type</b>		Other (System Software)	
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
<b>Software Details</b>			
<b>Firmware</b>	<b>Eprom / Flash Label ID</b>	<b>Position</b>	<b>HMAC-SHA1</b>
System EPROM	NSW56346. ROM1	MMB (ROM1) / MPU (Master)	b6faedf9 e7602fde 6d2aa58b b1e7f15c cd541e72
System EPROM	NSW56346. ROM2	MMB (ROM2) / MPU (Master)	b61fa344 57b630d6 7891c476 02a6516e 174c48e0

*Continued...*

<b>Platform/Cabinet Details</b>	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box
<b>Specific Approval Conditions</b>	
	1. Please note that player selectable, multi-denomination functionality, contained in the System Software NSW56346 is not a subject of this approval.
<b>Application Reference No.</b>	39-A0916/S01; 39-A0915/S01

Updated Standard Linked Progressive Poker Machine Game Software				
<b>Game Name</b>		Ultimate 1812		
<b>Specification Number</b>		35.HF009		
<b>Manufacturer</b>		Shuffle Master Australasia Pty Limited		
<b>Gaming Machine Type</b>		SFS - iSAP		
<b>Game Type</b>		Spinning Reels		
<b>LPJS</b>		35-YA001		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 3 Wins transferred to 'Total Wins' meter: Yes		
		Linked: Yes Type: Standard Levels: 1		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		\$1.00		
<b>Variation Details</b>				
<b>Var</b>	<b>Game P RTP</b>	<b>iSAP P RTP</b>	<b>Min/Max Total P RTP</b>	
99	82.88%	6.810401%	89.69%	
03	80.85%	6.810401%	87.66%	
15	83.00%	7.556622%	90.56%	
16	85.02%	7.556622%	92.58%	
<b>Software Details</b>				
Firmware	Program ID	Media	Position	HMAC-SHA1
Game	U18NSW2B	Compact Flash Card	Main Board IDE1	f64777a7 43bbab78 572bf794 9712651a 10c70cc6
Kernel	W4NWX02A	Compact Flash Card	Main Board IDE1	8f9a2b4e 40598983 debc88c4 0e7d98c0 06888e89
BIOS	SBGEN024	Flash ROM	Main Board U16	6bf72b22 495b9fc2 f51e0f1a abe76bda c7449f0f
<b>Platform/Cabinet Details</b>		eStar PC4 – Round Top (with in-machine 17" LCD) PC4 Mojo ST – Slant Top PC4 - Equinox		
<b>Operational Conditions</b>				
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 35-YA001, with the approved jackpot settings.				
<b>Application Reference No.</b>		35-A0715/S01		

Updated Standard Linked Progressive Poker Machine Game Software				
<b>Game Name</b>		Ultimate Amazonia		
<b>Specification Number</b>		35.HF006		
<b>Manufacturer</b>		Shuffle Master Australasia Pty Limited		
<b>Gaming Machine Type</b>		SFS - iSAP		
<b>Game Type</b>		Spinning Reels		
<b>LPJS</b>		35-YA001		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 3 Wins transferred to 'Total Wins' meter: Yes		
		Linked: Yes Type: Standard Levels: 1		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		\$1.00		
<b>Variation Details</b>				
<b>Var</b>	<b>Game P RTP</b>	<b>iSAP P RTP</b>	<b>Min/Max Total P RTP</b>	
99	82.85%	6.810401%	89.66%	
03	80.87%	6.810401%	87.68%	
15	83.12%	7.556622%	90.68%	
16	85.13%	7.556622%	92.69%	
<b>Software Details</b>				
Firmware	Program ID	Media	Position	HMAC-SHA1
Game	UAMNSW2B	Compact Flash Card	Main Board IDE1	d7bd4e20 6acad982 bbf25eab 31024590 1b5fd110
Kernel	W4NWX02A	Compact Flash Card	Main Board IDE1	8f9a2b4e 40598983 debc88c4 0e7d98c0 06888e89
BIOS	SBGEN024	Flash ROM	Main Board U16	6bf72b22 495b9fc2 f51e0f1a abe76bda c7449f0f
<b>Platform/Cabinet Details</b>		eStar PC4 – Round Top (with in-machine 17" LCD) PC4 Mojo ST – Slant Top PC4 - Equinox		
<b>Operational Conditions</b>				
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 35-YA001, with the approved jackpot settings.				
<b>Application Reference No.</b>		35-A0718/S01		

Alternate Belly Panel Artwork				
<b>Game Name</b>		Enchanted World Deluxe (2 iSAP Levels)		
<b>Specification Number</b>		44.BF080		
<b>Manufacturer</b>		Ainsworth Game Technology Limited		
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1		
<b>Variation Details</b>				
<b>Var</b>	<b>BCV</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max PRTP</b>
02	1c, 2c	89.10%	2.875864	91.98%
15	1c, 2c	90.35%	3.152002	93.50%
<b>Platform/Cabinet Details</b>		A560-H – High Boy A560-L – Low Boy (with A560 Topper)		
<b>Software Details</b>				
<b>Firmware</b>	<b>PSD Label ID</b>	<b>POS</b>	<b>HMAC-SHA1</b>	
Game Compact Flash Card	GDNSE11C	CFD2	d27422d2 739fafc8 2504aa48 3a80fd41 0d00d64b	
Base Compact Flash Card	NX1A2C9C	CFD1	1dff3246 d39ef50a 951914cb 01db1999 166a8620	
BIOS Flash ROM	A003E002	Main Board U44	86b1a8ec a6e0fc67 fc0add20 5c0d8a8a a52b4d5a	
<b>Game Artwork Details</b>				
a) High Boy: 401657 Rev A or 470194 Rev B + 401071 Rev A + 470018 Rev A b) Low Boy (with A560 Topper): 401657 Rev A or 470194 Rev B + 470018 Rev A				
<b>Specific Approval Conditions</b>				
1. All promotional material associated with this game intended for release into ACT, must carry a warning on its high volatility.				
<b>Operational Conditions</b>				
1. The A560 Topper must be installed on the A560 Low Boy platform when operating the game 'Enchanted World Deluxe (2 iSAP Levels)'.				
<b>Application Reference No.</b>		44-A0638/S01		

New Poker Machine Game		
<b>Game Name</b>	2Can	
<b>Specification Number</b>	1.F0079	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max P RTP</b>
	99	87.85%
	01	90.04%
	07	88.33%
<b>Platform/Cabinet Details</b>	<p>Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Slant – Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only)</p> <p>Gen7 Upgrade XCite – Lowboy (with /without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)</p>	
<b>Application Reference No.</b>	01-A1214/S01	

Additional Platforms For Previously Approved Poker Machine Game				
<b>Game Name</b>		Chariot Champion		
<b>Specification Number</b>		1.BF018		
<b>Manufacturer</b>		Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1		
<b>Variation Details</b>				
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min Total P RTP</b>	<b>Max Total P RTP</b>
99	80.74% - 80.77%	9.419990%	90.16%	90.19%
01	82.50% - 82.59%	9.401003%	91.90%	91.99%
02	83.57% - 83.60%	11.393896%	94.96%	94.99%
03	83.79% - 83.84%	9.649975%	93.44%	93.49%
<b>Platform/Cabinet Details</b>		Gen7 Viridian – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant – Casino Top (with in-machine LCD; Stand-alone) (Configured with Ticket Printer only) Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option) Gen7 Viridian Widescreen – Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)		
<b>Application Reference No.</b>		01-A1217/S01		



Additional Platforms For Previously Approved Poker Machine Game			
<b>Game Name</b>	Dragon Emperor		
<b>Specification Number</b>	1.F0070		
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>	Conventional		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18		
<b>Variation Details</b>	<b>Var</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
	99	87.69%	87.88%
	01	90.13%	90.24%
	07	88.65%	88.85%
<b>Platform/Cabinet Details</b>	<p>Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Slant – Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only)</p> <p>Gen7 Upgrade XCite – Lowboy (with / without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)</p>		
<b>Application Reference No.</b>	01-A1220/S01		

Additional Platforms For Previously Approved Poker Machine Game			
<b>Game Name</b>	Dragon Emperor (Bonus Link)		
<b>Specification Number</b>	1.HF023		
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>	SFS		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>LPJS</b>	1.YA002		
<b>Variation Details</b>	<b>Var</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
	06	85.55%	85.67%
<b>Platform/Cabinet Details</b>	<p>Gen7 Viridian –Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Slant – Casino Top (with in-machine LCD for Hyperlink) (Configured with Ticket Printer only)</p> <p>Gen7 Upgrade XCite – Lowboy (with / without external LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Upgrade XTreme – Casino Top (with in-machine LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)</p>		
<b>Operational Conditions</b>			
1. The above-mentioned game ‘Dragon Emperor (Bonus Link)’ must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved ‘Bonus Link’ jackpot settings.			
<b>Application Reference No.</b>	01-A1220/S01		

Additional Platforms For Previously Approved Poker Machine Game				
<b>Game Name</b>		Jackpot Catcher		
<b>Specification Number</b>		1.BF017		
<b>Manufacturer</b>		Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1		
<b>Variation Details</b>				
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
99	82.03% - 82.11%	9.870511%	91.90%	91.98%
01		8.167861%	90.20%	90.28%
<b>Platform/Cabinet Details</b>		Gen7 Viridian – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant – Casino Top (with in-machine LCD; Stand-alone) (Configured with Ticket Printer only) Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option) Gen7 Viridian Widescreen – Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)		
<b>Application Reference No.</b>		01-A1215/S01		

Additional Platforms For Previously Approved Poker Machine Game		
<b>Game Name</b>	Stuck On You	
<b>Specification Number</b>	1.F0068	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max P RTP</b>
	99	88.00%
	01	90.14%
	02	91.96%
	07	88.71%
<b>Platform/Cabinet Details</b>	<p>Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Slant – Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only)</p> <p>Gen7 Upgrade XCite – Lowboy (with /without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)</p>	
<b>Application Reference No.</b>	01-A1212/S01	

New Poker Machine Game			
<b>Game Name</b>		Firework Fortune Ship Ahoy	
<b>Specification Number</b>		18.B0576	
<b>Manufacturer</b>		IGT (Australia) Pty Ltd	
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)	
<b>Game Type</b>		Spinning Reels	
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes	
<b>Maximum Bet Value</b>		\$5.00	
<b>Base Credit Value</b>		1c, 2c	
<b>Variation Details</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max Total PRTP</b>
99	88.57%	1.916667%	90.50%
03	88.57%	3.166667%	91.75%
<b>Platform/Cabinet Details</b>		AVP BC20 – Portrait Top	
<b>Application Reference No.</b>		18-A5096/S01	

New Poker Machine Game				
<b>Game Name</b>		Golden Clovers		
<b>Specification Number</b>		18.B0575		
<b>Manufacturer</b>		IGT (Australia) Pty Ltd		
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		1c, 2c, 5c, 10c		
<b>Variation Details</b>				
<b>Var</b>	<b>BCV</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max Total PRTP</b>
02	1c, 2c, 5c, 10c	84.81%	5.612276%	90.43%
03	1c, 2c, 5c		7.180018%	91.99%
07	1c, 2c, 5c		4.827934%	89.64%
<b>Platform/Cabinet Details</b>		AVP BC20 – Video Top AVP ST22 – Video Slant Top		
<b>Application Reference No.</b>		18-A5105/S01		

Additional Artwork		
<b>Device Name</b>	'Wheel Of Gold' Façade Artwork	
<b>Manufacturer</b>	IGT (Australia) Pty Ltd	
<b>Category</b>	GM (Gaming Machine)	
<b>Category Type</b>	Hardware Component	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Hardware Details</b>		
<b>Hardware Component</b>	<b>Part Number</b>	
2 X Bracket Housing 32" Top Box Portrait BC20	A700149896 Rev A	
2 X LED Array 32" Portrait Facia Light Panel	A3200711 Rev A	
<ul style="list-style-type: none"> <li>• Bracket Art 32" T/Box Portrait BC20</li> </ul>	A700149996 Rev B	
<ul style="list-style-type: none"> <li>• LED Strip 12V 3M</li> </ul>	A6001278 Rev A	
2 X Trim 32" Top Box Portrait BC20	A690112794 Rev A	
Edge Lit Panel 32" Top Box Portrait BC20	A7100368 Rev A	
Artwork Front LED BC20 AUST	A7100369 Rev A	
Harness Power Lighting 32" Top Box BC20	A3010589 Rev A	
<b>Artwork Details</b>		
<b>Description</b>	<b>Artwork Part Number</b>	
"Wheel Of Gold"	Façade Left Side	A731381LBF
	Façade Right Side	A731381RBF
<b>Platform / Cabinet Details</b>	AVP BC20 – Portrait 32IN Top Box	
<b>List of previously approved games that use the "Wheel Of Gold" Façade artwork</b>		
<b>Game Name</b>	<b>Specification Number</b>	
Wheel Of Gold Eastern Empress	18.H0105	
Wheel Of Gold Queen Of Atlantis	18.H0107	
Wheel Of Gold Dolphin Dreams	18.H0108	
Wheel Of Gold Wild Girls	18.H0112	
Wheel Of Gold Ancient Troy	18.H0113	
Wheel Of Gold Pamplona	18.H0114	
<b>Application Reference No.</b>	18-A1216/S01	

Updated Game Shell Software			
<b>System/Device Name</b>		Game Shell	
<b>Manufacturer</b>		Ainsworth Game Technology Limited	
<b>Category</b>		SF (Supporting Function)	
<b>SF Type</b>		Other (System Software)	
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
<b>Software Details</b>			
<b>Firmware</b>	<b>PSD Label ID</b>	<b>POS</b>	<b>HMAC-SHA1</b>
Base Compact Flash Card	NX0D1H8H	JCFM (Base)	78a17dd5 53edc55f 688cdca6 e0069982 a134ddf0
BIOS Flash ROM	D686 BIOS – Phoenix (PID: AGTX0003) Ver – R1.00.C2	Main Board U7	f6153500 f918381e cb1e1c6c fb136e89 ba306b21
	D686 BIOS – Phoenix (PID: AGTX0004) Ver – R1.00.C3	Main Board U7	cb38ab3c 911cd3be b2b7ade8 4f4fad11 52a751d3
<b>Platform/Cabinet Details</b>		Ambassador Excell – Bench Top Ambassador SL	
<b>List of previously approved game(s) recommended for use with this version of Base software:</b>			
	<b>Game Name</b>	<b>Specification Number</b>	<b>Program Id</b>
1.	The Queen	44.F0310	GANSQN1C
<b>Application Reference No.</b>		44-A0644/S01	



New Poker Machine Game and Additional Topper Artwork			
<b>Game Name</b>		Dollar King (4 iSAP Levels)	
<b>Specification Number</b>		44.BF087	
<b>Manufacturer</b>		Ainsworth Game Technology Limited	
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)	
<b>Game Type</b>		Spinning Reels	
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 4 Wins transferred to 'Total Wins' meter: Yes	
<b>Maximum Bet Value</b>		\$10.00	
<b>Base Credit Value</b>		20c, 50c, \$1.00	
<b>Variation Details</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max PRTP</b>
99	88.66%	6.045305%	94.71%
06	86.61%		92.65%
<b>Platform/Cabinet Details</b>		A560-H - High Boy A560-L – Low Boy (with A560 Topper)	
<b>Game Artwork Details</b>			
a) High Boy:		470243 Rev A or 470242 Rev A + 470241 Rev A + 470244 Rev A	
b) Low Boy (with A560 Topper)		470243 Rev A or 470242 Rev A + 470244 Rev A	
<b>Operational Conditions</b>			
1. The above-mentioned Standard Linked Progressive Game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA005, with the approved jackpot settings.			
2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games.			
<b>Application Reference No.</b>		44-A0634/S01, S02	

New Poker Machine Game and Additional Topper Artwork		
<b>Game Name</b>	Dollar King (BCV 20c)	
<b>Specification Number</b>	44.HF094	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Gaming Machine Type</b>	SFS (Secondary Functions Supported)	
<b>Game Type</b>	Spinning Reels	
<b>LPJS</b>	44.YA005	
<b>Technical Standards</b> <b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
<b>Progressive Levels Supported</b>	Linked: Yes Type: Standard Levels: 4	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	20c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max Total RTP</b>
	16	86.61%
	19	88.66%
<b>Platform/Cabinet Details</b>	A560-H - High Boy A560-L – Low Boy (with A560 Topper)	
<b>Game Artwork Details</b>		
a) High Boy:	470243 Rev A or 470242 Rev A + 470241 Rev A + 470244 Rev A	
b) Low Boy (with A560 Topper)	470243 Rev A or 470242 Rev A + 470244 Rev A	
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>1. The above-mentioned Standard Linked Progressive Game must operate in conjunction with the Standard Linked Progressive Jackpot System. Specification Number 44.YA005, with the approved jackpot settings.</li> <li>2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games.</li> <li>3. Gaming machine variation number 16 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> </ol>		
<b>Application Reference No.</b>	44-A0634/S01, S02	

New Poker Machine Game and Additional Topper Artwork		
<b>Game Name</b>	Dollar King (BCV 50c)	
<b>Specification Number</b>	44.HF095	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Gaming Machine Type</b>	SFS (Secondary Functions Supported)	
<b>Game Type</b>	Spinning Reels	
<b>LPJS</b>	44.YA005	
<b>Technical Standards</b> <b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
<b>Progressive Levels Supported</b>	Linked: Yes Type: Standard Levels: 4	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	50c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max Total RTP</b>
	16	86.61%
	19	88.66%
<b>Platform/Cabinet Details</b>	A560-H - High Boy A560-L – Low Boy (with A560 Topper)	
<b>Game Artwork Details</b>		
a) High Boy:	470243 Rev A or 470242 Rev A + 470241 Rev A + 470244 Rev A	
b) Low Boy (with A560 Topper)	470243 Rev A or 470242 Rev A + 470244 Rev A	
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>1. The above-mentioned Standard Linked Progressive Game must operate in conjunction with the Standard Linked Progressive Jackpot System. Specification Number 44.YA005, with the approved jackpot settings.</li> <li>2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games.</li> <li>3. Gaming machine variation number 16 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> </ol>		
<b>Application Reference No.</b>	44-A0634/S01, S02	

New Poker Machine Game and Additional Topper Artwork		
<b>Game Name</b>	Dollar King (BCV \$1)	
<b>Specification Number</b>	44.HF096	
<b>Manufacturer</b>	Ainsworth Game Technology Limited	
<b>Gaming Machine Type</b>	SFS (Secondary Functions Supported)	
<b>Game Type</b>	Spinning Reels	
<b>LPJS</b>	44.YA005	
<b>Technical Standards</b> <b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
<b>Progressive Levels Supported</b>	Linked: Yes Type: Standard Levels: 4	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	\$1.00	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max Total RTP</b>
	16	86.61%
	19	88.66%
<b>Platform/Cabinet Details</b>	A560-H - High Boy A560-L – Low Boy (with A560 Topper)	
<b>Game Artwork Details</b>		
a) High Boy:	470243 Rev A or 470242 Rev A + 470241 Rev A + 470244 Rev A	
b) Low Boy (with A560 Topper)	470243 Rev A or 470242 Rev A + 470244 Rev A	
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>1. The above-mentioned Standard Linked Progressive Game must operate in conjunction with the Standard Linked Progressive Jackpot System. Specification Number 44.YA005, with the approved jackpot settings.</li> <li>2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned games.</li> <li>3. Gaming machine variation number 16 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> </ol>		
<b>Application Reference No.</b>	44-A0634/S01, S02	

New Poker Machine Game				
<b>Game Name</b>		Double Dragons (2 iSAP Levels)		
<b>Specification Number</b>		44.BF089		
<b>Manufacturer</b>		Ainsworth Game Technology Limited		
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		5c, 10c		
<b>Variation Details</b>				
<b>Var</b>	<b>Game RTP</b>	<b>BCV</b>	<b>iSAP RTP</b>	<b>Min / Max P RTP</b>
51	87.68%	5c	3.920056%	91.60%
52	88.86%	5c	3.760331%	92.62%
53	86.68%	5c	3.289675%	89.97%
55	89.61%	5c	3.868944%	93.48%
61	87.68%	10c	3.383380%	91.07%
62	88.86%	10c	3.261989%	92.12%
63	86.68%	10c	2.910594%	89.60%
65	89.61%	10c	3.370602%	92.98%
<b>Platform/Cabinet Details</b>		A560-H - High Boy A560-L – Low Boy (with A560 Topper)		
<b>Operational Conditions</b>				
1. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.				
<b>Application Reference No.</b>		44-A0639/S01		

New Poker Machine Game			
<b>Game Name</b>		Enchanted World Deluxe (2 iSAP Levels)	
<b>Specification Number</b>		44.BF084	
<b>Manufacturer</b>		Ainsworth Game Technology Limited	
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)	
<b>Game Type</b>		Spinning Reels	
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes	
<b>Maximum Bet Value</b>		\$10.00	
<b>Base Credit Value</b>		1c, 2c	
<b>Variation Details</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max PRTP</b>
02	89.10%	2.875864	91.98%
15	90.35%	3.152002	93.50%
<b>Platform/Cabinet Details</b>		Ambassador Excell – Bench Top Ambassador SL	
<b>Specific Approval Conditions</b>			
1. All promotional material associated with this game intended for release into NSW, must carry a warning on its high volatility.			
<b>Application Reference No.</b>		44-A0617/S01	

New Standard Linked Progressive Poker Machine Game			
<b>Game Name</b>		Vegas Fiesta (BCV 1c)	
<b>Specification Number</b>		44.HF091	
<b>Manufacturer</b>		Ainsworth Game Technology Limited	
<b>Gaming Machine Type</b>		SFS - iSAP (Secondary Functions Supported)	
<b>Game Type</b>		Spinning Reels	
<b>LPJS</b>		44.YA004; 44.YA005	
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1	
<b>Maximum Bet Value</b>		\$3.75	
<b>Base Credit Value</b>		1c	
<b>Variation Details</b>			
<b>Var</b>	<b>Game PRTP</b>	<b>iSAP PRTP</b>	<b>Min / Max Total PRTP</b>
02	88.21%	3.174534%	91.38%
<b>Platform/Cabinet Details</b>		Ambassador Excell – Bench Top Ambassador SL	
<b>Operational Conditions</b>			
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA004 or 44.YA005, with the approved jackpot settings.			
<b>Application Reference No.</b>		44-A0622/S01	

New Standard Linked Progressive Poker Machine Game			
<b>Game Name</b>		Vegas Fiesta (BCV 2c)	
<b>Specification Number</b>		44.HF092	
<b>Manufacturer</b>		Ainsworth Game Technology Limited	
<b>Gaming Machine Type</b>		SFS - iSAP (Secondary Functions Supported)	
<b>Game Type</b>		Spinning Reels	
<b>LPJS</b>		44.YA004; 44.YA005	
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1	
<b>Maximum Bet Value</b>		\$7.50	
<b>Base Credit Value</b>		2c	
<b>Variation Details</b>			
<b>Var</b>	<b>Game PRTP</b>	<b>iSAP PRTP</b>	<b>Min / Max Total RTP</b>
02	88.21%	3.174534%	91.38%
<b>Platform/Cabinet Details</b>		Ambassador Excell – Bench Top Ambassador SL	
<b>Operational Conditions</b>			
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA004 or 44.YA005, with the approved jackpot settings.			
<b>Application Reference No.</b>		44-A0622/S01	



New Standard Linked Progressive Poker Machine Game			
<b>Game Name</b>		Vegas Fiesta (BCV 5c)	
<b>Specification Number</b>		44.HF093	
<b>Manufacturer</b>		Ainsworth Game Technology Limited	
<b>Gaming Machine Type</b>		SFS - iSAP (Secondary Functions Supported)	
<b>Game Type</b>		Spinning Reels	
<b>LPJS</b>		44.YA004; 44.YA005	
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes Linked: Yes Type: Standard Levels: 1	
<b>Maximum Bet Value</b>		\$10.00	
<b>Base Credit Value</b>		5c	
<b>Variation Details</b>			
<b>Var</b>	<b>Game PRTP</b>	<b>iSAP PRTP</b>	<b>Min / Max Total RTP</b>
02	88.21%	3.174534%	91.38%
<b>Platform/Cabinet Details</b>		Ambassador Excell – Bench Top Ambassador SL	
<b>Operational Conditions</b>			
1. The above-mentioned game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 44.YA004 or 44.YA005, with the approved jackpot settings.			
<b>Application Reference No.</b>		44-A0622/S01	

New Poker Machine Game					
<b>Game Name</b>		Year Of The Rabbit (2 iSAP Levels)			
<b>Specification Number</b>		44.BF088			
<b>Manufacturer</b>		Ainsworth Game Technology Limited			
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)			
<b>Game Type</b>		Spinning Reels			
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2			
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes			
<b>Maximum Bet Value</b>		\$10.00			
<b>Base Credit Value</b>		1c, 2c, 5c			
<b>Variation Details</b>					
<b>Var</b>	<b>Game RTP</b>	<b>BCV</b>	<b>iSAP RTP</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
51	88.07%-88.13%	1c, 2c, 5c	3.242919%	91.31%	91.37%
52	88.68%-88.74%	1c, 2c, 5c	3.273729%	91.95%	92.01%
53	87.14%-87.20%	1c, 2c, 5c	3.216512%	90.36%	90.42%
61	87.14%-87.20%	5c	4.193603%	91.33%	91.39%
62	87.76%-87.82%	5c	4.096774%	91.86%	91.92%
<b>Platform/Cabinet Details</b>		A560-H - High Boy A560-L – Low Boy (with A560 Topper)			
<b>Application Reference No.</b>		44-A0631/S01			

New Poker Machine Game		
<b>Game Name</b>	Bunny's Rabbits	
<b>Specification Number</b>	1.F0075	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	5c, 10c, 20c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max PRTP</b>
	99	90.19%
	01	87.74%
	02	91.89%
	03	94.86%
	04	93.53%
<b>Platform/Cabinet Details</b>	Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)	
<b>Application Reference No.</b>	01-A1231/S01	

Updated Poker Machine Game Software				
<b>Game Name</b>		Chariot Champion		
<b>Specification Number</b>		1.BF018		
<b>Manufacturer</b>		Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$5.00		
<b>Base Credit Value</b>		50c		
<b>Variation Details</b>				
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min Total PRTP</b>	<b>Max Total PRTP</b>
99	80.74% - 80.77%	9.419990%	90.16%	90.19%
01	82.50% - 82.59%	9.401003%	91.90%	91.99%
02	83.57% - 83.60%	11.393896%	94.96%	94.99%
03	83.79% - 83.84%	9.649975%	93.44%	93.49%
<b>Platform/Cabinet Details</b>		Gen7 Viridian – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant – Casino Top (with in-machine LCD; Stand-alone) (Configured with Ticket Printer only) Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option) Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)		
<b>Application Reference No.</b>		01-A1237/S01		

New Poker Machine Game				
<b>Game Name</b>		Gold Bullion – Silver & Gold Jackpots		
<b>Specification Number</b>		1.BF021		
<b>Manufacturer</b>		Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>		iSAP		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2		
<b>Progressive Levels Supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		10c, 20c		
<b>Variation Details</b>				
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
99	75.62%	15.040021%	90.66%	90.75%
01	74.23%	14.649545%	88.88%	89.02%
02	76.74%	15.250188%	91.99%	92.15%
<b>Platform/Cabinet Details</b>		Gen7 Viridian – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option) Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)		
<b>Application Reference No.</b>		01-A1235/S01		

Poker Machine Game Software Bugfix		
<b>Game Name</b>	Hidden Reef	
<b>Specification Number</b>	1.A0823	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max PRTP</b>
	99	87.73%
	01	90.12%
	07	88.53%
<b>Platform/Cabinet Details</b>	<p>Mk 6 (XTra) – Low Boy, Casino Top (Configured with either Ticket Printer and/or Hopper option)</p> <p>Mk 6 (XCeed) – Low Boy, Casino Top, Slant Top (Configured with either Ticket Printer or Hopper option)</p> <p>Mk 6 (SER1RX) – Casino Top (Configured with either Ticket Printer or Hopper option)</p> <p>Mk 6 (XCite) – Low Boy, Casino Top (Configured with either Ticket Printer and/or Hopper option)</p> <p>Mk 6 (XTreme) – Casino Top (with in-machine LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Slant Mk 6 – Round Top (Configured with Ticket Printer only)</p>	
<b>Application Reference No.</b>	01-A1249/S01	

Updated Gen7 Base Software			
<b>System/Device Name</b>		Gen7 BASE Software (System Software, Linux OS, BIOS)	
<b>Manufacturer</b>		Aristocrat Technologies Australia Pty Ltd	
<b>Category</b>		SF (Supporting Function)	
<b>SF Type</b>		Other (System Software)	
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
<b>Software Details 1</b>			
<b>Firmware</b>	<b>Flash/Eeprom Program ID</b>	<b>POS</b>	<b>HMAC-SHA1</b>
System Software	27012070	CF Partition 2	3447c55c 645fc37c d1ad29e0 c8cd9493 89e890ba
Linux OS	3042	CF Partition 1	a9d70894 353755a9 bc4d34e8 5aade3c3 f1f4d178
Boot Loader	0401	CF First Cylinder	46c0286a 8fb23a6b 4449c0bc 56abb20f c526f55c
MBR	0401	CF First Cylinder	9d10fdde 515226b0 1663c78b 61117f24 4b1aa7c2
BIOS Flash	590176 1.00.0 Bios_1.00.0signed.bin	U1 (Carrier Board)	61b4fdfd e741f742 2e70b1fa 82de139c 4ab07a08
Bios Flash	590176_01 1.00.7 Bios_1.00.7signed.bin	U1 (Carrier Board)	c5fa974c f5088824 285bb069 70181832 0d2f0889
FPGA Configuration EEPROM	590175 1.0000 M71_EP2C20@01_0000.bin	U2 (Carrier Board)	5ece36ba 9ad6ac2d 8a3379f3 50554a65 b203eaba
FPGA Configuration EEPROM	590175_01 1.0002 M71_EP2C20@01_0002.bin	U2 (Carrier Board)	954ad201 62b159c9 208187b9 6d55f36f bd25dd56
<b>Platform/Cabinet Details</b>		Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant – Round Top, Casino Top (with in-machine LCD) (Configured with Ticket Printer only) Gen7 Upgrade XCite – Low Boy (Configured with either Ticket Printer and/or Hopper option) Gen7 Upgrade XTreme – Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)	

Continued...

<b>Software Details 2</b>			
<b>Firmware</b>	<b>Flash/Eeprom Program ID</b>	<b>POS</b>	<b>HMAC-SHA1</b>
System Software	27012070	CF Partition 2	3447c55c 645fc37c d1ad29e0 c8cd9493 89e890ba
Linux OS	3042	CF Partition 1	a9d70894 353755a9 bc4d34e8 5aadefc3 f1f4d178
Boot Loader	0401	CF First Cylinder	46c0286a 8fb23a6b 4449c0bc 56abb20f c526f55c
MBR	0401	CF First Cylinder	9d10fdde 515226b0 1663c78b 61117f24 4b1aa7c2
BIOS Flash	590422 2.02.0 Bios_2.02.0signed.bin	U1 (Carrier Board)	f48a92a6 b75f6926 cb6821d3 0b5ee380 dd50b0a1
FPGA Configuration EEPROM	590324 2.0 590324_v2-0.bin	U2 (Carrier Board)	aa5685cc 32e51bc9 62eed47a 62feeffa 575bbdd3
<b>Platform/Cabinet Details</b>		Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)	
<b>List of previously approved game(s) recommended for use with this version of System Software:</b>			
<b>Game Name</b>	<b>Program ID</b>	<b>Specification Number</b>	
The Phantom	10261295	1.F0072	
<b>Application Reference No.</b>		01-A1244/S01	



New Poker Machine Game			
<b>Game Name</b>	More Hearts		
<b>Specification Number</b>	1.F0076		
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>	Conventional – Ante Bet		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18		
<b>Maximum Bet Value</b>	\$6.00		
<b>Base Credit Value</b>	1c		
<b>Variation Details</b>	<b>Var</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
	99	86.96%	91.99%
	01	87.89%	92.97%
	02	85.96%	90.95%
<b>Platform/Cabinet Details</b>	Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)		
<b>Operational Conditions</b>			
1. Gaming machine variation numbers 99 & 02 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.			
<b>Application Reference No.</b>	01-A1234/S01		

New Poker Machine Game		
<b>Game Name</b>	The Buck Stops Here	
<b>Specification Number</b>	1.A0824	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>	NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$5.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max PRTP</b>
	99	87.87%
	01	90.09%
	07	88.70%
	09	87.09%
<b>Platform/Cabinet Details</b>	<p>Mk 6 (XTra) – Low Boy, Casino Top (Configured with either Ticket Printer and/or Hopper option)</p> <p>Mk 6 (XCeed) – Low Boy, Casino Top, Slant Top (Configured with either Ticket Printer or Hopper option)</p> <p>Mk 6 (SER1RX) – Casino Top (Configured with either Ticket Printer or Hopper option)</p> <p>Mk 6 (XCite) – Low Boy, Casino Top (Configured with either Ticket Printer and/or Hopper option)</p> <p>Mk 6 (XTreme) – Casino Top (with in-machine LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Slant Mk 6 – Round Top (Configured with Ticket Printer only)</p>	
<b>Application Reference No.</b>	01-A1230/S01	

Alternate Topper Artwork			
<b>Game Name</b>		The Bullet And The Badge	
<b>Specification Number</b>		1.F0067	
<b>Manufacturer</b>		Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>		Conventional	
<b>Game Type</b>		Spinning Reels	
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Software Details</b>			
<b>Firmware</b>	<b>Flash/Eeprom Program ID</b>	<b>POS</b>	<b>HMAC-SHA1</b>
Game	10161002	CF Partition 3	56d7907f 9f2571bb 8827761f 1be9d454 b5fd8182
System Software	21902030	CF Partition 2	756fcd7c 05762d0a 6dbdc2c3 aeb19662 233e13ed
Linux OS	2053	CF Partition 1	a1d9df05 0a55862b b261a8b4 fbe8588c 970784bf
Boot Loader	0304	CF First Cylinder	0112c7e5 f873b20f 2c97b8a9 26755ad0 9ebfb3ec
MBR	0304	CF First Cylinder	9ef915d9 16e4ccf8 15a8ec67 0f632054 bc7230aa
<b>Platform/Cabinet Details</b>		<p>Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Slant – Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only)</p> <p>Gen7 Upgrade XCite – Low Boy (with/without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p>	
<b>Application Reference No.</b>		01-A1240/S01	

Updated Hardware Assembly	
<b>System/Device Name</b>	Mechanical Meters Board Assembly
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd
<b>Category</b>	GM (Gaming Machine)
<b>GM Type</b>	Hardware Component
<b>Technical Standards Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Mechanical Meters Board Assembly</b>	Mk7i Mechanical Meters Board: ATA P/N 494097 Issue C Rev 1
<b>Platform/Cabinet Details</b>	Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option) Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)
<b>Application Reference No.</b>	01-A1236/S01

Poker Machine Game Software Bugfix			
<b>Game Name</b>	Howling Moon		
<b>Specification Number</b>	6.F0029		
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd		
<b>Gaming Machine Type</b>	Conventional		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18		
<b>Maximum Bet Value</b>	\$6.00		
<b>Base Credit Value</b>	1c, 2c		
<b>Variation Details</b>	<b>Var</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
	01	91.91%	91.96%
	02	93.98%	94.01%
	03	95.99%	96.03%
	04	97.95%	98.00%
<b>Platform/Cabinet Details</b>	G-ENEX – Midway, Low Boy		
<b>Application Reference No.</b>	06-A0317/S01		

<b>Game Name</b>	More Chilli	
<b>Specification Number</b>	1.F0052	
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional – ante Bet / 1	
<b>Game Type</b>	Spinning reels	
<b>Maximum Bet Value</b>	\$6.00	
<b>Base Credit Value</b>	1c	
<b>Percentage Return to Player (PRTP)</b>	Variation Number	Min/Max PRTP
	99	86.96-91.99
	01	87.89-92.97
	02	85.96-90.95
<b>Platform/Cabinet</b>		
Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper)		
Gen7 Slant – Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only)		
<b>Operational Conditions</b>		
1. Gaming machine variation numbers 99 & 02 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
<b>Application Reference No.</b>	01-A1144/S013	

<b>Game Name</b>	China Shores	
<b>Specification Number</b>	39.A0286	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional / 1	
<b>Game Type</b>	Spinning reels	
<b>Maximum Bet Value</b>	\$5.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	99	87.20
	01	90.19
	02	92.00
	03	94.09
	04	96.10
	05	85.19
	06	88.53
08	88.09	
<b>Platform/Cabinet</b>		
K2V – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – Casino Top, Low Boy K2V 500 – Casino Top, Low Boy, Casino Top with LCD K2V 500 Upgrade – Casino Top, Low Boy KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box		
<b>Specific Approval Conditions</b>		
Please note that player selectable multi-denomination functionality contained in the System software NSW50240 is not a subject of this approval		
<b>Operational Conditions</b>		
1. When the game “China Shores” is installed in the K2V or the K2V 500 ‘Casino Top with LCD’ platforms with ‘Dollar Power’ LPJS LCD Display software installed in the top box, or in the KGP 2.0 UVS platform, with the ‘Money Dragon’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configures as a 2 level mystery jackpot.		
2. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
<b>Application Reference No.</b>	39-A0831/S01	

<b>Game Name</b>	China Shores Lucky Garden		
<b>Specification Number</b>	39.B0071		
<b>Manufacturer</b>	Konami Australia Pty Ltd		
<b>Gaming Machine Type</b>	iSAP / 1		
<b>Game Type</b>	Spinning reels		
<b>Progressive levels supported</b>	iSAP - Yes Type - Random Levels – 2 Wins transferred to 'Total Wins' meter – Yes		
<b>Maximum Bet Value</b>	\$5.00		
<b>Base Credit Value</b>	1c, 2c		
<b>Percentage Return to Player (P RTP)</b>			
<b>Var</b>	<b>Min/Max Game P RTP</b>	<b>Progressive RTP</b>	<b>Min/Max Total P RTP</b>
11	85.19	5.150000	90.34
12	85.19	5.200000	90.39
13	85.19	5.250000	90.44
14	85.19	5.400000	90.59
15	87.20	4.400000	91.60
16	87.20	4.450000	91.65
17	87.20	4.500000	91.70
18	87.20	4.600000	91.80
<b>Platform/Cabinet</b>			
KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box			
<b>Specific Approval Conditions</b>			
Please note that player selectable multi-denomination functionality contained in the System Software NSW56340 is not a subject of the approval.			
<b>Application Reference No.</b>	39-A0832/S01		

<b>Game Name</b>	Club Moulin	
<b>Specification Number</b>	39.A0287	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional / 1	
<b>Game Type</b>	Spinning reels	
<b>Maximum Bet Value</b>	\$5.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	99	87.19
	01	90.19
	02	91.96
	03	94.09
	04	96.07
	05	85.19
	06	88.44
08	88.04	
<b>Platform/Cabinet</b>		
K2V – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – Casino Top, Low Boy K2V 500 – Casino top, Low Boy, Casino Top with LCD K2V 500 Upgrade – Casino Top, Low Boy KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box		
<b>Specific Approval Conditions</b>		
Please note that player selectable multi-denomination functionality contained in the System software NSW50240 is not a subject of this approval		
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>1. When the game “Club Moulin” is installed in the K2V or the K2V 500 ‘Casino Top with LCD’ platforms with ‘Dollar Power’ LPJS LCD Display software installed in the top box, or in the KGP 2.0 UVS platform, with the ‘Money Dragon’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configures as a 2 level mystery jackpot.</li> <li>2. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> </ol>		
<b>Application Reference No.</b>	39-A0808/S01	



<b>Game Name</b>	Club Moulin Lucky Garden		
<b>Specification Number</b>	39.B0073		
<b>Manufacturer</b>	Konami Australia Pty Ltd		
<b>Gaming Machine Type</b>	iSAP / 1		
<b>Game Type</b>	Spinning reels		
<b>Progressive levels supported</b>	iSAP - Yes Type - Random Levels – 2 Wins transferred to 'Total Wins' meter – Yes		
<b>Maximum Bet Value</b>	\$5.00		
<b>Base Credit Value</b>	1c, 2c, 5c		
<b>Percentage Return to Player (P RTP)</b>			
<b>Var</b>	<b>Min/Max Game P RTP</b>	<b>Progressive RTP</b>	<b>Min/Max Total P RTP</b>
11	85.19	5.150000	90.34
12	85.19	5.200000	90.39
13	85.19	5.250000	90.44
14	85.19	5.400000	90.59
15	87.19	4.400000	91.59
16	87.19	4.450000	91.64
17	87.19	4.500000	91.69
18	87.19	4.600000	91.79
<b>Platform/Cabinet</b>			
KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box			
<b>Specific Approval Conditions</b>			
Please note that player selectable multi-denomination functionality contained in the System Software NSW56340 is not a subject of the approval.			
<b>Application Reference No.</b>	39-A0819/S01		

<b>Game Name</b>	Club Moulin Sport of Kings 2	
<b>Specification Number</b>	39.A0288	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional / 1	
<b>Game Type</b>	Spinning reels	
<b>Progressive levels supported</b>	Linked - Yes Type - Random Levels – 4	
<b>Maximum Bet Value</b>	\$5.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	05	85.19
	09	82.18
<b>Platform/Cabinet</b>	K2V – Casino Top with LCD K2V 500 – Casino Top with LCD	
<b>Specific Approval Conditions</b>	Please note that player selectable multi-denomination functionality contained in the System software NSW51240 is not a subject of this approval	
<b>Operational Conditions</b>	<ol style="list-style-type: none"> <li>1. The above-mentioned game must operate in conjunction with the “Sport of Kings 2” Random Linked Progressive Jackpot System, Specification Number 39-YC002, Jackpot Controller software version ‘XSK0207’ or later.</li> <li>2. This game is to be operated on the ‘K2V Casino Top with LCD’ and the ‘K2V 500 Casino Top with LCD’ platforms only.</li> <li>3. Both gaming machine variations are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> </ol>	
<b>Application Reference No.</b>	39-A0818/S01	

<b>Game Name</b>	Dragon's Return	
<b>Specification Number</b>	39.A0270	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional / 1	
<b>Game Type</b>	Spinning reels	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	20c, 50c, \$1.00	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	99	87.18
	01	90.19
	02	91.93
	03	94.08
	04	96.06
	05	85.20
	06	88.59
08	88.05	
<b>Platform/Cabinet</b>		
K2V – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – Casino Top, Low Boy K2V 500 – Casino top, Low Boy, Casino Top with LCD K2V 500 Upgrade – Casino Top, Low Boy KGP 2.0 UVS Podium		
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>1. When this game is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configures as a 2 level mystery jackpot.</li> <li>2. When this game is installed in the KGP 2.0 UVS platform, with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configures as a 2 level mystery jackpot.</li> <li>3. This game is to be installed with touch screen functionality enabled.</li> <li>4. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> </ol>		
<b>Application Reference No.</b>	39-A0823/S01	

<b>Game Name</b>	Dragon's Return (Multi Denom)	
<b>Specification Number</b>	39.G0000	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional / 1	
<b>Game Type</b>	Spinning reels	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	50c, \$1.00	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	99	87.18
	01	90.19
	02	91.93
	03	94.08
	04	96.06
	05	85.20
	06	88.59
08	88.05	
<b>Platform/Cabinet</b>		
K2V – Casino Top, Low Boy, Casino Top with LCD		
K2V Upgrade – Casino Top, Low Boy		
K2V 500 – Casino top, Low Boy, Casino Top with LCD		
K2V 500 Upgrade – Casino Top, Low Boy		
KGP 2.0 UVS Podium		
<b>Operational Conditions</b>		
1. When this game is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configures as a 2 level mystery jackpot.		
2. When this game is installed in the KGP 2.0 UVS platform, with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configures as a 2 level mystery jackpot.		
3. This game is to be installed with touch screen functionality enabled.		
4. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
<b>Application Reference No.</b>	39-A0823/S01	

<b>Game Name</b>	Eastern Charm	
<b>Specification Number</b>	39.A0285	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional / 1	
<b>Game Type</b>	Spinning reels	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	99	87.17
	01	90.01
	02	91.80
	03	94.09
	04	96.05
	05	85.16
	06	88.53
08	88.03	
<b>Platform/Cabinet</b>		
K2V – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – Casino Top, Low Boy K2V 500 – Casino top, Low Boy, Casino Top with LCD K2V 500 Upgrade – Casino Top, Low Boy KGP 2.0 UVS Podium		
<b>Specific Approval Conditions</b>		
Please note that player selectable multi-denomination functionality contained in the System software NSW50240 is not a subject of this approval.		
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>1. When the game “Eastern Charm” is installed in the K2V or the K2V 500 ‘Casino Top with LCD’ platforms with ‘Dollar Power’ LPJS LCD Display software installed in the top box, or in the KGP 2.0 UVS platform, with the ‘Money Dragon’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.</li> <li>2. This game is to be installed without touch functionality.</li> <li>3. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> </ol>		
<b>Application Reference No.</b>	39-A0826/S01	

<b>Game Name</b>	Eastern Charm Lucky Garden		
<b>Specification Number</b>	39.B0072		
<b>Manufacturer</b>	Konami Australia Pty Ltd		
<b>Gaming Machine Type</b>	iSAP / 1		
<b>Game Type</b>	Spinning reels		
<b>Progressive levels supported</b>	iSAP - Yes Type - Random Levels – 2 Wins transferred to 'Total Wins' meter – Yes		
<b>Maximum Bet Value</b>	\$10.00		
<b>Base Credit Value</b>	1c, 2c, 5c		
<b>Percentage Return to Player (P RTP)</b>			
<b>Var</b>	<b>Min/Max Game P RTP</b>	<b>Progressive RTP</b>	<b>Min/Max Total P RTP</b>
11	85.16	5.150000	90.31
12	85.16	5.200000	90.36
13	85.16	5.250000	90.41
14	85.16	5.400000	90.56
15	87.17	4.400000	91.57
16	87.17	4.450000	91.62
17	87.17	4.500000	91.67
18	87.17	4.600000	91.77
<b>Platform/Cabinet</b>			
KGP 2.0 UVS Podium			
<b>Specific Approval Conditions</b>			
Please note that player selectable multi-denomination functionality contained in the System Software NSW56340 is not a subject of the approval.			
<b>Application Reference No.</b>	39-A0827/S01		

<b>Game Name</b>	Eye Of Eternity Plus			
<b>Specification Number</b>	39.B0074			
<b>Manufacturer</b>	Konami Australia Pty Ltd			
<b>Gaming Machine Type</b>	iSAP / 1			
<b>Game Type</b>	Spinning Reels			
<b>Progressive levels supported</b>	iSAP - Yes Type - Random Levels – 2 Wins transferred to 'Total Wins' meter – Yes			
<b>Maximum Bet Value</b>	\$5.00			
<b>Base Credit Value (BCV)</b>	1c, 2c			
<b>Percentage Return to Player (P RTP)</b>				
<b>Variation</b>	<b>Game RTP</b>	<b>Fixed Prize RTP</b>	<b>Progressive P RTP</b>	<b>Min/Max Total P RTP</b>
01	85.20	0.883117	5.907853	91.99
<b>Device Details 1</b>				
<b>Device Name</b>	LCD Display Software (Egyptian 3)			
<b>Category</b>	Supporting Function			
<b>Gaming Machine Type</b>	Other (Top Box LCD Driver Software)			
<b>Technical Standards</b>	NS 9.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2			
<b>Device Details 2</b>				
<b>Device Name</b>	System Software			
<b>Category</b>	Supporting Function			
<b>Gaming Machine Type</b>	Other (System Software)			
<b>Technical Standards</b>	NS 9.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1			
<b>Platform/Cabinet Details</b> K2V – Casino Top with LCD K2V 500 – Casino Top with LCD KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box				
<b>Application Reference No.</b>	39-A0774/S01/S02; 39-A0798/S01, /S02			

<b>Game Name</b>	Norse Warrior	
<b>Specification Number</b>	39.A0283	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional / 1	
<b>Game Type</b>	Spinning reels	
<b>Maximum Bet Value</b>	\$5.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	99	87.19
	01	90.20
	02	91.99
	03	94.01
	04	96.08
	05	85.13
	06	88.54
08	88.08	
<b>Platform/Cabinet</b>		
K2V – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – Casino Top, Low Boy K2V 500 – Casino top, Low Boy, Casino Top with LCD K2V 500 Upgrade – Casino Top, Low Boy KGP 2.0 UVS Podium		
<b>Specific Approval Conditions</b>		
Please note that player selectable multi-denomination functionality contained in the System software NSW50240 is not a subject of this approval.		
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>1. When the game “Norse Warrior” is installed in the K2V or the K2V 500 ‘Casino Top with LCD’ platforms with ‘Dollar Power’ LPJS LCD Display software installed in the top box, or in the KGP 2.0 UVS platform, with the ‘Money Dragon’ LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKA0, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.</li> <li>2. This game is to be installed without touch screen functionality.</li> <li>3. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> </ol>		
<b>Application Reference No.</b>	39-A0807/S01	



<b>Game Name</b>	Norse Warrior Lucky Garden		
<b>Specification Number</b>	39.B0069		
<b>Manufacturer</b>	Konami Australia Pty Ltd		
<b>Gaming Machine Type</b>	iSAP / 1		
<b>Game Type</b>	Spinning Reels		
<b>Progressive levels supported</b>	iSAP - Yes Type - Random Levels – 2 Wins transferred to 'Total Wins' meter – Yes		
<b>Maximum Bet Value</b>	\$5.00		
<b>Base Credit Value (BCV)</b>	1c, 2c, 5c		
<b>Percentage Return to Player (P RTP)</b>			
<b>Variation</b>	<b>Game RTP</b>	<b>Progressive RTP</b>	<b>Min/Max P RTP</b>
11	85.13	5.150000	90.28
12	85.13	5.200000	90.33
13	85.13	5.250000	90.38
14	85.13	5.400000	90.53
15	87.19	4.400000	91.59
16	87.19	4.450000	91.64
17	87.19	4.500000	91.69
18	87.19	4.600000	91.79
<b>Platform/Cabinet Details</b> KGP 2.0 UVS - Podium			
<b>Specific Approval Conditions</b> Please note that player selectable multi-denomination functionality contained in the System Software NSW56340 is not a subject of this approval			
<b>Operational Conditions</b> 1. This game is to be installed without touch-screen functionality			
<b>Application Reference No.</b>	39-A0817/S01		

<b>Game Name</b>	Norse Warrior Sport of Kings 2	
<b>Specification Number</b>	39.A0284	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional / 1	
<b>Game Type</b>	Spinning reels	
<b>Progressive Levels Supported</b>	Linked – Yes Type – Random Levels - 4	
<b>Maximum Bet Value</b>	\$5.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	05	85.13
	09	82.19
<b>Platform/Cabinet</b>	K2V – Casino Top with LCD K2V 500 – Casino Top with LCD	
<b>Specific Approval Conditions</b>	Please note that player selectable multi-denomination functionality contained in the System software NSW51240 is not a subject of this approval.	
<b>Operational Conditions</b>	<ol style="list-style-type: none"> <li>1. The above-mentioned game must operate in conjunction with the “Sport of Kings 2” Random Linked Progressive Jackpot System, Specification Number 39-YC002, Jackpot Controller software version ‘XSK0207’ or later.</li> <li>2. This game is to be operated on the ‘K2V Casino Top with LCD’ and the ‘K2V 500 Casino Top with LCD’ platforms only.</li> <li>3. Both gaming machine variations are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> </ol>	
<b>Application Reference No.</b>	39-A0816/S01	

<b>Game Name</b>	Rapa Nui Riches Lucky Garden		
<b>Specification Number</b>	39.B0070		
<b>Manufacturer</b>	Konami Australia Pty Ltd		
<b>Gaming Machine Type</b>	iSAP / 1		
<b>Game Type</b>	Spinning Reels		
<b>Progressive levels supported</b>	iSAP - Yes Type - Random Levels – 2 Wins transferred to 'Total Wins' meter – Yes		
<b>Maximum Bet Value</b>	\$5.00		
<b>Base Credit Value (BCV)</b>	1c, 2c, 5c		
<b>Percentage Return to Player (P RTP)</b>			
<b>Variation</b>	<b>Game RTP</b>	<b>Progressive RTP</b>	<b>Min/Max P RTP</b>
11	85.13	5.150000	90.28
12	85.13	5.200000	90.33
13	85.13	5.250000	90.38
14	85.13	5.400000	90.53
15	87.19	4.400000	91.59
16	87.19	4.450000	91.64
17	87.19	4.500000	91.69
18	87.19	4.600000	91.79
<b>Platform/Cabinet Details</b> KGP 2.0 UVS - Podium			
<b>Specific Approval Conditions</b> Please note that player selectable multi-denomination functionality contained in the System Software NSW56340 is not a subject of this approval			
<b>Operational Conditions</b> 1. This game is to be installed without touch-screen functionality			
<b>Application Reference No.</b>	39-A0794/S01		

New Gaming Machine			
<b>Game Name</b>		Paws of Fortune	
<b>Specification Number</b>		1.BF016	
<b>Manufacturer</b>		Aristocrat Technologies Australia Pty Ltd	
<b>Gaming Machine Type</b>		iSAP	
<b>Game Type</b>		Spinning Reels	
<b>Submission Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Technical Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Progressive levels supported</b>		iSAP - Yes Type - Standard Levels - 3 Wins transferred to 'Total Wins' meter - Yes	
<b>Maximum Bet Value</b>		\$5.00	
<b>Base Credit Value</b>		1c, 2c	
<b>Percentage Return to Player (PRTP)</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max PRTP</b>
99	72.57-76.58	12.616309	85.19-89.20
01	72.57-76.58	15.116206	87.69-91.70
02	72.57-76.58	16.616197	89.19-93.20
<b>Platform/Cabinet</b>			
Gen7 Viridian - Casino Top (with in-machine LCD; Stand-alone) (Configured with either ticket printer and/or hopper option).			
Gen7 Slant - Casino Top (with in-machine LCD; Stand-alone) (Configured with ticket printer only).			
Gen7 Upgrade XTreme - Casino Top (with in-machine LCD; Stand-alone) (Configured with either ticket printer and/or hopper option).			
<b>Operational Conditions</b>			
1. Gaming machine variation number 99 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.			
<b>Application Reference No.</b>		01-A1210/S01, /S02	

New Gaming Machine			
<b>Game Name</b>		Duelling Progressives Imperial Lion	
<b>Specification Number</b>		18.B0568	
<b>Manufacturer</b>		IGT (Australia) Pty Ltd	
<b>Gaming Machine Type</b>		iSAP	
<b>Game Type</b>		Spinning Reels	
<b>Submission Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Technical Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Progressive levels supported</b>		iSAP - Yes Type - Standard Levels - 4 Wins transferred to 'Total Wins' meter - Yes	
<b>Maximum Bet Value</b>		\$2.50	
<b>Base Credit Value</b>		1c, 2c	
<b>Percentage Return to Player (PRTP)</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>
01	81.81	9.130500	90.94
02	82.81	9.130500	91.94
<b>Platform/Cabinet</b>		AVP BC20 – Video Top AVP ST22 – Video Slant Top	
<b>Application Reference No.</b>		18-A5065/S01	

New Gaming Machine			
<b>Game Name</b>		Gold Fever Red Lions	
<b>Specification Number</b>		18.B0567	
<b>Manufacturer</b>		IGT (Australia) Pty Ltd	
<b>Gaming Machine Type</b>		iSAP	
<b>Game Type</b>		Spinning Reels	
<b>Submission Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Technical Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Progressive levels supported</b>		iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' meter - Yes	
<b>Maximum Bet Value</b>		\$5.00	
<b>Base Credit Value</b>		5c	
<b>Percentage Return to Player (PRTP)</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min/Max Total PRTP</b>
02	85.35	5.642780	90.99
03	85.35	6.648177	92.00
07	85.35	4.161425	89.51
<b>Platform/Cabinet</b>		AVP BC20 – Video Top AVP ST22 – Video Slant Top	
<b>Application Reference No.</b>		18-A5078/S01	

New Gaming Machine				
<b>Game Name</b>		Multistar Wishes and Dreams		
<b>Specification Number</b>		18.C0027		
<b>Manufacturer</b>		IGT (Australia) Pty Ltd		
<b>Gaming Machine Type</b>		MGGM		
<b>Game Type</b>		Spinning Reels		
<b>Submission Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18		
<b>Technical Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		1c, 2c		
<b>Component Game Set Details</b>		<b>Game Number</b>		<b>Game Name</b>
		01		Genie of the Lamp 2
		02		Flower of Mexico
		03		Dolphin Dreams
<b>Percentage Return to Player (PRTP)</b>				
<b>MGC</b>	<b>CRP</b>	<b>Game Number</b>	<b>Var</b>	<b>SDB PRTP</b>
01	89.44	01	03	87.97
		02	02	90.90
		03	02	90.91
02	89.91	01	03	87.97
		02	03	91.85
		03	03	91.86
03	88.29	01	03	87.97
		02	05	88.47
		03	05	88.61
04	88.88	01	03	87.97
		02	07	89.80
		03	07	89.59
05	87.83	01	03	87.97
		02	05	88.47
		03	99	87.20
<b>Platform/Cabinet</b>		AVP BC20 – Video Top		
<b>Operational Conditions</b>				
1. The above-mentioned MGGM game must operate in conjunction with the 'Dynamic Button Panel Kit' installed on the AVP BC20 platform.				
<b>Application Reference No.</b>		18-A5095/S01		

New Gaming Machine		
<b>Game Name</b>	Full Moon Diamond	
<b>Specification Number</b>	39.A0309	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	99	87.04
	01	90.19
	02	91.93
	03	93.98
	04	95.96
	05	85.12
	06	88.57
08	88.01	
<b>Platform/Cabinet</b>		
K2V – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – Casino Top, Low Boy K2V 500 – Casino Top, Low Boy, Casino Top with LCD K2V 500 Upgrade – Casino Top, Low Boy KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box		
<b>Specific Approval Conditions</b>		
Please note that player selectable multi-denomination functionality contained in the system software NSW50246 is not a subject of this approval.		



*Continued...*

**Operational Conditions**

1. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
2. When this game is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKAO, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.
3. When this game is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKAO, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.

**Application Reference No.**

39-A0898/S01

New Gaming Machine			
<b>Game Name</b>		Full Moon Diamond Lucky Garden	
<b>Specification Number</b>		39.B0102	
<b>Manufacturer</b>		Konami Australia Pty Ltd	
<b>Gaming Machine Type</b>		iSAP	
<b>Game Type</b>		Spinning Reels	
<b>Submission Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Technical Standards</b>		NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Progressive levels supported</b>		iSAP - Yes Type - Random Levels - 2 Wins transferred to 'Total Wins' meter - Yes	
<b>Maximum Bet Value</b>		\$10.00	
<b>Base Credit Value</b>		1c, 2 c	
<b>Percentage Return to Player (PRTP)</b>			
<b>Var</b>	<b>Game RTP</b>	<b>Progressive RTP</b>	<b>Min/Max Total PRTP</b>
11	85.12	5.150000	90.27
12	85.12	5.200000	90.32
13	85.12	5.250000	90.37
14	85.12	5.400000	90.52
15	87.04	4.400000	91.44
16	87.04	4.450000	91.49
17	87.04	4.500000	91.54
18	87.04	4.600000	91.64
<b>Platform/Cabinet</b>		KGP 2.0 UVS Podium - Upper LCD, Tombstone LCD Box	
<b>Specific Approval Conditions</b>			
Please note that player selectable multi-denomination functionality contained in the system software NSW56246 is not a subject of this approval.			
<b>Application Reference No.</b>		39-A0899/S01	

New Gaming Machine		
<b>Game Name</b>	Panda Power	
<b>Specification Number</b>	39.A0308	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Percentage Return to Player (P RTP)</b>	Variation Number	Min/Max P RTP
	99	87.15
	01	90.19
	02	91.95
	03	94.05
	04	96.07
	05	85.07
	06	88.56
08	88.07	
<b>Platform/Cabinet</b>		
K2V – Casino Top, Low Boy, Casino Top with LCD K2V Upgrade – Casino Top, Low Boy K2V 500 – Casino Top, Low Boy, Casino Top with LCD K2V 500 Upgrade – Casino Top, Low Boy KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box		
<b>Specific Approval Conditions</b>		
Please note that player selectable multi-denomination functionality contained in the system software NSW50246 is not a subject of this approval.		

*Continued...*

**Operational Conditions**

1. Gaming machine variation number 05 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.
2. When this game is installed in the K2V or the K2V 500 'Casino Top with LCD' platforms with the 'Dollar Power' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKAO, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.
3. When this game is installed in the KGP 2.0 UVS platform with the 'Money Dragon' LPJS LCD Display software installed in the top box, it must be used in conjunction with the Paltronics Random Link Progressive Jackpot System, Specification Number 52-YCKAO, firmware version 1.05 and the Paltronics Interface (SEI) firmware version 1.02, configured as a 2 level mystery jackpot.

**Application Reference No.**

39-A0896/S01, /S02

<b>Game Name</b>	Double Incan Riches Mystical Temple	
<b>Specification Number</b>	39.H0047	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Gaming Machine Type</b>	SFS	
<b>Game Type</b>	Spinning Reels	
<b>LPJS</b>	39.YA002 (Mystical Temple)	
<b>Submission Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Technical Standards</b>	NS10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1	
<b>Progressive levels supported</b>	Linked - Yes Type - Standard Levels - 3	
<b>Maximum Bet Value</b>	\$5.00	
<b>Base Credit Value</b>	1c	
<b>Percentage Return to Player (P RTP)</b>		
<b>Var</b>	<b>LPJS Setting ID</b>	<b>Min/Max P RTP</b>
11	00000001	76.20
12	00000002	75.54
13	00000003	76.87
14	00000004	76.41
15	00000005	75.91
16	00000006	75.86
17	00000007	75.41
18	00000008	75.56
<b>Platform/Cabinet</b>	KGP 2.0 UVS Podium - Upper LCD, Tombstone LCD Box	
<b>Specific Approval Conditions</b>		
Please note that player selectable multi-denomination functionality contained in the system software NSW70210 is not a subject of this approval.		
<b>Operational Conditions</b>		
<ol style="list-style-type: none"> <li>1. The game must be used in conjunction with the Standard Linked Progressive Jackpot System, Specification Number: 39.YA002 with the approved jackpot settings.</li> <li>2. The game must be configured with touch-screen functionality.</li> </ol>		
<b>Application Reference No.</b>	39-A0903/S01	

<b>Game Name</b>	Gold and Ruins Mystical Temple			
<b>Specification Number</b>	39.H0043			
<b>Manufacturer</b>	Konami Australia Pty Ltd			
<b>Gaming Machine Type</b>	SFS / 1			
<b>Game Type</b>	Spinning Reels			
<b>LPJS</b>	39.YA002 (Mystical Temple)			
<b>Progressive levels supported</b>	Linked - Yes Type - Standard Levels – 3			
<b>Maximum Bet Value</b>	\$10.00			
<b>Base Credit Value (BCV)</b>	1c			
<b>Percentage Return to Player (PRTP)</b>				
<b>Variation</b>	<b>LPJS Setting ID</b>	<b>Base Game PRTP</b>	<b>LPJS PRTP</b>	<b>Total Combination PRTP</b>
11	00000001	76.24	13.956917	90.20
12	00000002	75.58	14.612869	90.19
13	00000003	76.91	13.285582	90.20
14	00000004	76.45	13.745543	90.20
15	00000005	75.94	14.249502	90.19
16	00000006	75.89	16.299530	92.19
17	00000007	75.45	16.746239	92.20
18	00000008	75.59	16.599335	92.19
<b>Device Details</b>				
<b>Device Name</b>	System Software			
<b>Category</b>	Supporting Function			
<b>Gaming Machine Type</b>	Other (System Software)			
<b>Submission Standards</b>	NS 9.0 + NSW Appendix (dated 23/03/07)			
<b>Technical Standards</b>	NS 9.0 + NSW Appendix (dated 23/03/07) NSW CPTS 2.2 TITO Technical Standard V4.18			
<b>Platform/Cabinet Details</b>				
KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box				
<b>Specific Approval Conditions</b>				
Please note that player selectable multi-denomination functionality contained in the system software NSW70210 is not a subject of this approval.				
<b>Operational Conditions</b>				
1. The game must be used in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 39.YA002 with the approved jackpot settings				
2. The game must be configured with touch-screen functionality				
<b>Application Reference No.</b>	39-A0795/S01; 39-A0812/S01			

<b>Game Name</b>	Incan Spirit Mystical Temple			
<b>Specification Number</b>	39.H0046			
<b>Manufacturer</b>	Konami Australia Pty Ltd			
<b>Gaming Machine Type</b>	SFS / 1			
<b>Game Type</b>	Spinning Reels			
<b>LPJS</b>	39.YA002 (Mystical Temple)			
<b>Progressive levels supported</b>	Linked - Yes Type - Standard Levels – 3			
<b>Maximum Bet Value</b>	\$5.00			
<b>Base Credit Value (BCV)</b>	1c			
<b>Percentage Return to Player (PRTP)</b>				
<b>Variation</b>	<b>LPJS Setting ID</b>	<b>Base Game PRTP</b>	<b>LPJS PRTP</b>	<b>Total Combination PRTP</b>
11	00000001	76.16	13.956917	90.12
12	00000002	75.51	14.612869	90.12
13	00000003	76.83	13.285582	90.12
14	00000004	76.37	13.745543	90.12
15	00000005	75.87	14.249502	92.12
16	00000006	75.82	16.299530	92.12
17	00000007	75.37	16.746239	92.12
18	00000008	75.52	16.599335	92.12
<b>Device Details</b>				
<b>Platform/Cabinet Details</b>				
KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box				
<b>Specific Approval Conditions</b>				
Please note that player selectable multi-denomination functionality contained in the system software NSW70210 is not a subject of this approval.				
<b>Operational Conditions</b>				
<ol style="list-style-type: none"> <li>1. The game must be used in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 39.YA002 with the approved jackpot settings</li> <li>2. The game must be configured with touch-screen functionality</li> </ol>				
<b>Application Reference No.</b>	39-A0815/S01			

<b>Game Name</b>	Jungle Jewel Mystical Temple			
<b>Specification Number</b>	39.H0045			
<b>Manufacturer</b>	Konami Australia Pty Ltd			
<b>Gaming Machine Type</b>	SFS / 1			
<b>Game Type</b>	Spinning Reels			
<b>LPJS</b>	39.YA002 (Mystical Temple)			
<b>Progressive levels supported</b>	Linked - Yes Type - Standard Levels – 3			
<b>Maximum Bet Value</b>	\$10.00			
<b>Base Credit Value (BCV)</b>	1c			
<b>Percentage Return to Player (PRTP)</b>				
<b>Variation</b>	<b>LPJS Setting ID</b>	<b>Base Game PRTP</b>	<b>LPJS PRTP</b>	<b>Total Combination PRTP</b>
11	00000001	76.20	13.956917	90.16
12	00000002	75.55	14.612869	90.16
13	00000003	76.88	13.285582	90.16
14	00000004	76.42	13.745543	90.16
15	00000005	75.91	14.249502	90.16
16	00000006	75.86	16.299530	92.16
17	00000007	75.42	16.746239	92.16
18	00000008	75.56	16.599335	92.16
<b>Platform/Cabinet Details</b>				
KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box				
<b>Specific Approval Conditions</b>				
Please note that player selectable multi-denomination functionality contained in the system software NSW70210 is not a subject of this approval.				
<b>Operational Conditions</b>				
1. The game must be used in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 39.YA002 with the approved jackpot settings				
2. The game must be configured with touch-screen functionality				
<b>Application Reference No.</b>	39-A0797/S01			



<b>Game Name</b>	Relic Hunting Mystical Temple			
<b>Specification Number</b>	39.H0044			
<b>Manufacturer</b>	Konami Australia Pty Ltd			
<b>Gaming Machine Type</b>	SFS / 1			
<b>Game Type</b>	Spinning Reels			
<b>LPJS</b>	39.YA002 (Mystical Temple)			
<b>Progressive levels supported</b>	Linked - Yes Type - Standard Levels – 3			
<b>Maximum Bet Value</b>	\$6.00			
<b>Base Credit Value (BCV)</b>	1c			
<b>Percentage Return to Player (PRTP)</b>				
<b>Variation</b>	<b>LPJS Setting ID</b>	<b>Base Game PRTP</b>	<b>LPJS PRTP</b>	<b>Total Combination PRTP</b>
11	00000001	76.22	13.956917	90.18
12	00000002	75.56	14.612869	90.17
13	00000003	76.89	13.285582	90.18
14	00000004	76.43	13.745543	90.18
15	00000005	75.92	14.249502	90.17
16	00000006	75.87	16.299530	92.17
17	00000007	75.43	16.746239	92.18
18	00000008	75.57	16.599335	92.17
<b>Platform/Cabinet Details</b>				
KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box				
<b>Specific Approval Conditions</b>				
Please note that player selectable multi-denomination functionality contained in the system software NSW70210 is not a subject of this approval.				
<b>Operational Conditions</b>				
1. The game must be used in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 39.YA002 with the approved jackpot settings				
2. The game must be configured with touch-screen functionality				
<b>Application Reference No.</b>	39-A0796/S01			

Bugfix System Software And Regression Tested Games			
<b>System/Device Name</b>		System Software	
<b>Manufacturer</b>		Konami Australia Pty Ltd	
<b>Category</b>		SF (Supporting Function)	
<b>SF Type</b>		Other (System Software)	
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.1	
<b>Software Details</b>			
<b>Firmware</b>	<b>Eprom / Flash ID</b>	<b>Position</b>	<b>HMAC-SHA1</b>
System Eprom	NSW70310.ROM1	MMB (ROM1) / MPU	6b444f06 cf320216 72b9d1e9 05a9196c f671d276
System Eprom	NSW70310.ROM2	MMB (ROM2) / MPU	7c4f150b ed83bb12 b0139c17 4173c077 a8e33d95
<b>Platform/Cabinet Details</b>		KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box	
<b>List of previously approved games recommended for operation with this System version:</b>			
<b>Game Name</b>	<b>Specification Number</b>	<b>Program Id</b>	
Gold and Ruins Mystical Temple	39.H0043	GAR7NC10	
Relic Hunting Mystical Temple	39.H0044	REL7NB10	
Jungle Jewel Mystical Temple	39.H0045	JUN7NC10	
Incan Spirit Mystical Temple	39.H0046	INS7NA10	
Double Incan Riches Mystical Temple	39.H0047	DOI7NB10	
<b>Specific Approval Conditions</b>			
1. Please note that the player selectable multi-denomination functionality contained in the system software NSW 70310 is not a subject of this approval.			
<b>Application Reference No.</b>		39-A0924/S01	

New Poker Machine Game		
<b>Game Name</b>	Fortune Wealth	
<b>Specification Number</b>	6.F0033	
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max P RTP</b>
	01	85.26%
	02	88.06%
	03	89.07%
	04	90.02%
	05	91.99%
	06	94.08%
	07	97.95%
<b>Platform/Cabinet</b>	G-ENEX – Midway, Low Boy	
<b>Operational Conditions</b>		
1. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
<b>Application Reference No.</b>	06-A0319/S01, /S02	

New Poker Machine Game		
<b>Game Name</b>	Master Of Delight III	
<b>Specification Number</b>	6.F0034	
<b>Manufacturer</b>	Aruze Gaming Australia Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max P RTP</b>
	01	87.89%
	02	88.83%
	03	89.89%
	04	90.86%
	05	91.88%
	06	92.86%
07	95.88%	
<b>Platform/Cabinet</b>	G-ENEX – Midway, Low Boy	
<b>Application Reference No.</b>	06-A0321/S01, /S02	

New Poker Machine Game				
<b>Game Name</b>		Gold Fever Navaho Legend		
<b>Specification Number</b>		18.B0587		
<b>Manufacturer</b>		IGT (Australia) Pty Ltd		
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2		
<b>Progressive levels supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$5.00		
<b>Base Credit Value</b>		1c, 2c, 5c		
<b>Variation Details</b>				
<b>Var</b>	<b>BCV</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max Total PRTP</b>
99	5c	87.96%	3.316102%	91.28%
01	1c, 2c	87.96%	3.298331%	91.26%
<b>Platform/Cabinet</b>		AVP BC20 – Video Top AVP ST22 – Video Slant Top		
<b>Application Reference No.</b>		18-A5121/S01		

New Poker Machine Game			
<b>Game Name</b>		King Of Atlantis	
<b>Specification Number</b>		18.B0586	
<b>Manufacturer</b>		IGT (Australia) Pty Ltd	
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)	
<b>Game Type</b>		Spinning Reels	
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.2	
<b>Progressive levels supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes	
<b>Maximum Bet Value</b>		\$5.00	
<b>Base Credit Value</b>		1c, 2c, 5c	
<b>Variation Details</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max Total PRTP</b>
02	84.64%	6.319647%	90.96%
03	84.64%	7.257065%	91.90%
07	84.64%	4.744810%	89.39%
<b>Platform/Cabinet</b>		AVP BC20 – Video Top AVP ST22 – Video Slant Top	
<b>Application Reference No.</b>		18-A5131/S01	

New Poker Machine Game			
<b>Game Name</b>		Pacific Pearl	
<b>Specification Number</b>		18.B0585	
<b>Manufacturer</b>		IGT (Australia) Pty Ltd	
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)	
<b>Game Type</b>		Spinning Reels	
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.2	
<b>Progressive levels supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes	
<b>Maximum Bet Value</b>		\$10.00	
<b>Base Credit Value</b>		1c, 2c, 5c	
<b>Variation Details</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max Total PRTP</b>
02	88.22%	3.194745%	91.41%
<b>Platform/Cabinet</b>		AVP BC20 – Video Top AVP ST22 – Video Slant Top	
<b>Application Reference No.</b>		18-A5125/S01	

Alternate Hardware Assembly	
<b>System/Device Name</b>	LCD Monitor
<b>Manufacturer</b>	Konami Australia Pty Ltd
<b>Category</b>	GM (Gaming Machine)
<b>SF Type</b>	Hardware Component
<b>Technical Standards</b> <b>Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)
<b>Hardware Details</b> • Alternate 22" LCD Monitor:	Konami P/N: 530289
<b>Platform/Cabinet Details</b>	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box
<b>Application Reference No.</b>	39-A0928/S01



New poker Machine Game and Updated Kernel Standard				
<b>Game Name</b>		Chomp!		
<b>Specification Number</b>		35.F0188		
<b>Manufacturer</b>		Shuffle Master Australasia Pty Limited		
<b>Gaming Machine Type</b>		Conventional		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		1c, 2c, 5c, 10c, 20c		
<b>Variation Details</b>		<b>Var</b>	<b>Min / Max P RTP</b>	
		99	90.22%	
		01	85.18%	
		02	87.11%	
		03	88.21%	
		05	89.19%	
		07	86.19%	
		15	91.53%	
16	93.62%			
<b>Platform/Cabinet</b>		eStar PC4 – Round Top, Low Top eStar PC4 – Round Top (with in-machine 17" LCD) PC4 Mojo ST – Slant Top PC4 – Equinox, Equinox Low Boy		
<b>Device Details</b>				
<b>System/Device Name</b>		Kernel / BIOS		
<b>Manufacturer</b>		Shuffle Master Australasia Pty Limited		
<b>Category</b>		SF (Supporting Function)		
<b>SF Type</b>		Other (System Software)		
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2		
<b>Software Details</b>				
<b>Firmware</b>	<b>Program ID</b>	<b>Media</b>	<b>POSITION</b>	<b>HMAC-SHA1</b>
Kernel	W4NWX02B	Compact Flash Card	Main Board IDE1	8167939f b39174e5 9103fb45 8d3e72f6 478a5819
BIOS	SBGEN024	Flash ROM	Main Board U16	6bf72b22 495b9fc2 f51e0f1a abe76bda c7449f0f

Continued...

<b>Platform/Cabinet</b>	Vegas Star PC4 Classic ATS Vegas Star PC4 Mojo / Mojo ST Vegas Star PC4 Equinox eStar PC4 – Low Top, Round Top, Round Top (with in-machine 17" LCD Display) PC4 Mojo ST – Slant Top PC4 – Equinox, Equinox Low Boy
<b>Operational Conditions</b> <ol style="list-style-type: none"> <li>1. During gaming machine configuration, the option 'Printing of G-Line Message' must always be set to 'Disable' as the new 'Problem Gambling Notice' is pre-printed on the tickets.</li> <li>2. Gaming machine variation numbers 01 &amp; 07 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.</li> </ol>	
<b>Application Reference No.</b>	35-A0731/S01

New Poker Machine Game					
<b>Game Name</b>		Fortune Fountain Deluxe (2 iSAP Levels)			
<b>Specification Number</b>		44.BF090			
<b>Manufacturer</b>		Ainsworth Game Technology Limited			
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)			
<b>Game Type</b>		Spinning Reels			
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.2			
<b>Progressive levels supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes			
<b>Maximum Bet Value</b>		\$10.00			
<b>Base Credit Value</b>		1c, 2c			
<b>Variation Details</b>					
<b>Var</b>	<b>Min Game PRTP</b>	<b>Max Game PRTP</b>	<b>iSAP RTP</b>	<b>Min Total PRTP</b>	<b>Max Total PRTP</b>
01	86.57%	86.65%	3.592733	90.16%	90.24%
02	88.67%	88.76%	3.225864	91.89%	91.98%
15	89.91%	90.00%	3.502002	93.41%	93.50%
<b>Platform/Cabinet</b>		A560-H – High Boy A560-L – Low Boy (with A560 Topper)			
<b>Operational Conditions</b>					
1. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game..					
<b>Application Reference No.</b>		44-A0636/S01			

New Poker Machine Game Including Updated Player Tracking Panel Artwork			
<b>Game Name</b>		Pink Galah Triple Shot (3 iSAP Levels)	
<b>Specification Number</b>		44.BF092	
<b>Manufacturer</b>		Ainsworth Game Technology Limited	
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)	
<b>Game Type</b>		Spinning Reels	
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.2	
<b>Progressive levels supported</b>		iSAP: Yes Type: Standard Levels: 3 Wins transferred to 'Total Wins' meter: Yes	
<b>Maximum Bet Value</b>		\$10.00	
<b>Base Credit Value</b>		1c, 2c, 5c	
<b>Variation Details</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max P RTP</b>
01	86.48%	4.548869%	91.03%
02	87.85%	4.710097%	92.56%
11	87.17%	4.581941%	91.75%
21	86.48%	5.299200%	91.78%
22	87.85%	5.460429%	93.31%
<b>Platform/Cabinet</b>		A560-H – High Boy A560-L – Low Boy (with A560 Topper)	
<b>Game Artwork Details</b>			
a) High Boy:		470232 Rev A or 470233 Rev A + 470020 Rev A + 401345 Rev A	
b) Low Boy (with A560 Topper):		470232 Rev A or 470233 Rev A + 401345 Rev A	
<b>Operational Conditions</b>			
1. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.			
<b>Application Reference No.</b>		44-A0637/S01	

Updated Poker Machine Game Software				
<b>Game Name</b>		Year Of The Tiger (2 iSAP Levels)		
<b>Specification Number</b>		44.BF052		
<b>Manufacturer</b>		Ainsworth Game Technology Limited		
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.2		
<b>Progressive levels supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		1c, 2c, 5c, 10c		
<b>Variation Details</b>				
<b>Var</b>	<b>BCV</b>	<b>Game PRTP</b>	<b>Progressive PRTP</b>	<b>Min / Max PRTP</b>
51	1c, 2c, 5c, 10c	88.08%	3.528684%	91.61%
52	1c, 2c, 5c, 10c	88.79%	3.621111%	92.41%
53	1c, 2c, 5c, 10c	86.91%	3.614509%	90.52%
61	5c	86.91%	4.839921%	91.75%
62	5c	88.09%	4.674872%	92.76%
71	10c	86.91%	4.227215%	91.14%
72	10c	88.08%	4.101778%	92.18%
<b>Software Details</b>				
<b>Firmware</b>	<b>PSD Label ID</b>	<b>POS</b>	<b>HMAC-SHA1</b>	
Game Compact Flash Card	GANSY11G	JCFS (Game)	b9598a5f 401a87ce 4c68fc9b 2f7d7217 cd090ded	
Base Compact Flash Card	NX0D1H8H	JCFM (Base)	78a17dd5 53edc55f 688cdca6 e0069982 a134ddf0	
BIOS Flash ROM	D686 BIOS – Phoenix (PID: AGTX0003) Ver – R1.00.C2	Main Board U7	f6153500 f918381e cb1e1c6c fb136e89 ba306b21	
	D686 BIOS – Phoenix (PID: AGTX0004) Ver – R1.00.C3	Main Board U7	cb38ab3c 911cd3be b2b7ade8 4f4fad11 52a751d3	
<b>Platform/Cabinet</b>		Ambassador Excell – Bench Top Ambassador SL		
<b>Application Reference No.</b>		44-A0635/S01		

New Poker Machine Game			
<b>Game Name</b>		Year Of The Tiger Deluxe (2 iSAP Levels)	
<b>Specification Number</b>		44.BF091	
<b>Manufacturer</b>		Ainsworth Game Technology Limited	
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)	
<b>Game Type</b>		Spinning Reels	
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.2	
<b>Progressive levels supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes	
<b>Maximum Bet Value</b>		\$10.00	
<b>Base Credit Value</b>		1c, 2c	
<b>Variation Details</b>			
<b>Var</b>	<b>Game PRTP</b>	<b>iSAP RTP</b>	<b>Min / Max PRTP</b>
01	87.39%	2.718071	90.11%
02	89.10%	2.875864	91.98%
15	90.35%	3.152002	93.50%
<b>Platform/Cabinet</b>		A560-H – High Boy A560-L – Low Boy (with A560 Topper)	
<b>Operational Conditions</b>			
1. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.			
<b>Application Reference No.</b>		44-A0647/S01	

Updated List of Regression Tested Games for Previously Approved Gen7 Base Software			
<b>System/Device Name</b>		Gen7 BASE Software (System Software, Linux OS, BIOS)	
<b>Manufacturer</b>		Aristocrat Technologies Australia Pty Ltd	
<b>Category</b>		SF (Supporting Function)	
<b>SF Type</b>		Other (System Software)	
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
Software Details 1			
<b>Firmware</b>	<b>Flash/Eeprom Program ID</b>	<b>POS</b>	<b>HMAC-SHA1</b>
System Software	27012070	CF Partition 2	3447c55c 645fc37c d1ad29e0 c8cd9493 89e890ba
Linux OS	3042	CF Partition 1	a9d70894 353755a9 bc4d34e8 5aadeffc3 f1f4d178
Boot Loader	0401	CF First Cylinder	46c0286a 8fb23a6b 4449c0bc 56abb20f c526f55c
MBR	0401	CF First Cylinder	9d10fdde 515226b0 1663c78b 61117f24 4b1aa7c2
BIOS Flash	590176 1.00.0 Bios_1.00.0signed.bin	U1 (Carrier Board)	61b4fdfd e741f742 2e70b1fa 82de139c 4ab07a08
Bios Flash	590176_01 1.00.7 Bios_1.00.7signed.bin	U1 (Carrier Board)	c5fa974c f5088824 285bb069 70181832 0d2f0889
FPGA Configuration EEPROM	590175 1.0000 M71_EP2C20@01_0000.bin	U2 (Carrier Board)	5ece36ba 9ad6ac2d 8a3379f3 50554a65 b203eabe
FPGA Configuration EEPROM	590175_01 1.0002 M71_EP2C20@01_0002.bin	U2 (Carrier Board)	954ad201 62b159c9 208187b9 6d55f36f bd25dd56
<b>Platform/Cabinet Details</b>		Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant – Round Top, Casino Top (with in-machine LCD) (Configured with Ticket Printer only) Gen7 Upgrade XCite – Low Boy (Configured with either Ticket Printer and/or Hopper option) Gen7 Upgrade XTreme – Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)	

Continued...

<b>List of previously approved games recommended for use with this version of System Software</b>			
<b>Game Name</b>	<b>Program ID</b>	<b>Spec Number</b>	
Jazee	10161172	1.F0073	
Jazee (Bonus Link)	10161173	1.HF025	
Jackpot Catcher	10261250	1.BF017	
Chariot Champion	1026 1232 10261349	1.BF018	
Gold Bullion – Silver & Gold Jackpots	10161228	1.BF021	
Stuck On You	10161187	1.F0068	
Dragon Emperor	10161174	1.F0070	
Dragon Emperor (Bonus Link)	10161175	1.HF023	
Don Quixote	10261193	1.F0071	
Don Quixote (Bonus Link)	10261183	1.HF024	
2CAN	10361190	1.F0079	
<b>Software Details 2</b>			
<b>Firmware</b>	<b>Flash/Eeprom Program ID</b>	<b>POS</b>	<b>HMAC-SHA1</b>
System Software	27012070	CF Partition 2	3447c55c 645fc37c d1ad29e0 c8cd9493 89e890ba
Linux OS	3042	CF Partition 1	a9d70894 353755a9 bc4d34e8 5aade3c3 f1f4d178
Boot Loader	0401	CF First Cylinder	46c0286a 8fb23a6b 4449c0bc 56abb20f c526f55c
MBR	0401	CF First Cylinder	9d10fdde 515226b0 1663c78b 61117f24 4b1aa7c2
BIOS Flash	590422 2.02.0 Bios_2.02.0signed.bin	U1 (Carrier Board)	f48a92a6 b75f6926 cb6821d3 0b5ee380 dd50b0a1
FPGA Configuration EEPROM	590324 2.0 590324_v2-0.bin	U2 (Carrier Board)	aa5685cc 32e51bc9 62eed47a 62feeffa 575bbdd3
<b>Platform/Cabinet Details</b>		Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)	



*Continued...*

<b>List of previously approved game(s) recommended for use with this version of System Software:</b>		
<b>Game Name</b>	<b>Program ID</b>	<b>Spec Number</b>
The Phantom	10261295	1.F0072
Jazee	10161172	1.F0073
Jazee (Bonus Link)	10161173	1.HF025
Polynesian Bounty – Emperor Penguin	10261082	1.BF019
Harlequin Hearts – Emperor Penguin	10261101	1.BF020
Jackpot Catcher	10261250	1.BF017
Chariot Champion	10261232 10261349	1.BF018
Gold Bullion – Silver & Gold Jackpots	10161228	1.BF021
Stuck On You	10161187	1.F0068
Dragon Emperor	10161174	1.F0070
Dragon Emperor (Bonus Link)	10161175	1.HF023
Don Quixote	10261193	1.F0071
Don Quixote (Bonus Link)	10261183	1.HF024
Bunny’s Rabbits	10261180	1.F0075
2CAN	10361190	1.F0079
<b>Application Reference No.</b>	01-A1246/S01	

Updated List of Regression Tested Games for Previously Approved Gen7 Base Software			
<b>System/Device Name</b>		Gen7 BASE Software (System Software, Linux OS, BIOS)	
<b>Manufacturer</b>		Aristocrat Technologies Australia Pty Ltd	
<b>Category</b>		SF (Supporting Function)	
<b>SF Type</b>		Other (System Software)	
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standard Rev 1.2	
<b>Software Details 1</b>			
<b>Firmware</b>	<b>Flash/Eeprom Program ID</b>	<b>POS</b>	<b>HMAC-SHA1</b>
System Software	27012070	CF Partition 2	3447c55c 645fc37c d1ad29e0 c8cd9493 89e890ba
Linux OS	3042	CF Partition 1	a9d70894 353755a9 bc4d34e8 5aadefc3 f1f4d178
Boot Loader	0401	CF First Cylinder	46c0286a 8fb23a6b 4449c0bc 56abb20f c526f55c
MBR	0401	CF First Cylinder	9d10fdde 515226b0 1663c78b 61117f24 4b1aa7c2
BIOS Flash	590176 1.00.0 Bios_1.00.0signed.bin	U1 (Carrier Board)	61b4fdfd e741f742 2e70b1fa 82de139c 4ab07a08
Bios Flash	590176_01 1.00.7 Bios_1.00.7signed.bin	U1 (Carrier Board)	c5fa974c f5088824 285bb069 70181832 0d2f0889
FPGA Configuration EEPROM	590175 1.0000 M71_EP2C20@01_0000.bin	U2 (Carrier Board)	5ece36ba 9ad6ac2d 8a3379f3 50554a65 b203eabe
FPGA Configuration EEPROM	590175_01 1.0002 M71_EP2C20@01_0002.bin	U2 (Carrier Board)	954ad201 62b159c9 208187b9 6d55f36f bd25dd56
<b>Platform/Cabinet Details</b>		Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option) Gen7 Slant – Round Top, Casino Top (with in-machine LCD) (Configured with Ticket Printer only) Gen7 Upgrade XCite – Low Boy (Configured with either Ticket Printer and/or Hopper option) Gen7 Upgrade XTreme – Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)	

Continued

List of previously approved games recommended for use with this version of System Software			
Game Name		Program ID	Spec Number
Jazee		10161172	1.F0073
Jazee (Bonus Link)		10161173	1.HF025
Software Details 2			
Firmware	Flash/Eeprom Program ID	POS	HMAC-SHA1
System Software	27012070	CF Partition 2	3447c55c 645fc37c d1ad29e0 c8cd9493 89e890ba
Linux OS	3042	CF Partition 1	a9d70894 353755a9 bc4d34e8 5aadefc3 f1f4d178
Boot Loader	0401	CF First Cylinder	46c0286a 8fb23a6b 4449c0bc 56abb20f c526f55c
MBR	0401	CF First Cylinder	9d10fdde 515226b0 1663c78b 61117f24 4b1aa7c2
BIOS Flash	590422 2.02.0 Bios_2.02.0signed.bin	U1 (Carrier Board)	f48a92a6 b75f6926 cb6821d3 0b5ee380 dd50b0a1
FPGA Configuration EEPROM	590324 2.0 590324_v2-0.bin	U2 (Carrier Board)	aa5685cc 32e51bc9 62eed47a 62feeffa 575bbdd3
<b>Platform/Cabinet Details</b>		Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)	
List of previously approved game(s) recommended for use with this version of System Software:			
Game Name		Program ID	Spec Number
The Phantom		10261295	1.F0072
Jazee		10161172	1.F0073
Jazee (Bonus Link)		10161173	1.HF025
Polynesian Bounty – Emperor Penguin		10161082	1.BF019
Harlequin Hearts – Emperor Penguin		10261101	1.BF020
<b>Application Reference No.</b>		01-A1247/S01	

Additional Platforms For Previously Approved Poker Machine Game			
<b>Game Name</b>	Don Quixote		
<b>Specification Number</b>	1.F0071		
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>	Conventional		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18		
<b>Variation Details</b>	<b>Var</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
	99	85.08%	90.18%
	02	87.60%	92.67%
	03	89.70%	94.84%
<b>Platform/Cabinet Details</b>	<p>Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Slant – Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only)</p> <p>Gen7 Upgrade XCite – Low Boy (with / without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)</p>		
<b>Operational Conditions</b>			
1. Gaming machine variation number 99 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.			
<b>Application Reference No.</b>	01-A1221/S01		

Additional Platforms For Previously Approved Poker Machine Game			
<b>Game Name</b>	Don Quixote (Bonus Link)		
<b>Specification Number</b>	1.HF024		
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>	SFS		
<b>Game Type</b>	Spinning Reels		
<b>LPJS</b>	1.YA002		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Variation Details</b>	<b>Var</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
	05	83.40%	88.40%
<b>Platform/Cabinet Details</b>	<p>Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Slant – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only)</p> <p>Gen7 Upgrade XCite – Low Boy (with / without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)</p>		
<b>Operational Conditions</b>			
1. The above mentioned game ‘Don Quixote (Bonus Link)’ must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved ‘Bonus Link’ jackpot settings.			
<b>Application Reference No.</b>	01-A1221/S01		

Additional Platforms For Previously Approved Poker Machine Game			
<b>Game Name</b>	Jazee		
<b>Specification Number</b>	1.F0073		
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>	Conventional		
<b>Game Type</b>	Spinning Reels		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18		
<b>Variation Details</b>	<b>Var</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
	99	87.61%	87.74%
	01	90.06%	90.16%
	07	88.59%	88.73%
<b>Platform/Cabinet Details</b>	<p>Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Slant – Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only)</p> <p>Gen7 Upgrade XCite – Low Boy (with / without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)</p>		
<b>Application Reference No.</b>	01-A1209/S01		

Additional Platforms For Previously Approved Poker Machine Game			
<b>Game Name</b>	Jazee (Bonus Link)		
<b>Specification Number</b>	1.HF025		
<b>Manufacturer</b>	Aristocrat Technologies Australia Pty Ltd		
<b>Gaming Machine Type</b>	SFS		
<b>Game Type</b>	Spinning Reels		
<b>LPJS</b>	1.YA002		
<b>Technical Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.1		
<b>Variation Details</b>	<b>Var</b>	<b>Min PRTP</b>	<b>Max PRTP</b>
	06	85.51%	85.71%
<b>Platform/Cabinet Details</b>	<p>Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Slant – Casino Top (with in-machine LCD for Hyperlink) (Configured with Ticket Printer only)</p> <p>Gen7 Upgrade XCite – Low Boy (with / without external LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Upgrade XTreme – Casino Top (with in-machine LCD for Hyperlink) (Configured with either Ticket Printer and/or Hopper option)</p> <p>Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either Ticket Printer and/or Hopper option)</p>		
<b>Operational Conditions</b>			
1. The above mentioned game 'Jazee (Bonus Link)' must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 1.YA002, with the approved 'Bonus Link' jackpot settings.			
<b>Application Reference No.</b>	01-A1209/S01		

Poker Machine Game and Updated Base Software					
<b>Game Name</b>		Chinese Phoenix			
<b>Specification Number</b>		6.F0031			
<b>Manufacturer</b>		Aruze Gaming Australia Pty Ltd			
<b>Gaming Machine Type</b>		Conventional			
<b>Game Type</b>		Spinning Reels			
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18			
<b>Maximum Bet Value</b>		\$10.00			
<b>Base Credit Value</b>		1c, 2c			
<b>Variation Details</b>		<b>Var</b>	<b>Min / Max PRTP</b>		
		01	85.26%		
		02	88.06%		
		03	89.07%		
		04	90.02%		
		05	91.99%		
		06	94.08%		
		07	97.95%		
<b>Software Details</b>					
<b>Firmware</b>	<b>Identifier</b>	<b>Position</b>	<b>Media</b>	<b>HMAC-SHA1</b>	<b>SDB PID</b>
Compact Flash Card Security	0990	GMEM Cassette PCB (U1)	GAL	7e5b3dd7 ffcab16d d8cecbbf b9873787 ddb4a4a4	N/A
Game	07CHPMG1	GMEM Cassette PCB (Master Slot)	Compact Flash Card	8380ebcc dfc580fa 2d1c73c1 d309799e d09260c5	07CHPMG1
Base					
BIOS	AP75	Motherboard (U22)	PROM	53197a9b 9722ff5a 6aac453b e54d649e e38273c4	G06BAP75
X Series Communication Interface	SMOCX067	Auscom PCB (U3)	Flash Memory	02bfe2b5 959c0025 265093ad fa138b58 9febb68c	000001X7
Peripheral I/O Control	uYDOB032	Body PCB (IC15)	Flash Memory	72e27fe7 939c59eb 1be40739 0956c4da 83553a0f	16B201D5
Peripheral I/O Control	SPMRD055	Door PCB (IC4)	Flash Memory	1d96b42f d9b55c5d c53b61a9 cc31abe0 8c49a3fe	
<b>Platform/Cabinet Details</b>		G-ENEX – Midway, Low Boy			



*Continued...*

<b>Operational Conditions</b>	
1. Gaming machine variation number 01 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.	
<b>Application Reference No.</b>	06-A0320/S01

New Poker Machine Game and Updated Base Software					
<b>Game Name</b>		Lucky Samurai			
<b>Specification Number</b>		6.F0032			
<b>Manufacturer</b>		Aruze Gaming Australia Pty Ltd			
<b>Gaming Machine Type</b>		Conventional			
<b>Game Type</b>		Spinning Reels			
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)			
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.18			
<b>Maximum Bet Value</b>		\$5.00			
<b>Base Credit Value</b>		1c, 2c			
<b>Variation Details</b>		<b>Var</b>	<b>Min / Max P RTP</b>		
		01	87.98%		
		02	88.97%		
		03	89.99%		
		04	90.99%		
		05	91.95%		
		06	92.98%		
		07	95.96%		
<b>Software Details</b>					
<b>Firmware</b>	<b>Identifier</b>	<b>Position</b>	<b>Media</b>	<b>HMAC-SHA1</b>	<b>SDB PID</b>
Compact Flash Card Security	0761	GMEM Cassette PCB (U1)	GAL	8f2b3e4a 0891faed a02ae7cb 413b1bff 0f136b22	N/A
Game	09pLSMG1	GMEM Cassette PCB (Master Slot)	Compact Flash Card	9b141d82 03232d27 6f56d71e 1495a635 3a9f7dcb	09pLSMG1
Base					
BIOS	AP75	Motherboard (U22)	PROM	53197a9b 9722ff5a 6aac453b e54d649e e38273c4	G07HAP75
X Series Communication Interface	SMOCX067	Auscom PCB (U3)	Flash Memory	02bfe2b5 959c0025 265093ad fa138b58 9febb68c	000001X7
Peripheral I/O Control	uYDOB035	Body PCB (IC15)	Flash Memory	e6f6ed28 8f9dec9d bf21f36a b3ae43a2 6c034c5d	16B501D5
Peripheral I/O Control	SPMRD055	Door PCB (IC4)	Flash Memory	1d96b42f d9b55c5d c53b61a9 cc31abe0 8c49a3fe	
<b>Platform/Cabinet Details</b>		G-ENEX – Midway, Low Boy			
<b>Application Reference No.</b>		06-A0322/S01			

New Poker Machine Game			
<b>Game Name</b>		Duelling Progressives Imperial Lion	
<b>Specification Number</b>		18.B0584	
<b>Manufacturer</b>		IGT (Australia) Pty Ltd	
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)	
<b>Game Type</b>		Spinning Reels	
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.2	
<b>Progressive levels supported</b>		iSAP: Yes Type: Standard Levels: 4 Wins transferred to 'Total Wins' meter: Yes	
<b>Maximum Bet Value</b>		\$2.50	
<b>Base Credit Value</b>		1c, 2c	
<b>Variation Details</b>			
<b>Var</b>	<b>Game RTP</b>	<b>iSAP RTP</b>	<b>Min / Max Total PRTP</b>
02	87.50%	3.986128	91.49%
<b>Platform/Cabinet</b>		AVP BC20 – Video Top AVP ST22 – Video Slant Top	
<b>Application Reference No.</b>		18-A5119/S01	

New Poker Machine Game		
<b>Game Name</b>	Imperial Dragons	
<b>Specification Number</b>	18.A0592	
<b>Manufacturer</b>	IGT (Australia) Pty Ltd	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$10.00	
<b>Base Credit Value</b>	1c, 2c, 5c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max P RTP</b>
	99	87.94%
	02	90.93%
	03	92.00%
	05	88.53%
	07	89.75%
<b>Platform/Cabinet</b>	AVP BC20 – Video Top AVP ST22 – Video Slant Top	
<b>Application Reference No.</b>	18-A5020/S01	

Additional Hardware Assembly		
<b>System/Device Name</b>	Podium Video Switch	
<b>Manufacturer</b>	Konami Australia Pty Ltd	
<b>Category</b>	GM (Gaming Machine)	
<b>GM Type</b>	Hardware Component	
<b>Technical Standards Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09)	
<b>Hardware Details</b>		
• Podium Video Switch:	Konami P/N: 490477A VSW	
<b>Platform/Cabinet Details</b>	KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box	
<b>Application Reference No.</b>	39-A0923/S01	

Additional Standard, Platforms and Regression Tested Games				
<b>System/Device Name</b>		Kernel / BIOS		
<b>Manufacturer</b>		Shuffle Master Australasia Pty Limited		
<b>Category</b>		SF (Supporting Function)		
<b>SF Type</b>		Other (System Software)		
<b>Technical Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09)		
<b>Submission Standards</b>		NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2		
<b>Software Details</b>				
<b>Firmware</b>	<b>Program ID</b>	<b>Media</b>	<b>Position</b>	<b>HMAC-SHA1</b>
Kernel	W4NWX02B	Compact Flash Card	Main Board IDE1	8167939f b39174e5 9103fb45 8d3e72f6 478a5819
Bios	SBGEN024	Flash ROM	Main Board U16	6bf72b22 495b9fc2 f51e0f1a abe76bda c7449f0f
<b>Platform/Cabinet Details</b>		Vegas Star PC4 Classic ATS Vegas Star PC4 Mojo / Mojo ST Vegas Star PC4 Equinox eStar PC4 – Low Top, Round Top, Round Top (with in-machine 17" LCD Display) PC4 Mojo ST – Slant Top PC4 - Equinox, Equinox Low Boy		
List of previously approved games recommended for use with this version of Kernel Software:				
<b>Game Name</b>		<b>Specification Number</b>	<b>Program ID</b>	
Lakota – Pink Panther Returns		35.BF062	LPRNSW3B	
Lucky Panda – Pink Panther Returns		35.BF063	MPRNSW2B	
Arctic Quest - Pink Panther Returns		35.BF064	RPRNSW3A	
Texas Star - Pink Panther Returns		35.BF065	TPRNSW3A	
Megataur - Pink Panther Returns		35.BF066	EPRNSW1B	
King of Babylon		35.BF068	KOBNSW1B	
<b>Application Reference No.</b>		35-A0728/S01		

New Poker Machine Game					
<b>Game Name</b>		Emerald Fortunes			
<b>Specification Number</b>		35.BF075			
<b>Manufacturer</b>		Shuffle Master Australasia Pty Limited			
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)			
<b>Game Type</b>		Spinning Reels			
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2			
<b>Progressive levels supported</b>		iSAP: Yes Type: Standard Levels: 3 Wins transferred to 'Total Wins' meter: Yes			
<b>Maximum Bet Value</b>		\$10.00			
<b>Base Credit Value</b>		50c, \$1.00			
<b>Variation Details</b>					
<b>Var</b>	<b>Min Game RTP</b>	<b>Max Game RTP</b>	<b>Progressive RTP</b>	<b>Min Total PRTP</b>	<b>Max Total PRTP</b>
99	87.53	87.65	2.696230%	90.23	90.35
03	85.54	85.66		88.24	88.36
15	88.88	88.94		91.58	91.64
16	90.83	90.92		93.53	93.62
<b>Platform/Cabinet</b>			eStar PC4 – Low Top, Round Top (with in-machine 17" LCD) PC4 Mojo ST – Slant Top PC4 - Equinox, Equinox Low Boy		
<b>Application Reference No.</b>		35-A0729/S01			

New Poker Machine Game		
<b>Game Name</b>	Money Buzz	
<b>Specification Number</b>	35.F0187	
<b>Manufacturer</b>	Shuffle Master Australasia Pty Limited	
<b>Gaming Machine Type</b>	Conventional	
<b>Game Type</b>	Spinning Reels	
<b>Technical Standards Submission Standards</b>	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18	
<b>Maximum Bet Value</b>	\$5.00	
<b>Base Credit Value</b>	1c, 2c, 5c, 10c, 20c	
<b>Variation Details</b>	<b>Var</b>	<b>Min / Max P RTP</b>
	99	90.19%
	01	85.17%
	02	87.31%
	03	88.28%
	05	89.11%
	07	86.01%
	15	91.52%
	16	93.50%
<b>Platform/Cabinet</b>	eStar PC4 – Round Top, Low Top eStar PC4 – Round Top (with in-machine 17" LCD) PC4 Mojo ST – Slant Top PC4 - Equinox, Equinox Low Boy	
<b>Operational Conditions</b>		
1. Gaming machine variation numbers 01 & 07 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
<b>Application Reference No.</b>	35-A0723/S01	

New Poker Machine Game					
<b>Game Name</b>		Monkey Power – Potion Power			
<b>Specification Number</b>		35.BF073			
<b>Manufacturer</b>		Shuffle Master Australasia Pty Limited			
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)			
<b>Game Type</b>		Spinning Reels			
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.2			
<b>Progressive levels supported</b>		iSAP: Yes Type: Standard Levels: 3 Wins transferred to 'Total Wins' meter: Yes			
<b>Maximum Bet Value</b>		\$6.00			
<b>Base Credit Value</b>		1c, 2c			
<b>Variation Details</b>					
<b>Var</b>	<b>Min Game RTP</b>	<b>Max Game RTP</b>	<b>Progressive RTP</b>	<b>Min Total PRTP</b>	<b>Max Total PRTP</b>
99	86.08	86.13	3.944444%	90.02	90.07
03	84.00	84.04		87.94	87.98
05	85.00	85.04		88.94	88.98
15	87.52	87.56		91.46	91.50
16	89.49	89.53		93.43	93.47
<b>Platform/Cabinet</b>			eStar PC4 – Low Top, Round Top (with in-machine 17" LCD) PC4 Mojo ST – Slant Top PC4 - Equinox, Equinox Low Boy		
<b>Application Reference No.</b>			35-A0724/S01		



New Poker Machine Game				
<b>Game Name</b>		Pearl Fortunes (2 Fixed / 2 iSAP)		
<b>Specification Number</b>		35.BF072		
<b>Manufacturer</b>		Shuffle Master Australasia Pty Limited		
<b>Gaming Machine Type</b>		iSAP (Integrated Stand-alone Progressive)		
<b>Game Type</b>		Spinning Reels		
<b>Technical Standards Submission Standards</b>		NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2 TITO Technical Standard V4.18 NSW Jackpot Technical Standards Rev 1.2		
<b>Progressive levels supported</b>		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
<b>Maximum Bet Value</b>		\$10.00		
<b>Base Credit Value</b>		5c, 10c		
<b>Variation Details</b>				
<b>Var</b>	<b>Game RTP</b>	<b>Progressive RTP</b>	<b>Min Total RTP</b>	<b>Max Total RTP</b>
13	88.49% - 88.54%	3.440000%	91.93%	91.99%
14	87.08% - 87.22%		90.52%	90.66%
<b>Platform/Cabinet</b>		eStar PC4 – Low Top, Round Top (with in-machine 17" LCD) PC4 Mojo ST – Slant Top PC4 - Equinox, Equinox Low Boy		
<b>Application Reference No.</b>		35-A0719/S01		