

Gaming Machine Approval 2014 (No 39)

Notifiable instrument NI2014–417

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the *Gaming Machine Approval 2014 (No 39)*.

2 Commencement

This instrument commences on the day after its notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

4 Revocation

This instrument revokes:

- 2013-6
- 2013-48
- 2013-67
- 2013-95
- 2013-115
- 2013-137
- 2013-140

James Mullan
Delegate
ACT Gambling and Racing Commission

25 August 2014

Updated Firmware	
Device Name	Nteractive Button Midtrim Deck Kit
Manufacturer	Aristocrat Technologies Australia Pty Ltd
Category	Gaming Machine
Category Type	Hardware Component
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Technical Standards	NSW CPTS 2.3
Hardware Details 1	
Nteractive Button Midtrim Deck Kit Assembly <ul style="list-style-type: none"> • Nteractive Button Deck Midtrim Assembly • Nteractive Button Matrix Sub Assembly • Nteractive Button Driver PCB Assembly • Firmware Version 2.1.0 (File: Nteractive_Buttons_2_1_0.mcs; HMAC-SHA1: 1B8A11E0 B7A2A244 FC9FCC9C FFFF0487 5DF665D7 • 13 Button Loom • Ribon Cable LCD • USB Cable 	ATA P/N: 579270_701 (Chrome) ATA P/N: 579270_782 (Gold) <ul style="list-style-type: none"> • ATA P/N: GSA01504 • ATA P/N: GSA01515 • ATA P/N: 494246 • ATA P/N: 596610_200 • ATA P/N: 593120 • ATA P/N: GPP01289 • ATA P/N: GFP01187
Platform/Cabinet	Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD) (Configured with either ticket printer and/or hopper option)
Hardware Details 2	
Nteractive Button Midtrim Deck Kit Assembly <ul style="list-style-type: none"> • Vii Slant Top Midtrim Sub Assembly • Nteractive Button Matrix Sub Assembly • Nteractive Button Driver PCB Assembly • Firmware Version 2.1.0 (File: Nteractive_Buttons_2_1_0.mcs; HMAC-SHA1: 1B8A11E0 B7A2A244 FC9FCC9C FFFF0487 5DF665D7 • 13 Button Loom • Ribon Cable LCD • USB Cable 	ATA P/N: L42425 (Chrome) <ul style="list-style-type: none"> - ATA P/N: L42425 (GSA01504) - ATA P/N: GSA01515 - ATA P/N: 494246 - ATA P/N: 596610_200 - ATA P/N: 593120 - ATA P/N: GPP01289 - ATA P/N: GFP01187
Platform/Cabinet	Gen7 Vii Slant – Chop Top, Casino Top (with in-machine LCD) (Configured with ticket printer option)
Specific Approval Conditions The Nteractive Button Midtrim Deck Kit for Gen 7 Viridian WS & Vii Slant EGMs shall only be used with the minimum software version as indicated below: <ul style="list-style-type: none"> • Bootloader:0403 • Linux Operating System: 3054 • Platform: 35802080 	
Application Reference No.	01-A1384/S01

New Gaming Machine		
Game Name	Dolphin Paradise	
Specification Number	6.F0058	
Manufacturer	Aruze Gaming Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	09pDPMG1	
Technical Standards	NS10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Variation Details	Variation Number	Min/Max PRTP%
	1	87.99
	2	88.98
	3	89.89
	4	90.95
	5	91.97
	6	92.98
	7	95.95
Platform/Cabinet		
G-ENEX –WD00 – Midway, Low boy		
GENX-WD00 (G-ENEX II) – Midway, Low boy		
G-Comfort		
G-Comfort II		
Application Reference No.	06-A0421/S01	

New Gaming Machine			
Game Name		Tokyo Rose Deluxe	
Specification Number		6.BF022	
Manufacturer		Aruze Gaming Australia Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		pTDMG002	
Technical Standards Submission Standards		NS10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
Progressive levels supported		iSAP: Yes Type: Mystery Levels: 2 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$10.00	
Base Credit Value		1c, 2c, 5c	
Variation Details			
Var	Game RTP	iSAP RTP	Min / Max Total PRTP
1	85.02	3.990000	89.01
2	86.02		90.01
3	87.01		91.00
4	87.92		91.91
5	89.00		92.99
Platform/Cabinet			
G-ENEX –WD00 – Midway			
GENX-WD00 (G-ENEX II) – Midway			
G-Comfort			
G-Comfort II			
Application Reference No.		06-A0417/S01	

New Gaming Machine		
Game Name	Tiki Treasure	
Specification Number	42.A0034	
Manufacturer	BGI Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	302035A	
Technical Standards	NS10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$3.00	
Base Credit Value	1c, 2c	
Variation Details	Variation Number	Min/Max PRTP%
	99	88.31
	1	89.00
	2	90.10
	3	91.86
Platform/Cabinet		
ALPHA II – Alpha Pro Upright AP-1 (with/without ALPHA PRO TOPPER)		
ALPHA II – Alpha Pro Slant Top AS-1 (with/without ALPHA PRO TOPPER)		
Specific Approval Conditions		
<ol style="list-style-type: none"> Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for the above identified game to operate. Multi-denomination mode must be set to "disabled" when the gaming machine is configured. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time. The optional Alpha Pro Topper must be used for the above identified game to operate. 		
Application Reference No.	42-A0043/S01	

New Gaming Machine		
Game Name	Classics Platinum Golden Goddess	
Specification Number	18.H0120	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
Game Identifier	X67700GA X67700RA	
LPJS	18.YA009	
Technical Standards Submission Standards	NS10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
Progressive levels supported	Linked: Yes Type: Standard Levels: 4	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c, 10c	
Variation Details	Variation Number	Min/Max PRTP%
	8	83.89
Platform/Cabinet AVP BC20 – Video Top AVP ST22 – Video Slant Top		
Specific Approval Conditions 1. This game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 18.YA009, with the approved 'Classics Platinum' jackpot setting combinations. 2. Touch-screen functionality must be enabled in the Configuration menu after a RAM Clear. 3. The BCV of 4c is not a subject of this approval.		
Application Reference No.	18-A5228/S01	

New Gaming Machine			
Game Name		Diamond Strike Kingfisher	
Specification Number		18.B0647	
Manufacturer		IGT (Australia) Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		X64700GA X64700RA	
Technical Standards Submission Standards		NS10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
Progressive levels supported		iSAP: Yes Type: Standard Levels: 4 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$10.00	
Base Credit Value		5c, 10c	
Var	Game RTP	iSAP RTP	Min / Max Total PRTP
2	80.41	10.577099	90.99
3	81.41		91.99
7	79.84	9.699799	89.54
Platform/Cabinet AVP BC20 – Video Top AVP ST22 – Video Slant Top			
Application Reference No.		18-A5206/S01	

This is Page 7 (of 77 pages) of the Schedule to the *Gaming Machine Approval 2014 (No 39)*

New Gaming Machine			
Game Name		Siberian Storm	
Specification Number		18.B0635	
Manufacturer		IGT (Australia) Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		X67010GA X67010RA	
Technical Standards Submission Standards		NS10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
Progressive levels supported		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$5.00	
Base Credit Value		1c, 2c	
Var	Game RTP	iSAP RTP	Min / Max Total PRTP
2	87.52-87.53	2.983516	90.50-90.51
Platform/Cabinet AVP BC20 – Video Top AVP ST22 – Video Slant Top AVPC – Video Top			
Application Reference No.		18-A5219/S01, /S02	

New Gaming Machine				
Game Name		Summer Queen 2		
Specification Number		18.B0648		
Manufacturer		IGT (Australia) Pty Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Game Identifier		X68700GA X68700RA		
Technical Standards Submission Standards		NS10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2		
Progressive levels supported		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c, 5c		
Var	BCV	Game RTP	iSAP RTP	Min / Max Total P RTP
2	1c, 2c	87.50	3.467500	90.97
3			4.495598	92.00
7			2.001000	89.50
8	5c		4.511485	92.01
Platform/Cabinet				
AVP BC20 – Video Top AVP ST22 – Video Slant Top				
Specific Approval Conditions				
Touch-screen functionality must be enabled in the Configuration menu after a RAM Clear.				
Application Reference No.		18-A5239/S01		

Regression tested games with previously approved shell		
Device Name	AVP BC20 Shell (Shell, OS & BIOS)	
Manufacturer	IGT (Australia) Pty Ltd	
Category	Supporting Function	
Category Type	System Software	
Shell	AP010804	
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Technical Standards	NSW CPTS 2.3; TITO Technical standard V4.20 NSW Jackpot Technical Standard Rev 1.2	
Platform/Cabinet		
AVP BC20 – Video Top, Portrait Top		
AVP ST22 – Video Slant Top		
AVPC – Video Top		
Universal – Video Top		
List of previously approved games suitable for operation with this Shell version		
Game Name	Specification Number	Program ID
100 Pandas	18.A0571	X37800GA, RA
Dakota Thunder	18.B0626	X63610GA, RA
Ice Horse	18.B0610	X62300GA, RA
Fire Horse	18.B0611	X62200GA, RA
Rhino Riches	18.B0628	X61600GA, RA
Royal Riches Deluxe	18.B0637	X64000GA, RA
Sun Bear	18.B0609	X59700GA, RA
Water Dragons	18.B0625	X63100GA, RA
Wild Princess 2	18.B0639	X67300GA, RA
Application Reference No.	18-A5255/S01	

Platform hardware updates		
Device Name	AVP BC20 Platform Parts Update #6	
Manufacturer	IGT (Australia) Pty Ltd	
Category	Gaming machine	
Category Type	Hardware Component	
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Technical Standards	NSW CPTS 2.3	
Hardware Details 1		
Platform/Cabinet		
AVP BC20 – Video Top		
Hardware Details 2		
Platform/Cabinet		
AVP BC20 – Portrait 32IN Top Box		
Application Reference No.	18-A1242/S01	

New Gaming Machine, Updated Supporting Software and Hardware					
Game Name		White Winter Snow Stars			
Specification Number		39.BF001			
Manufacturer		Konami Australia Pty Ltd			
Gaming Machine Type		iSAP			
Game Type		Spinning Reels			
Game Identifier		L006MLA001XX_0063NBXX			
Technical Standards		NS10.1 + NSW Appendix (dated 24/11/11)			
Submission Standards		NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2			
Progressive levels supported		iSAP - yes Type - standard Levels - 2 Wins transferred to 'Total Wins' – yes			
Maximum Bet Value		\$5.00			
Base Credit Value		1c, 2c, 5c			
Variation Details					
Var	Max Lines Configured	BCV	Game RTP%	iSAP RTP%	Min/Max Total PRTP%
1	20	1c, 2c	87.22	2.937062	90.16
2		5c,		2.890567	90.11
3		1c,2c		4.724124	91.95
5	25	1c, 2c		2.916256	90.14
7		1c, 2c		4.590990	91.81
Platform/Cabinet		KP3 KGP 2.0 UVS Podium – Tall Top Box (with Snow Stars Door) KP3 KGP 2.0 UVS Podium Upgrade – Tall Top Box (with Snow Stars Door)			
Specific Approval Conditions					
The BCV of 4c is not a subject of this approval.					
Device Details 1					
Device Name		System / Game Control Software			
Category		Supporting Function			
Category Type		System Software			
Technical Standards		NS10.1 + NSW Appendix (dated 24/11/11)			
Submission Standards		NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2			
Software Details					
• System		LLPSYSC021XX_NW310XXX			
Platform/Cabinet		KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box, Tall Top Box KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box, Short Top Box, Tall Top Box KP3 KGP 3.0 SVRS Podium – Slant Top			

Device Details 2		
Device Name	Tall Top Box Door	
Category	Gaming Machine	
Category Type	Hardware Component	
Technical Standards	NS10.1 + NSW Appendix (dated 24/11/11)	
Top Box details		
Device	Description	Konami Part Number
Tall Top Box Assembly	• Tall Top Box	331131
	• Tavis 32" LCD Model L3265AGCKN	
	• CoolingFan	
	Support	192270
	LED Control Board	E343332
Platform/Cabinet	KP3 KGP 2.0 UVS Podium – Tall Top Box KP3 KGP 2.0 UVS Podium Upgrade – Tall Top Box	
Application Reference No.	39-A1118/S01	

New Gaming Machine				
Game Name	5 Treasures			
Specification Number	35.BF103			
Manufacturer	SHFL entertainment (Australasia) Pty Ltd			
Gaming Machine Type	iSAP			
Game Type	Spinning Reels			
Game Identifier	5TRNSW1B			
Technical Standards	NS10.1 + NSW Appendix (dated 24/11/11)			
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2			
Progressive levels supported	iSAP - Yes Type - Standard Levels - 4 Wins transferred to 'Total Wins' – Yes			
Maximum Bet Value	\$6.00			
Base Credit Value	1c, 2c			
Variation Details				
Var	BCV	Game PRTP%	Progressive RTP%	Min/Max Total PRTP%
99	1c	81.82-81.99	10.019988	91.84-92.01
9	2c		7.567041	89.39-89.56
19	1c		7.652230	89.48-89.64
29	2c		8.432301	90.26-90.42
39	1c		8.407181	90.23-90.40
59	2c		9.349700	91.17-91.34
69	1c		9.243912	91.07-91.24
89	2c		10.010040	91.83-92.00
Platform/Cabinet	PC4 – Equinox			
Application Reference No.	35-A0805/S01			

New Gaming Machine				
Game Name		Summer Festival – Blaze Pays		
Specification Number		35.BF101		
Manufacturer		SHFL entertainment (Australasia) Pty Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Game Identifier		FBPNSW1B		
Technical Standards		NS10.1 + NSW Appendix (dated 24/11/11)		
Submission Standards		NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2		
Progressive levels supported		iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' – Yes		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c, 5c, 10c		
Variation Details				
Var	BCV	Game PRTP%	Progressive RTP%	Min/Max Total PRTP%
99	5c, 10c	87.09	3.318179	90.41
5		86.81	3.173786	89.98
15		87.81	3.458325	91.27
16		88.22	3.640939	91.86
25	1c, 2c	87.46	3.834170	91.30
26		87.96	3.982810	91.94
29		86.75	3.668543	90.42
35		86.46	3.456201	89.92
Platform/Cabinet		PC4 – Equinox		
Application Reference No.		35-A0801/S01		

New Gaming Machine			
Game Name		White Tiger – Jackpot Reel Power	
Specification Number		1.BF033	
Manufacturer		Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		10161987	
Technical Standards Submission Standards		NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
Progressive levels supported		iSAP: Yes Type: Standard Levels: 3 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$5.00	
Base Credit Value		1c, 2c	
Variation Details			
Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
99	87.27-87.45	3.350218	90.62-90.80
1	85.55-85.69		88.90-89.04
2	87.27-87.45	4.630218	91.90-92.08
3	86.86-87.01	3.350218	90.21-90.36
4	86.15-86.29		89.50-89.64
Platform/Cabinet			
Gen7 Viridian – Casino Top (with in-machine LCD; Stand-alone) (Configured with either ticket printer and/or hopper option)			
Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Stand-alone) (Configured with either ticket printer and/or hopper option)			
Gen7 Vii Slant – Casino Top (with in-machine LCD; Stand-alone) (Configured with ticket printer option)			
Application Reference No.		01-A1387/S01	

Additional Topper and Artwork	
Device Name	G-Topper
Manufacturer	Aruze Gaming Australia Pty Ltd
Category	Gaming Machine
Category Type	Hardware Component
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Technical Standards	
Hardware Details	
<ul style="list-style-type: none"> Gaming Machine Topper 	Model Number: G-Topper (Type A)
Platform/Cabinet	G-ENEX Stepper
Game Details 1	
Game Name	Shen Long Orbs
Specification Number	6.F0042
Gaming Machine Type	Conventional
Game Type	Spinning Reels
Technical Standards Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2; TITO Technical Standard V4.20
Software Details 1	
<ul style="list-style-type: none"> Game Base 	09KDRMG5
Platform/Cabinet	G-ENEX Stepper
Software Details 2	
<ul style="list-style-type: none"> Game Multi Base 	09KDRMG5 ZANMS012
Platform/Cabinet	GENX-WD00 (G-ENEX II) - Stepper
Game artwork details	
<ul style="list-style-type: none"> G-Topper 	PBZ11070XXLNAE
Game Details 2	
Game Name	Bamboo Panda
Specification Number	6.F0044
Gaming Machine Type	Conventional
Game Type	Spinning Reels
Technical Standards Submission Standards	NS 10.0 + NSW Appendix (dated 14/01/09) NSW CPTS 2.2; TITO Technical Standard V4.20
Software Details	
<ul style="list-style-type: none"> Game Base 	09BBPMG3
Platform/Cabinet	G-ENEX Stepper GENX-WD00 (G-ENEX II) - Stepper
Game artwork details	
<ul style="list-style-type: none"> G-Topper 	PBZ11071XXLNAE

Continued

Game Details 3	
Game Name	Chinese Delight
Specification Number	6.F0056
Gaming Machine Type	Conventional
Game Type	Spinning Reels
Technical Standards Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20
Software Details	
<ul style="list-style-type: none"> • Game • Base 	HUKMG003 ZANGA001
Platform/Cabinet	G-ENEX Stepper GENX-WD00 (G-ENEX II) - Stepper
Game artwork details	
<ul style="list-style-type: none"> • G-Topper 	PBZ11115XXRNAE
Application Reference No.	06-A0429/S01

New Gaming Machine		
Game Name	Chimney Stacks	
Specification Number	42.A0035	
Manufacturer	BGI Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	301798A	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c	
Variation Details	Variation Number	Min/Max PRTP%
	99	88.12
	1	90.12
	2	91.98
Platform/Cabinet		
ALPHA II – Alpha Pro Upright AP-1 (with/without ALPHA PRO TOPPER)		
ALPHA II – Alpha Pro Slant Top AS-1 (with/without ALPHA PRO TOPPER)		
Specific Approval Conditions		
<ol style="list-style-type: none"> 1. A single software chipset supports both the conventional and the stand-alone progressive game. This implementation is supported on the condition that should any component of a software chipset have a problem, then the whole chipset will need to be replaced in the field. 2. Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it. 3. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for the above identified game to operate. 4. Multi-denomination mode must be set to "disabled" when the gaming machine is configured. 5. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks. 6. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time. 7. The optional Alpha Pro Topper must be used for the above identified game to operate. 		
Application Reference No.	42-A0047/S01	

New Gaming Machine			
Game Name	Chimney Stacks Mystery Jackpots (3 iSAP Levels)		
Specification Number	42.B0011		
Manufacturer	BGI Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Game Identifier	301798AS		
Technical Standards Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
Progressive levels supported	iSAP: Yes Type: Random Levels: 3 Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c		
Variation Details			
Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
3	88.12	3.000000	91.12
4	90.12		93.12
5	91.98		94.98
Platform/Cabinet			
ALPHA II – Alpha Pro Upright AP-1 (with/without ALPHA PRO TOPPER)			
ALPHA II – Alpha Pro Slant Top AS-1 (with/without ALPHA PRO TOPPER)			
Specific Approval Conditions			
<ol style="list-style-type: none"> 1. A single software chipset supports both the conventional and the stand-alone progressive game. This implementation is supported on the condition that should any component of a software chipset have a problem, then the whole chipset will need to be replaced in the field. 2. Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it. 3. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for the above identified game to operate. 4. Multi-denomination mode must be set to "disabled" when the gaming machine is configured. 5. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks. 6. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time. 7. The optional Alpha Pro Topper must be used for the above identified game to operate. 			
Application Reference No.	42-A0047/S01		

New Gaming Machine and Updated Supporting Software		
Game Name	Pharaoh's Dream	
Specification Number	42.A0033	
Manufacturer	BGI Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	301797B	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c	
Variation Details	Variation Number	Min/Max PRTP%
	99	88.12
	1	90.12
	2	91.98
Platform/Cabinet		
ALPHA II – Alpha pro Upright AP-1 (with without ALPHA PRO TOPPER)		
ALPHA II – Alpha pro Slant Top AS-1 (with without ALPHA PRO TOPPER)		
Specific Approval Conditions		
<ol style="list-style-type: none"> 1. A single software chipset supports both the conventional game and the stand-alone progressive game. This implementation is supported on the condition that should any component of a software chipset have a problem, then the whole chipset will need to be replaced in the field. 2. Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it 3. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for the above identified game to operate. 4. Multi-denomination mode must be set to "disabled" when the gaming machine is configured. 5. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks. 6. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time. 7. The optional Alpha Pro Topper must be used for the above identified game to operate. 		
Device details		
Device name	ALPHA II Base Software (OS, BIOS etc)	
Category	Supporting Function	
Category Type	Base software	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
Software Details	<ul style="list-style-type: none"> • OS OS357D • Media services 194238G 	
Platform/Cabinet		
ALPHA II – Alpha pro Upright AP-1 (with without ALPHA PRO TOPPER)		
ALPHA II – Alpha pro Slant Top AS-1 (with without ALPHA PRO TOPPER)		
Application Reference No.	42-A0042/S01	

New Gaming Machine			
Game Name		Pharaoh's Dream Mystery Jackpots (3 iSAP Levels)	
Specification Number		42.B0010	
Manufacturer		BGI Australia Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		301797BS	
Technical Standards		NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards		NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
Progressive levels supported		iSAP - Yes Type - Random Levels - 3 Wins transferred to 'Total Wins' – Yes	
Maximum Bet Value		\$10.00	
Base Credit Value		1c, 2c, 5c	
Variation Details			
Var	Game PRTP%	iSAP RTP%	Min/Max Total PRTP%
3	88.12	3.000000	91.12
4	90.12		93.12
5	91.98		94.98
Platform/Cabinet			
ALPHA II – Alpha pro Upright AP-1 (with without ALPHA PRO TOPPER)			
ALPHA II – Alpha pro Slant Top AS-1 (with without ALPHA PRO TOPPER)			
Specific Approval Conditions			
1. A single software chipset supports both the conventional game and the stand-alone progressive game. This implementation is supported on the condition that should any component of a software chipset have a problem, then the whole chipset will need to be replaced in the field.			
2. Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it			
3. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for the above identified game to operate.			
4. Multi-denomination mode must be set to "disabled" when the gaming machine is configured.			
5. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks.			
6. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time.			
7. The optional Alpha Pro Topper must be used for the above identified game to operate.			
Application Reference No.		42-A0042/S01	

New Gaming Machine			
Game Name		Cortez	
Specification Number		18.B0634	
Manufacturer		IGT (Australia) Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		X63910GA X63910RA	
Technical Standards Submission Standards		NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
Progressive levels supported		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$5.00	
Base Credit Value		5c	
Variation Details			
Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
2	87.06	3.437678	90.50
3		4.932137	91.99
4		6.940040	94.00
7		2.442003	89.50
Platform/Cabinet AVP BC20 – Video Top AVP ST22 – Video Slant Top			
Application Reference No.		18-A5263/S01	

New Gaming Machine			
Game Name		Diamond Strike Grand Panda	
Specification Number		18.B0649	
Manufacturer		IGT (Australia) Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		X69200GA X69200RA	
Technical Standards Submission Standards		NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
Progressive levels supported		iSAP: Yes Type: Standard Levels: 4 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$10.00	
Base Credit Value		5c, 10c	
Variation Details			
Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
2	80.41	10.577099	90.99
3	81.41		91.99
7	79.83	9.699799	89.53
Platform/Cabinet AVP BC20 – Video Top AVP ST22 – Video Slant Top			
Application Reference No.		18-A5246/S01	

Updated Gaming Machine Game Software			
Game Name		Goddess of Gold	
Specification Number		18.B0606	
Manufacturer		IGT (Australia) Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		X70300GA X70300RA	
Technical Standards Submission Standards		NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
Progressive levels supported		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$10.00	
Base Credit Value		1c, 2c, 5c	
Variation Details			
Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
5	87.50	2.99300	90.50
Platform/Cabinet AVPC – Video Top			
Specific Approval Conditions			
1. Touch-screen functionality must be enabled in the Configuration Menu after a RAM Clear. 2. The BCV of 4c is not a subject of this approval.			
Application Reference No.		18-A5260/S01	

New Gaming Machine and Updated Supporting Software		
Game Name	Big Africa	
Specification Number	39.F0004	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	L010MLC001XX_0103NBXX	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$10.00	
Base Credit Value	25c, 50c, \$1.00	
Variation Details	Variation Number	Min/Max PRTP%
	2	85.16
	3	87.18
	4	88.09
	5	88.57
	7	90.19
	8	91.93
	9	94.06
	10	96.04
Platform/Cabinet KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box, Short Top Box KP3 KGP 3.0 SVRS Podium – Slant Top		
Operational Conditions 1. Gaming machine variation number 2 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Device details		
Device Name	System/Game Control Software	
Category	Supporting Function	
Category Type	System Software	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
Software Details		
• Game Common	KGI_LWPGCMV021N1	
Platform/Cabinet KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box, Short Top Box KP3 KGP 3.0 SVRS Podium – Slant Top		
Application Reference No.	39-A1121/S01	

New Gaming Machine and Additional Topper Artwork				
Game Name		Incan Treasure Full Steam Express		
Specification Number		39.BF003		
Manufacturer		Konami Australia Pty Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Game Identifier		L028SPA001XX_0283NAXX		
Technical Standards Submission Standards		NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3I; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2		
Progressive levels supported		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c, 5c		
Variation Details				
Var	BCV	Game RTP%	iSAP RTP%	Min/Max Total PRTP%
1	1c, 2c, 5c	82.79	7.120479	89.91
2		82.70	8.443013	91.14
3	1c, 2c	82.39	8.353045	90.74
4	1c, 2c, 5c	85.72	5.170434	90.89
5		85.70	5.907499	91.61
6		85.37	5.513018	90.88
7		88.36	3.594331	91.95
8		88.24	2.743499	90.98
Platform/Cabinet				
KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box KP3 KGP 3.0 SVRS Podium – Slant Top				
Specific Approval Conditions				
The BCV of 4c is not a subject of this approval.				
Device details				
Device Name		Topper Artwork		
Category		Gaming Machine		
Category Type		Generic Artwork		
Technical Standards Submission Standards		NS 10.1 + NSW Appendix (dated 24/11/11)		
Topper Artwork Details		L-007(PT)3D		
Platform/Cabinet				
KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box KP3 KGP 3.0 SVRS Podium – Slant Top				
Application Reference No.		39-A1123/S01		

Gaming Machine Bugfix						
Game Name		Magic Happens				
Specification Number		39.B0132				
Manufacturer		Konami Australia Pty Ltd				
Gaming Machine Type		iSAP				
Game Type		Spinning Reels				
Game Identifier		MAH5NC50.ROM3 MAH5NC50.ROM4 MAH5NC50.ROM5				
Technical Standards Submission Standards		NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2				
Progressive levels supported		iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' – Yes				
Maximum Bet Value		\$10.00				
Base Credit Value		1c, 2c				
Variation Details						
Var	Game P RTP%	Bonus RTP%	Setting Combination		iSAP RTP%	Min/Max Total P RTP%
			1c	2c		
11	84.65	3.63	11	21	1.895538	90.18
			12	22		
			13	23		
			14		1.899416	
12	86.39	3.63	15	25	1.895538	91.91
			16	26		
			17	27		
			18		1.899416	
Platform/Cabinet KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box						
Specific Approval Conditions 1. The player selectable multi-denomination functionality contained in the system software 'NSW50350' is not a subject of this approval. 2. The 4c denomination is not a subject of this approval.						
Application Reference No.		39-A0995/S01				

New Gaming Machine and Updated Supporting Software						
Game Name		Wild Winter Snow Stars				
Specification Number		39.BF002				
Manufacturer		Konami Australia Pty Ltd				
Gaming Machine Type		iSAP				
Game Type		Spinning Reels				
Game Identifier		L014MLA001XX_0143NAXX				
Technical Standards Submission Standards		NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2				
Progressive levels supported		iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' – Yes				
Maximum Bet Value		\$5.00				
Base Credit Value		1c, 2c, 5c				
Variation Details						
Var	Max Lines Configured	BCV	Game RTP%	iSAP RTP%	Min/Max Total PRTP%	
1	20	1c, 2c	87.22	2.937062	90.16	
2		5c		2.890567	90.11	
3		1c, 2c		4.724124	91.95	
5	25	1c, 2c		2.916256	90.14	
7		1c, 2c		4.590990	91.81	
Platform/Cabinet						
KP3 KGP 2.0 UVS Podium – Tall Top Box (with Snow Stars Door)						
KP3 KGP 2.0 UVS Podium Upgrade – Tall Top Box (with Snow Stars Door)						
Specific Approval Conditions						
The BCV of 4c is not a subject of this approval.						
Device details						
Device name		System/Game Control Software				
Category		Supporting Function				
Category Type		System Software				
Technical Standards Submission Standards		NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2				
Software Details		KGI_LWPGCMV022N3				
Platform/Cabinet						
KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box, Tall Top Box						
KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box, Short Top Box, Tall Top Box						
Box						
KP3 KGP 3.0 SVRS Podium – Slant Top						
Application Reference No.		39-A1119/S01				

Alternative MEI Bill Acceptor	
Device Name	Bill Acceptor
Manufacturer	Aristocrat Technologies Australia Pty Ltd
Category	Gaming Machine
Category Type	Hardware Component
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
Hardware Details	
Description	Part Number
MEI SCN 83 Advance Un-Programmed Unit Assembly	ATA P/N: 442155_083
<ul style="list-style-type: none"> • ASY SC_ADV SCN83 ACCEPTOR UNIT 	ATA P/N: 442155_183
<ul style="list-style-type: none"> • PASY CASHBOX SC MEI ROHS 	ATA P/N: 442009
<ul style="list-style-type: none"> • A FRAME WITH RS232 COMMS PCBA AND HARNESS 	ATA P/N: 442005_001
<ul style="list-style-type: none"> • Bezel 	
a) Bat Bezel for Gen7 Viridian & Gen7 Viridian WS platforms	ATA P/N: 442006_83
b) Standard Bezel for Gen7 Vii Slant platform	ATA P/N: L42476
c) Standard Bezel for Gen7 Slant platform	ATA P/N: 442008_83
Loom	
a) Gen7 Viridian, Gen7 Viridian WS & Gen7 Vii Slant platforms	ATA P/N: 579123
b) Gen7 Slant platform	ATA P/N: 579113
Software Details	
Firmware ID	Firmware File
Application 286108320 (V3.20)	286108320_6EB4_APPLICATION_EBDS_GAMIN G.bin
Variant (Bill-Set) 510011201 (V2.01)	510011201_0C39_SCN83_AUD_FLASH. BIN
Platform/Cabinet Details	
Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD)(Configured with either Ticket Printer and/or Hopper option)	
Gen7 Slant – Round Top, Casino Top (with in-machine LCD)(Configured with either Ticket Printer only)	
Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD)(Configured with either Ticket Printer and/or Hopper option)	
Gen7 Vii Slant – Chop Top, Casino Top (with in-machine LCD)(Configured with Ticket Printer option)	
Specific Approval Conditions	
The MEI SCN 83 Advance Bill Acceptor, when operating in the Gen7 Viridian, Gen7 Viridian WS, Gen7 Slant and Gen7 Vii Slant EGMs, shall only be used in conjunction with the System Software versions “27012070” or “35802080” or any later System Software versions.	
Application Reference No.	01-A1373/S01; S02

Updated Hardware Assembly	
Device Name	Cyclone Hopper
Manufacturer	Aristocrat Technologies Australia Pty Ltd
Category	Gaming Machine
Category Type	Hardware Component
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
Hardware Details 1	
Description	Part Number
1. High Capacity Cyclone Hopper	HCCHCN1A00003
2. 210 Cyclone Hopper	HC21AA0U00015
Platform/Cabinet Details	
Mk 6 Xtra – Highboy, Casino Top, Lowboy)(Configured with either Ticket Printer and/or Hopper option)	
Mk 6 XCite – Casino Top, Lowboy)(Configured with either Ticket Printer and/or Hopper option)	
Mk 6 (XTreme) – Casino Top (with in-machine LCD Display)(Configured with either Ticket Printer and/or Hopper option)	
Gen7 Upgrade XCite – Lowboy (Configured with either Ticket Printer and/or Hopper option)	
Gen7 Upgrade XTreme – Casino Top (with in-machine LCD)((Configured with either Ticket Printer and/or Hopper option)	
Hardware Details 2	
Description	Part Number
Medium Capacity Cyclone Hopper	MCCHCN1A00005
Platform/Cabinet Details	
Gen7 Viridian – Chop Top, Casino Top (with in-machine LCD)(Configured with either Ticket Printer and/or Hopper option)	
Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD)(Configured with either Ticket Printer and/or Hopper option)	
Application Reference No.	01-A1389/S01

New Gaming Machine				
Game Name		5 Koi Legends		
Specification Number		1.CF008		
Manufacturer		Aristocrat Technologies Australia Pty Ltd		
Gaming Machine Type		MGGM		
Game Type		Spinning Reels		
Game Identifier		10261935		
Technical Standards Submission Standards		NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20		
Maximum Bet Value		\$4.80		
Base Credit Value		2c		
Component Game Set Details		Game Number	Game Name	
		1	5 Koi	
		2	5 Koi deluxe	
Multi-Game Combination				
MGC	CRP%	Game Number	Variation	SDB PRTP%
99	88.54	1	99	88.54
		2	99	88.54
1	87.88	1	1	87.88
		2	1	87.88
2	86.87	1	2	86.87
		2	2	86.87
3	85.85	1	3	85.85
		2	3	85.85
Platform/Cabinet Details				
Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Stand-alone)(Configured with either Ticket Printer and/or Hopper option)				
Gen7 Vii Slant – Casino Top (with in-machine LCD; Stand-alone)(Configured with either Ticket Printer and/or Hopper option)				
Operational Conditions				
1 Multi-Game combination numbers 3 and 4 are only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.				
Application Reference No.		01-A1380/S01		

New Gaming Machine			
Game Name		Where's the Diamonds	
Specification Number		1.BF034	
Manufacturer		Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		10162005	
Technical Standards Submission Standards		NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
Progressive levels supported		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$10.00	
Base Credit Value		1c, 2c	
Variation Details			
Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
99	86.27	4.325210	90.60
1	84.55	4.325210	88.88
2	87.27	4.325210	91.60
3	85.87	4.325210	90.20
4	85.17	4.325210	89.50
Platform/Cabinet Details			
Gen7 Viridian –Casino Top (with in-machine LCD; Stand-alone)(Configured with either Ticket Printer and/or Hopper option)			
Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Stand-alone)(Configured with either Ticket Printer and/or Hopper option)			
Application Reference No.		01-A1388/S01	

Alternate Bill Acceptor	
Device Name	Bill Acceptor
Manufacturer	Aruze Gaming Australia Pty Ltd
Category	Gaming Machine
Category Type	Hardware Component
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
Hardware Details	
<ul style="list-style-type: none"> • MEI Bill Acceptor • Bill Acceptor Enclosure • Wiring 	P/N: CFSCN83; Model SCN8347 Part Number: CEK030500 Part Number: 3EK043600-G
Firmware Details	
Firmware ID	Firmware File
Application Firmware: 286108320 (V3.20)	286108320_6eb4_application_ebds_gaming.bin
Variant (Bill-Set) Firmware 510011201 V(2.01)	510011201_scn83_aud_flash.bin
Platform/Cabinet	
G-ENEX-WD00 – Midway, Low boy, G-Deluxe	
G-Comfort	
G-ENEX Stepper	
GENX-WD00 (G-ENEX II) – Midway, Lowboy, G-Deluxe, G-Comfort II, Stepper	
Application Reference No.	06-A0425/S01, /S02

Updated Gaming Machine Game Software		
Game Name	Classics Platinum Golden Goddess	
Specification Number	18.H0120	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	SFS	
Game Type	Spinning Reels	
Game Identifier	X67710GA X67710RA	
LPJS	18.YA009	
Technical Standards Submission Standards	NS10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
Progressive levels supported	Linked: Yes Type: Standard Levels: 4	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c, 10c	
Variation Details	Variation Number	Min/Max PRTP%
	8	83.89
Platform/Cabinet AVP BC20 – Video Top AVP ST22 – Video Slant Top		
Specific Approval Conditions 1. This game must operate in conjunction with the Standard Linked Progressive Jackpot System, Specification Number 18.YA009, with the approved 'Classics Platinum' jackpot setting combinations. 2. Touch-screen functionality must be enabled in the Configuration menu after a RAM Clear. 3. The BCV of 4c is not a subject of this approval.		
Application Reference No.	18-A5264/S01	

New Gaming Machine			
Game Name		Diamond Strike the Golden West	
Specification Number		18.B0651	
Manufacturer		IGT (Australia) Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		A69300GA A69300RA	
Technical Standards Submission Standards		NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
Progressive levels supported		iSAP: Yes Type: Standard Levels: 4 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$10.00	
Base Credit Value		5c, 10c	
Variation Details			
Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
2	80.72	10.265999	90.99
3	81.64		91.99
7	79.24		89.51
Platform/Cabinet			
AVP BC20 – Video Top AVP ST22 – Video Slant Top			
Application Reference No.		18-A5249/S01	

New Gaming Machine			
Game Name		Eastern Riches	
Specification Number		18.B0650	
Manufacturer		IGT (Australia) Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		X64200GA X64200RA	
Technical Standards Submission Standards		NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
Progressive levels supported		iSAP: Yes Type: Standard Levels: 3 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$10.00	
Base Credit Value		10c	
Variation Details			
Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
2	88.03-88.21	3.275563	91.30-91.48
Platform/Cabinet			
AVP BC20 – Video Top AVP ST22 – Video Slant Top			
Application Reference No.		18-A5202/S01	

New Gaming Machine		
Game Name	Summer Queen	
Specification Number	18.A0599	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	X68600GA X68600RA	
Technical Standards	NS10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$9.60	
Base Credit Value	1c, 2c, 5c	
Variation Details	Variation Number	Min/Max PRTP%
	99	87.50
	2	90.80
	3	91.99
	5	88.51
	7	89.91
Platform/Cabinet		
AVP BC20 – Video Top		
AVP ST22 – Video Slant Top		
Specific Approval Conditions		
1 The BCV of 4c is not a subject of this approval.		
2 Touch-screen functionality must be enabled in the Configuration Menu after a RAM Clear.		
Application Reference No.	18-A5238/S01	

New Gaming Machine		
Game Name	Winter Queen	
Specification Number	18.A0598	
Manufacturer	IGT (Australia) Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	X67400GA X67400RA	
Technical Standards	NS10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$9.00	
Base Credit Value	1c, 2c, 5c	
Variation Details	Variation Number	Min/Max PRTP%
	99	87.50
	2	90.80
	3	92.00
	5	88.51
	7	89.91
Platform/Cabinet AVP BC20 – Video Top AVP ST22 – Video Slant Top		
Specific Approval Conditions Touch-screen functionality must be enabled in the Configuration Menu after a RAM Clear.		
Application Reference No.	18-A5224/S01	

New Gaming Machine and Updated Supporting Software			
Game Name	Big Africa		
Specification Number	39.F0004		
Manufacturer	Konami Australia Pty Ltd		
Gaming Machine Type	Conventional		
Game Type	Spinning Reels		
Game Identifier	L010MLC001XX_0103NBXX		
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)		
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20		
Maximum Bet Value	\$10.00		
Base Credit Value	50c, \$1.00		
Variation Details			
Variation Number	Min/Max P RTP%	Variation Number	Min/Max P RTP%
2	85.16	7	90.19
3	87.18	8	91.93
4	88.09	9	94.06
5	88.57	10	96.04
Platform/Cabinet			
KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box, Short Top Box KP3 KGP 3.0 SVRS Podium – Slant Top			
Specific Approval Conditions			
The BCV of 25c is not a subject of this approval.			
Operational Conditions			
1. Gaming machine variation number 2 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%			
Device details			
Device Name	System/Game Control Software		
Category	Supporting Function		
Category Type	System Software		
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)		
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2		
Software Details			
• Game Common	KGI_LWPGCMV021N1		
Platform/Cabinet			
KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box, Short Top Box KP3 KGP 3.0 SVRS Podium – Slant Top			
Application Reference No.	39-A1121/S01		

New Gaming Machine		
Game Name	Outback 88	
Specification Number	1.F0101	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	10361762	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$8.40	
Base Credit Value	1c	
Variation Details	Variation Number	Min/Max PRTP%
	99	87.01-92.01
	1	87.98-92.98
	2	86.04-91.04
Platform/Cabinet Details		
Gen7 Viridian –Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)		
Gen7 Slant –Round Top, Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer only)		
Gen7 Upgrade XCite – Lowboy (with/without external LCD for Mystery Link) (Configured with either Ticket Printer and/or Hopper option)		
Gen7 Upgrade XTreme – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with either Ticket Printer and/or Hopper option)		
Gen7 Viridian Widescreen – Chop Top, Casino Top (with in-machine LCD; Stand-alone / Mystery link) (Configured with either Ticket Printer and/or Hopper option)		
Gen7 Vii Slant – Casino Top (with in-machine LCD; Stand-alone / Mystery Link) (Configured with Ticket Printer option)		
Operational Conditions		
1. Gaming machine variation number 2 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	01-A1379/S01	

New Gaming Machine			
Game Name		Golden Horde	
Specification Number		1.BF032	
Manufacturer		Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		10361797	
Technical Standards		NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards		NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2	
Progressive levels supported		iSAP: Yes Type: Standard Levels: 3 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$10.00	
Base Credit Value		50c, \$1.00	
Variation Details			
Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
99	73.44	17.064492	90.50
2	74.81		91.87
3	77.90		94.96
4	76.43		93.49
Platform/Cabinet Details			
Gen7 Viridian – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)			
Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)			
Gen7 Vii Slant – Casino Top (with in-machine LCD; Stand-alone) (Configured with Ticket Printer option)			
Application Reference No.		01-A1375/S01	

Updated Base Software and Regression Tested Game	
Device Name	BASE Software (GENEX, G-ENEX II)
Manufacturer	Aruze Gaming Australia Pty Ltd
Category	Supporting Function
Category Type	System Software
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20
Software Details	
Base	ZANGA002
Platform/Cabinet Details	
G-ENEX-WD00 –Midway, Low boy, G-Deluxe, Stepper G-Comfort GENX-WD00 (G-ENEX II) – Midway, Low boy, G-Deluxe, Stepper G-Comfort II	
Previously approved game suitable for operation with this version of software	
Game Name	Tokyo Rose Gold
Specification Number	6.F0053
Program Id	pTRMG002
Application Reference No.	06-A0432/S01

Regression Tested Games		
Device Name	Alpha II Base Software (OS, BIOS etc)	
Manufacturer	BGI Australia Pty Ltd	
Category	Supporting Function	
Category Type	Base Software	
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2	
Software Details	Function	Program Id
	OS	OS357D
	Media Services	194238G
Platform/Cabinet Details		
ALPHA II – Alpha Pro Upright AP-1 (with / without ALPHA PRO TOPPER)		
ALPHA II – Alpha Pro Slant Top AS-1 (with / without ALPHA PRO TOPPER)		
List of games that are suitable for operation with the above Supporting Software		
Game name	Specification Number	
Las Vegas	42.H0000	
Spring Blossom	42.A0030	
Rainbow Dragon	42.A0031	
Jackpot Lanterns Rainbow Dragon (2 iSAP Levels)	42.B0008	
Moon Dynasty	42.A0032	
Jackpot lanterns Moon Dynasty (2 iSAP Levels)	42.B0009	
Dragon	42.H0001	
Specific Approval Conditions		
<ol style="list-style-type: none"> 1. Should Bally Gaming (BGI) supply / lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket printer in it. 2. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for the above regression tested games to operate. 3. Multi-denomination mode must be set to "disabled" when the gaming machine is configured. 4. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks. 5. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time. 		
Application Reference No.	42.A0045/S01	

New Gaming Machine			
Game Name		Eastern Riches	
Specification Number		18.B0650	
Manufacturer		IGT (Australia) Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		A64200GA A64200RA	
Technical Standards Submission Standards		NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
Progressive levels supported		iSAP: Yes Type: Standard Levels: 3 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$10.00	
Base Credit Value		10c	
Variation Details			
Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
2	88.03-88.21	3.275563	91.30-91.48
Platform/Cabinet			
AVP BC20 – Video Top AVP ST22 – Video Slant Top			
Application Reference No.		18-A5202/S01	

New Gaming Machine			
Game Name	Cashino		
Specification Number	18.B0654		
Manufacturer	IGT (Australia) Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Game Identifier	X69400GA X69400RA		
Technical Standards Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2		
Progressive levels supported	iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	5c		
Variation Details			
Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
2	89.09-89.27	1.706194	90.80-90.98
3	90.09-90.27		91.80-91.98
7	87.70-87.88		89.41-89.59
Platform/Cabinet AVP BC20 – Video Top AVP ST22 – Video Slant Top			
Application Reference No.	18-A5250/S01		

Additional Platform for Previously Approved Game			
Game Name	Dangerous Beauty 2		
Specification Number	18.B0629		
Manufacturer	IGT (Australia) Pty Ltd		
Game Identifier	X67210GA X67210RA		
Technical Standards Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2		
Platform/Cabinet AVP BC20 – Video Top AVP ST22 – Video Slant Top Universal – Slant Top AVPC – Video Top			
Application Reference No.	18-A5272/S01		

New Gaming Machine			
Game Name		Magically Wild	
Specification Number		18.B0655	
Manufacturer		IGT (Australia) Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		X68900GA X68900RA	
Technical Standards Submission Standards		NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
Progressive levels supported		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$9.00	
Base Credit Value		1c, 2c	
Variation Details			
Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
2	87.84	3.068000	90.91
3		4.157500	92.00
4		6.158931	94.00
7		1.690000	89.53
Platform/Cabinet			
AVP BC20 – Video Top AVP ST22 – Video Slant Top			
Application Reference No.		18-A5241/S01	

New Gaming Machine			
Game Name		Treasure Trail	
Specification Number		18.B0653	
Manufacturer		IGT (Australia) Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		X67600GA X67600RA	
Technical Standards Submission Standards		NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
Progressive levels supported		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$10.00	
Base Credit Value		50c, \$1.00	
Variation Details			
Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
2	88.97	2.113400	91.08
3		2.995900	91.96
4		5.034788	94.00
Platform/Cabinet AVP BC20 – Video Top AVP ST22 – Video Slant Top			
Application Reference No.		18-A5226/S01	

New Gaming Machine and Updated Supporting Software			
Game Name	Glacier Ridge Riches		
Specification Number	39.BF004		
Manufacturer	Konami Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Game Identifier	L012SPA001XX_0123NEXX		
Technical Standards Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
Progressive levels supported	iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet Value	\$2.50		
Base Credit Value	1c, 2c		
Variation Details			
Variation Number	Game RTP%	iSAP RTP%	Min/Max RTP%
1	84.59	5.430546	90.02
2	81.85	8.180035	90.03
3	84.20	7.780035	91.98
4	81.85	10.081091	91.93
Platform/Cabinet KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box KP3 KGP 3.0 SVRS Podium – Slant Top			
Specific Approval Conditions 1. The BCV of 4c is not a subject of this approval. 2. This game must operate only with the KP3 MPU Assembly, Part Number '310436 A'.			
Device details			
Device Name	System/Game Control Software		
Category	Supporting Function		
Category Type	System Software		
Technical Standards Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2		
Software Details • Game Common	KGI_LWPGCMV018N4		
Platform/Cabinet KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box, Short Top Box KP3 KGP 3.0 SVRS Podium – Slant Top			
Application Reference No.	39-A1117/S01		

Gaming Machine Bugfix				
Game Name		5 Treasures		
Specification Number		35.BF103		
Manufacturer		SHFL entertainment (Australasia) Pty Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Game Identifier		5TRNSW2A		
Technical Standards		NS 10.1 + NSW Appendix (dated 24/11/11)		
Submission Standards		NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2		
Progressive levels supported		iSAP - Yes Type - Standard Levels - 4 Wins transferred to 'Total Wins' – Yes		
Maximum Bet Value		\$6.00		
Base Credit Value		1c, 2c		
Variation Details				
Var	BCV	Game PRTP%	Progressive RTP%	Min/Max Total PRTP%
99	1c	81.82-81.99	10.019988	91.84-92.01
9	2c		7.567041	89.39-89.56
19	1c		7.652230	89.48-89.64
29	2c		8.432301	90.26-90.42
39	1c		8.407181	90.23-90.40
59	2c		9.349700	91.17-91.34
69	1c		9.243912	91.07-91.24
89	2c		10.010040	91.83-92.00
Platform/Cabinet			PC4 – Equinox	
Application Reference No.		35-A0816/S01		

Gaming Machine Bugfix				
Game Name		Summer Festival – Blaze Pays		
Specification Number		35.BF101		
Manufacturer		SHFL entertainment (Australasia) Pty Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Game Identifier		FBPNSW2A		
Technical Standards		NS 10.1 + NSW Appendix (dated 24/11/11)		
Submission Standards		NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2		
Progressive levels supported		iSAP - Yes Type - Standard Levels - 2 Wins transferred to 'Total Wins' – Yes		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c, 5c, 10c		
Variation Details				
Var	BCV	Game PRTP%	Progressive RTP%	Min/Max Total PRTP%
99	5c, 10c	87.09	3.318179	90.41
5		86.81	3.173786	89.98
15		87.81	3.458325	91.27
16		88.22	3.640939	91.86
25	1c, 2c	87.46	3.834170	91.30
26		87.96	3.982810	91.94
29		86.75	3.668543	90.42
35		86.46	3.456201	89.92
Platform/Cabinet		PC4 – Equinox		
Application Reference No.		35-A0812/S01		

New Gaming Machine		
Game Name	Captain Cutthroat	
Specification Number	1.F0102	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	10461810	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$4.00	
Base Credit Value	1c, 2c	
Variation Details	Variation Number	Min/Max PRTP%
	99	87.78-87.80
	1	90.00-90.01
	2	91.78-91.81
Platform/Cabinet Details		
Gen7 Viridian - Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)		
Gen7 Viridian Widescreen - Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)		
Gen7 Vii Slant – Casino Top (with in-machine LCD; Stand-alone) (Configured with Ticket Printer option)		
Application Reference No.	01-A1369/S01	

New Gaming Machine			
Game Name		Choy Sun Jackpots	
Specification Number		1.BF035	
Manufacturer		Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		10161888	
Technical Standards		NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards		NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2	
Progressive levels supported		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$5.00	
Base Credit Value		1c, 2c	
Variation Details			
Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
99	85.12-85.32	5.482937	90.60-90.80
1	83.37-83.56	5.510060	88.88-89.07
2	86.15-86.35	5.432937	91.58-91.78
3	84.72-84.92	5.432937	90.15-90.35
4	84.04-84.21	5.427267	89.47-89.64
Platform/Cabinet Details			
Gen7 Viridian – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)			
Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Stand-alone) (Configured with either Ticket Printer and/or Hopper option)			
Gen7 Vii Slant – Casino Top (with in-machine LCD; Stand-alone) (Configured with Ticket Printer option)			
Application Reference No.		01-A1391/S01	

Regression tested games with previously approved shell		
Device Name	AVP BC20 Shell (Shell, OS & BIOS)	
Manufacturer	IGT (Australia) Pty Ltd	
Category	Supporting Function	
Category Type	System Software	
Shell	AP010804	
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Technical Standards	NSW CPTS 2.3; TITO Technical standard V4.20 NSW Jackpot Technical Standard Rev 1.2	
Platform/Cabinet		
AVP BC20 – Video Top, Portrait Top		
AVP ST22 – Video Slant Top		
AVPC – Video Top		
Universal – Slant Top		
List of previously approved games suitable for operation with this Shell version		
Game Name	Specification Number	Program ID
Ancient Secrets Aztec	18.B0633	X64910GA, RA
Ancient Secrets China	18.B0612	X60820GA, RA
Ancient Secrets Egypt	18.B0621	X62810GA, RA
Pot of Gold Deluxe	18.B0614	X63500GA, RA
Application Reference No.	18-A5254/S01	

Hardware Updates		
Device Name	Universal Slant Top Update #1	
Manufacturer	IGT (Australia) Pty Ltd	
Category	Gaming Machine	
Category Type	Hardware Platform	
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Technical Standards	NSW CPTS 2.3	
Hardware Details		
Description	Part Number	
Cash Box AUST U-Slant Top	A7001556 Rev B	
Blanking Plug Logic Tray	A3101094 Rev B	
Handle (optional)	A380011XXX	
Harness Main Power DIST AUS U-Slant	60132000W Rev A	
Harness Main Power Switch AUS U-Slant	60888905W Rev A	
Platform/Cabinet Details		
Universal - Slant Top		
Application Reference No.	18-A1244/S01	

New Gaming Machine		
Game Name	Aloha Delight	
Specification Number	42.A0039	
Manufacturer	BGI Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	301945B	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c	
Variation Details	Variation Number	Min/Max PRTP%
	99	88.14
	1	90.21
	2	91.93
Platform/Cabinet		
ALPHA II – Alpha Pro Upright AP-1 (with/without ALPHA PRO TOPPER)		
ALPHA II – Alpha Pro Slant Top AS-1 (with/without ALPHA PRO TOPPER)		
Specific Approval Conditions		
<ol style="list-style-type: none"> 1. A single software chipset supports both the conventional game and the stand-alone progressive game. This implementation is supported on the condition that should any component of a software chipset have a problem, then the whole chipset will need to be replaced in the field. 2. Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it. 3. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for this game to operate. 4. The Alpha Pro Topper must be installed for this game to operate. 5. Multi-denomination mode must be set to "disabled" when the gaming machine is configured. 6. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks. 7. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time. 		
Application Reference No.	42-A0053/S01	

New Gaming Machine			
Game Name		Jackpot Lanterns Aloha Delight (2 iSAP Levels)	
Specification Number		42.B0015	
Manufacturer		BGI Australia Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		301945BS	
Technical Standards		NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards		NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2	
Progressive levels supported		iSAP: Yes Type: Random Levels: 2 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$10.00	
Base Credit Value		1c, 2c, 5c	
Variation Details			
Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
3	88.14	2.250000	90.39
4	90.21		92.46
5	91.93		94.18
Platform/Cabinet			
ALPHA II – Alpha Pro Upright AP-1 (with/without ALPHA PRO TOPPER)			
ALPHA II – Alpha Pro Slant Top AS-1 (with/without ALPHA PRO TOPPER)			
Specific Approval Conditions			
<ol style="list-style-type: none"> 1. A single software chipset supports both the conventional game and the stand-alone progressive game. This implementation is supported on the condition that should any component of a software chipset have a problem, then the whole chipset will need to be replaced in the field. 2. Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it. 3. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for this game to operate. 4. The Alpha Pro Topper must be installed for this game to operate. 5. Multi-denomination mode must be set to "disabled" when the gaming machine is configured. 6. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks. 7. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time. 			
Application Reference No.		42-A0053/S01	

New Gaming Machine		
Game Name	Perfect 8	
Specification Number	42.A0036	
Manufacturer	BGI Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	302105A	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$4.00	
Base Credit Value	1c, 2c	
Variation Details	Variation Number	Min/Max PRTP%
	99	88.15-88.30
	1	90.01-90.17
	2	91.73-91.85
Platform/Cabinet		
ALPHA II – Alpha Pro Upright AP-1 (with/without ALPHA PRO TOPPER)		
ALPHA II – Alpha Pro Slant Top AS-1 (with/without ALPHA PRO TOPPER)		
Specific Approval Conditions		
<ol style="list-style-type: none"> 1. Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it. 2. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for this game to operate. 3. Multi-denomination mode must be set to "disabled" when the gaming machine is configured. 4. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks. 5. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time. 6. The optional Alpha Pro Topper must be used for this game to operate. 		
Application Reference No.	42-A0046/S01	

New Gaming Machine and Updated Supporting Software			
Game Name	Roar'N Rumble		
Specification Number	42.B0012		
Manufacturer	BGI Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Game Identifier	302109BS		
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)		
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
Progressive levels supported	iSAP: Yes Type: Standard Levels: 3 Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet Value	\$9.00		
Base Credit Value	50c, \$1.00		
Variation Details			
Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
99	71.31	18.687183	90.00
1	73.02	18.843411	91.86
2	75.07	19.262643	94.33
Platform/Cabinet			
ALPHA II – Alpha Pro Upright AP-1 (Standard Top Box with 32" Monitor & with/without ALPHA PRO TOPPER)			
Specific Approval Conditions			
<ol style="list-style-type: none"> 1. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with the Standard Top Box with a 32" touch screen LCD monitor for this game to operate. 2. The gaming machine must be configured with the I-Deck button panel for this game to operate. 3. The Alpha Pro Topper must be installed for this game to operate. 4. Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it. 5. Multi-denomination mode must be set to "disabled" when the gaming machine is configured. 6. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time. 			

Continued

Device details	
Device Name	Alpha II Base Software (OS, BIOS etc)
Category	Supporting Function
Category Type	Base Software
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2
Software Details	
<ul style="list-style-type: none"> • OS • Media Services 	OS357E MS103A
Platform/Cabinet	
ALPHA II – Alpha Pro Upright AP-1 (with/without ALPHA PRO TOPPER)	
ALPHA II – Alpha Pro Slant Top AS-1 (with/without ALPHA PRO TOPPER)	
Application Reference No.	42-A0050/S01

New Gaming Machine		
Game Name	Big Antlers	
Specification Number	6.F0061	
Manufacturer	Aruze Gaming Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	RVTMG001	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Variation Details	Variation Number	Min/Max PRTP%
	1	90.92
	2	91.87
	3	92.89
	4	95.94
	5	87.91
	6	88.91
	7	89.91
Platform/Cabinet Details		
G-ENEX-WD00 –Midway, Low boy		
GENX-WD00 (G-ENEX II) – Midway, Low boy		
G-Comfort		
G-Comfort II		
Application Reference No.	06-A0430/S01	

New Gaming Machine		
Game Name	Journey to the West	
Specification Number	6.F0060	
Manufacturer	Aruze Gaming Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	JTWMG002	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Variation Details	Variation Number	Min/Max PRTP%
	1	90.92
	2	91.87
	3	92.89
	4	95.94
	5	87.91
	6	88.91
	7	89.91
Platform/Cabinet Details		
G-ENEX-WD00 –Midway, Low boy		
GENX-WD00 (G-ENEX II) – Midway, Low boy		
G-Comfort		
G-Comfort II		
Application Reference No.	06-A0434/S01	

Updated Technical Standards for previously approved Base Software and Regression Tested Games	
Device Name	BASE Software (GENEX, G-ENEX II)
Manufacturer	Aruze Gaming Australia Pty Ltd
Category	Supporting Function
Category Type	System Software
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20 NSW jackpot Technical Standards Rev 1.2
Software Details	
Base	ZANGA002
Platform/Cabinet Details	
G-ENEX-WD00 –Midway, Low boy, G-Deluxe, Stepper G-Comfort GENX-WD00 (G-ENEX II) – Midway, Low boy, G-Deluxe, Stepper G-Comfort II	
Previously approved games suitable for operation with this version of software	
Game Name 1	Eagle Warrior
Specification Number	6.F0055
Program Id	pEWMG001
Game Name 2	Tokyo Rose Deluxe
Specification Number	6.BF022
Program Id	pTDMG002
Application Reference No.	06-A0439/S01

New Gaming Machine		
Game Name	Gypsy Fire	
Specification Number	39.F0006	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	L008MLA001XX_0083NBXX	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$7.50	
Base Credit Value	1c, 2c, 5c	
Variation Details	Variation Number	Min/Max PRTP%
	2	85.19
	3	87.19
	4	88.09
	5	88.59
	7	90.20
	8	91.99
	9	94.09
	10	96.10
Platform/Cabinet Details		
KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box		
KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box, Short Top Box		
KP3 KGP 3.0 SVRS Podium – Slant Top		
Specific Approval Conditions		
The BCV of 4c is not a subject of this approval.		
Operational Conditions		
1. Gaming machine variation number 2 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Application Reference No.	39.A1120/S01	

New Gaming Machine			
Game Name		Matsuri Nights Full Steam Express	
Specification Number		39.BF005	
Manufacturer		Konami Australia Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		L029SPA001XX_0293NAXX	
Technical Standards		NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards		NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2	
Progressive levels supported		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$10.00	
Base Credit Value		1c, 2c	
Variation Details			
Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
1	82.85	7.120479	89.97
2	82.76	8.443013	91.20
3	82.45	8.353045	90.80
5	85.61	5.907499	91.52
6	85.28	5.513018	90.79
7	88.37	3.594331	91.96
8	88.25	2.743499	90.99
Platform/Cabinet Details			
KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box KP3 KGP 3.0 SVRS Podium – Slant Top			
Specific Approval Conditions			
The BCV of 4c is not a subject of this approval.			
Application Reference No.		39-A1126/S01	

New Gaming Machine and Updated Supporting Software		
Game Name	Warrior's Gate	
Specification Number	39.F0005	
Manufacturer	Konami Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	L009SRB001XX_0093NBXX	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$9.60	
Base Credit Value	1c, 2c, 5c	
Variation Details	Variation Number	Min/Max PRTP%
	2	85.18
	3	87.19
	4	88.10
	5	88.59
	7	90.18
	8	91.98
	9	94.08
	10	96.06
Specific Approval Conditions		
The BCV of 4c is not a subject of this approval.		
Operational Conditions		
1. Gaming machine variation number 2 is only approved to operate on a linked jackpot arrangement where the combined gaming machine percentage return to player and linked jackpot contribution is at least 87%.		
Device Details		
Device Name	System / Game Control Software	
Category	Supporting Function	
Category Type	System Software	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Software Details	<ul style="list-style-type: none"> • System LLPSYSC021XX_NW311XXX • Game Common KGI_LWPGCMV021N2 	
Platform/Cabinet Details		
KP3 KGP 2.0 UVS Podium – Upper LCD Box, Tombstone LCD Box, Short Top Box		
KP3 KGP 2.0 UVS Podium Upgrade – Upper LCD Box, Tombstone LCD Box, Short Top Box		
KP3 KGP 3.0 SVRS Podium – Slant Top		
Application Reference No.	39.A1124/S01	

This is Page 62 (of 77 pages) of the Schedule to the *Gaming Machine Approval 2014 (No 39)*

New Gaming Machine				
Game Name		Chilli Fever – Blaze Pays		
Specification Number		35.BF108		
Manufacturer		SHFL entertainment (Australasia) Pty Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Game Identifier		CBPNSW1D		
Technical Standards		NS 10.1 + NSW Appendix (dated 24/11/11)		
Submission Standards		NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
Progressive levels supported		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c, 5c, 10c		
Variation Details				
Var	BCV	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
99	5C, 10C	86.67	3.371264	90.04
5		86.30	3.235365	89.54
15		87.75	3.434967	91.18
16		88.15	3.536891	91.69
25	1C, 2C	87.75	3.863898	91.61
26		88.15	3.991303	92.14
29		86.67	3.800195	90.47
35		86.12	3.630322	89.75
Platform/Cabinet Details				
PC4 - Equinox				
Application Reference No.		35-A0815/S01		

New Gaming Machine			
Game Name		Eastern Empire	
Specification Number		35.BF105	
Manufacturer		SHFL entertainment (Australasia) Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		EAENSW2A	
Technical Standards		NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards		NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2	
Progressive levels supported		iSAP: Yes Type: Standard Levels: 3 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$10.00	
Base Credit Value		20c, 50c	
Variation Details			
Var	Game RTP%	Progressive RTP%	Min / Max Total PRTP%
90	81.60	8.989649	90.59
91	82.68		91.67
92	81.98	9.995965	91.98
93	82.68		92.68
Platform/Cabinet Details			
PC4 – Equinox, Equinox Low Boy			
Application Reference No.		35-A0817/S01	

New Gaming Machine			
Game Name		Go Go Gorilla	
Specification Number		35.BF109	
Manufacturer		SHFL entertainment (Australasia) Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		GGNSW1B	
Technical Standards		NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards		NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2	
Progressive levels supported		iSAP: Yes Type: Standard Levels: 3 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$10.00	
Base Credit Value		1c, 2c	
Variation Details			
Var	Game RTP%	Progressive RTP%	Min / Max Total PRTP%
89	79.23	10.283964	89.51
90	79.95		90.23
91	80.75		91.03
92	81.70		91.98
Platform/Cabinet Details			
PC4 – Equinox			
Application Reference No.		35-A0818/S01	

New Gaming Machine		
Game Name	Hero	
Specification Number	35.F0193	
Manufacturer	SHFL entertainment (Australasia) Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	HERNSW1B	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c, 5c, 10c, 20c	
Variation Details	Variation Number	Min/Max PRTP%
	99	90.15
	88	88.15
	89	89.11
	91	91.10
	92	91.96
	93	92.92
Platform/Cabinet Details		
PC4 – Equinox		
Application Reference No.	35.A0809/S01	

New Gaming Machine			
Game Name	Hero – Jackpot Edition		
Specification Number	35.BF107		
Manufacturer	SHFL entertainment (Australasia) Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Game Identifier	HJENSW1B		
Technical Standards Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
Progressive levels supported	iSAP: Yes Type: Standard Levels: 3 Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet Value	\$10.00		
Base Credit Value	1c, 2c, 5c		
Variation Details			
Var	Game RTP%	Progressive RTP%	Min / Max Total PRTP%
99	86.21	3.942355	90.15
88	84.53		88.47
89	85.23		89.17
91	87.17		91.11
92	88.04		91.98
93	89.43		93.37
Platform/Cabinet Details			
PC4 – Equinox			
Application Reference No.	35-A0813/S01		

New Gaming Machine				
Game Name		The Flintstones – Totem Sunset		
Specification Number		35.BF104		
Manufacturer		SHFL entertainment (Australasia) Pty Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Game Identifier		SFLNSW2A		
Technical Standards		NS 10.1 + NSW Appendix (dated 24/11/11)		
Submission Standards		NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
Progressive levels supported		iSAP: Yes Type: Standard Levels: 3 Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet Value		\$10.00		
Base Credit Value		1c, 2c, 5c		
Variation Details				
Var	BCV	Game RTP%	Progressive RTP%	Min / Max Total PRTP%
21	1c, 2c	86.73	4.556275	91.29
22	1c, 2c	86.80	5.155490	91.96
23	1c, 2c	88.13		93.29
51	5c	86.73	4.527647	91.26
52	5c	86.80	5.177.59	91.98
53	5c	88.13		93.31
Platform/Cabinet Details				
PC4 – Equinox				
Application Reference No.		35-A0819/S01		

New Gaming Machine				
Game Name		Wolf Chief		
Specification Number		44.BF141		
Manufacturer		Ainsworth Game Technology Ltd		
Gaming Machine Type		iSAP		
Game Type		Spinning Reels		
Game Identifier		GDNSWH1B		
Technical Standards		NS 10.1 + NSW Appendix (dated 24/11/11)		
Submission Standards		NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
Progressive levels supported		iSAP: Yes Type: Random Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet Value		\$5.00		
Base Credit Value		1c, 2c		
Variation Details				
Var	BCV	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
36	1c	86.09	4.050000	90.14
37		85.49		89.54
38		87.17		91.22
39		87.97		92.02
46	2c	86.09	4.133333	90.22
47		85.49		89.62
48		87.18		91.31
49		87.97		92.10
Platform/Cabinet Details				
A560-H – High Boy				
A560-L – Low Boy (with A560 Topper)				
A560-ST – Slant Top				
Specific Approval Conditions				
The A560 Topper must be installed on the A560 Low Boy platform when operating this game.				
Application Reference No.		44.A0755/S01		

New Gaming Machine and Optional Hardware Assembly		
Game Name	The White Wizard	
Specification Number	1.F0103	
Manufacturer	Aristocrat Technologies Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	10261990	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$6.00	
Base Credit Value	1c, 2c	
Variation Details	Variation Number	Min/Max PRTP%
	5	90.01-90.18
	6	92.53-92.68
Platform/Cabinet Details		
Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Stand-alone)(Configured with either ticket printer and/or hopper option)		
Gen7 Vii Slant – Casino Top (with in-machine LCD; Stand-alone)(Configured with ticket printer option)		
Device Details		
Device Name	The White Wizard Optional Topper	
Category	Gaming Machine	
Category Type	Hardware Component	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Hardware Details		
Kit The White Wizard Optional Topper	ATA P/N 591002_1	
Gen7 Viridian WS Casino Top	The Bright Group (P/N: RND12-132-ASSY)	
Platform/Cabinet Details		
Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Stand-alone)(Configured with either ticket printer and/or hopper option)		
Application Reference No.	01-A1393/S01	

New Gaming Machine		
Game Name	Chinese Riches	
Specification Number	6.F0062	
Manufacturer	Aruze Gaming Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	RICMG002	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$10.00	
Base Credit Value	1c, 2c	
Variation Details	Variation Number	Min/Max PRTP%
	1	90.11
	2	92.03
	3	94.02
	4	96.04
	5	97.99
	6	87.10
	7	88.11
Platform/Cabinet Details		
G-ENEX-WD00 –Midway, Low boy		
GENX-WD00 (G-ENEX II) – Midway, Low boy		
G-Comfort		
G-Comfort II		
Application Reference No.	06-A0436/S01	

New Gaming Machine		
Game Name	Mayan Treasures	
Specification Number	42.A0037	
Manufacturer	BGI Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	301872A	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$4.00	
Base Credit Value	1c, 2c	
Variation Details	Variation Number	Min/Max PRTP%
	99	88.10
	1	90.16
	2	91.99
Platform/Cabinet		
ALPHA II – Alpha Pro Upright AP-1 (with/without ALPHA PRO TOPPER)		
ALPHA II – Alpha Pro Slant Top AS-1 (with/without ALPHA PRO TOPPER)		
Specific Approval Conditions		
<ol style="list-style-type: none"> 1. A single software chipset supports both the conventional game and the stand-alone progressive game. This implementation is supported on the condition that should any component of a software chipset have a problem, then the whole chipset will need to be replaced in the field. 2. Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it. 3. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for this game to operate. 4. The Alpha Pro Topper must be installed for this game to operate. 5. Multi-denomination mode must be set to "disabled" when the gaming machine is configured. 6. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks. 7. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time. 		
Application Reference No.	42-A0049/S01	

New Gaming Machine			
Game Name	Jackpot Lanterns Mayan Treasures (2 iSAP Levels)		
Specification Number	42.B0013		
Manufacturer	BGI Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Game Identifier	301872AS		
Technical Standards Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
Progressive levels supported	iSAP: Yes Type: Random Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet Value	\$4.00		
Base Credit Value	1c, 2c		
Variation Details			
Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
3	88.10	2.250000	90.35
4	90.16		92.41
5	91.99		94.24
Platform/Cabinet			
ALPHA II – Alpha Pro Upright AP-1 (with/without ALPHA PRO TOPPER)			
ALPHA II – Alpha Pro Slant Top AS-1 (with/without ALPHA PRO TOPPER)			
Specific Approval Conditions			
<ol style="list-style-type: none"> 1. A single software chipset supports both the conventional game and the stand-alone progressive game. This implementation is supported on the condition that should any component of a software chipset have a problem, then the whole chipset will need to be replaced in the field. 2. Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it. 3. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for this game to operate. 4. The Alpha Pro Topper must be installed for this game to operate. 5. Multi-denomination mode must be set to "disabled" when the gaming machine is configured. 6. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks. 7. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time. 			
Application Reference No.	42-A0049/S01		

New Gaming Machine		
Game Name	Gold Nuggets	
Specification Number	42.A0038	
Manufacturer	BGI Australia Pty Ltd	
Gaming Machine Type	Conventional	
Game Type	Spinning Reels	
Game Identifier	301871B	
Technical Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Submission Standards	NSW CPTS 2.3; TITO Technical Standard V4.20	
Maximum Bet Value	\$4.00	
Base Credit Value	1c, 2c	
Variation Details	Variation Number	Min/Max PRTP%
	99	88.10
	1	90.16
	2	91.99
Platform/Cabinet		
ALPHA II – Alpha Pro Upright AP-1 (with/without ALPHA PRO TOPPER)		
ALPHA II – Alpha Pro Slant Top AS-1 (with/without ALPHA PRO TOPPER)		
Specific Approval Conditions		
<ol style="list-style-type: none"> 1. A single software chipset supports both the conventional game and the stand-alone progressive game. This implementation is supported on the condition that should any component of a software chipset have a problem, then the whole chipset will need to be replaced in the field. 2. Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it. 3. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for this game to operate. 4. The Alpha Pro Topper must be installed for this game to operate. 5. Multi-denomination mode must be set to "disabled" when the gaming machine is configured. 6. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks. 7. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time. 		
Application Reference No.	42-A0048/S01	

New Gaming Machine			
Game Name	Jackpot Lanterns Gold Nuggets (2 iSAP Levels)		
Specification Number	42.B0014		
Manufacturer	BGI Australia Pty Ltd		
Gaming Machine Type	iSAP		
Game Type	Spinning Reels		
Game Identifier	301871BS		
Technical Standards Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2		
Progressive levels supported	iSAP: Yes Type: Random Levels: 2 Wins transferred to 'Total Wins' meter: Yes		
Maximum Bet Value	\$4.00		
Base Credit Value	1c, 2c		
Variation Details			
Var	Game RTP%	iSAP RTP%	Min / Max Total PRTP%
3	88.10	2.250000	90.35
4	90.16		92.41
5	91.99		94.24
Platform/Cabinet			
ALPHA II – Alpha Pro Upright AP-1 (with/without ALPHA PRO TOPPER)			
ALPHA II – Alpha Pro Slant Top AS-1 (with/without ALPHA PRO TOPPER)			
Specific Approval Conditions			
<ol style="list-style-type: none"> 1. A single software chipset supports both the conventional game and the stand-alone progressive game. This implementation is supported on the condition that should any component of a software chipset have a problem, then the whole chipset will need to be replaced in the field. 2. Should Bally Gaming (BGI) supply /lease a machine to a venue that does not connect to an in-house system to support the 'Ticket Out' operation, the machine must be installed without a Ticket Printer in it. 3. The Alpha II Alpha Pro Upright AP-1 gaming machine must be configured with two 22" LCD monitors for this game to operate. 4. The Alpha Pro Topper must be installed for this game to operate. 5. Multi-denomination mode must be set to "disabled" when the gaming machine is configured. 6. The gaming machine must be configured with the "16 buttons" option when used with the 14 button decks. 7. Following configuration of the time-zone and time on the gaming machine, the gaming machine must be power cycled for the on-screen clock to show the correct time. 			
Application Reference No.	42-A0048/S01		

Regression Tested Games		
Device Name	Alpha II Base Software (OS, BIOS etc)	
Manufacturer	BGI Australia Pty Ltd	
Category	Supporting Function	
Category Type	Base Software	
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)	
Technical Standards	NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standard Rev 1.2	
Software Details	Function OS	Program Id OS357E
Platform/Cabinet Details		
ALPHA II – Alpha Pro Upright AP-1 (with / without ALPHA PRO TOPPER)		
ALPHA II – Alpha Pro Slant Top AS-1 (with / without ALPHA PRO TOPPER)		
List of games that are suitable for operation with the above Supporting Software		
Game Name	Specification Number	
Las Vegas	42.H0000	
Spring Blossom	42.A0030	
Rainbow Dragon	42.A0031	
Jackpot Lanterns Rainbow Dragon (2 iSAP Levels)	42.B0008	
Moon Dynasty	42.A0032	
Jackpot lanterns Moon Dynasty (2 iSAP Levels)	42.B0009	
Dragon	42.H0001	
Pharaoh's Dream	42.A0033	
Pharaoh's Dream Mystery Jackpots	42.B0010	
Tiki Treasure	42.A0034	
Chimney Stacks	42.A0035	
Chimney Stacks Mystery Jackpots (3 iSAP Levels)	42.B0011	
Application Reference No.	42.A0051/S01	

This is Page 76 (of 77 pages) of the Schedule to the *Gaming Machine Approval 2014 (No 39)*

Gaming Machine Approval Amendment			
Game Name		The Temple of Zeus 2	
Specification Number		18.B0646	
Manufacturer		IGT (Australia) Pty Ltd	
Gaming Machine Type		iSAP	
Game Type		Spinning Reels	
Game Identifier		X67900GA X67900RA	
Technical Standards Submission Standards		NS10.1 + NSW Appendix (dated 24/11/11) NSW CPTS 2.3; TITO Technical Standard V4.20 NSW Jackpot Technical Standards Rev 1.2	
Progressive levels supported		iSAP: Yes Type: Standard Levels: 2 Wins transferred to 'Total Wins' meter: Yes	
Maximum Bet Value		\$10.00	
Base Credit Value		50c, \$1.00	
Variation Details			
Var	Game RTP	iSAP RTP	Min / Max Total PRTP
2	88.51	2.483400	91.00
4		5.482800	94.00
Platform/Cabinet		AVP BC20 – Video Top AVP ST22 – Video Slant Top	
Additional Information			
This approval of 'The Temple of Zeuss II' revokes the previous approval for this gaming machine notified under 2012-620 of 13 December 2012.			
Application Reference No.		18-A5230/S01	

Additional Platform for previously approved gaming machines	
Platform/Cabinet Details	Universal Slant Top
Manufacturer	IGT (Australia) Pty Ltd
List of games that are suitable for operation with the above Supporting Software	
Game Name	Specification Number
Wild Princess	18.A0597
Winter Queen	18.A0598
Summer Queen	18.A0599
Gold Fever Navaho Legend	18.B0587
Soaring Fortune	18.B0640
Fortunes Foretold	18.B0642
Hollywood Fortune	18.B0643
Winter Queen 2	18.B0644
Panthers Gold	18.B0645
The Temple of Zeuss 2	18.B0646
Diamond Strike Kingfisher	18.B0647
Summer Queen 2	18.B0648
Diamond Strike Grand Panda	18.B0649
Eastern Riches	18.B0650
Diamond Strike the Golden West	18.B0651
Treasure Trail	18.B0653
Cashino	18.B0654
Magically Wild	18.B0655
Classics Platinum Cats	18.H0119
Classics Platinum Golden Goddess	18.H0120
Application Reference No.	18.A1245/S01

Alternate Poly Topper	
Device Name	Poly Topper
Manufacturer	IGT (Australia) Pty Ltd
Category	Gaming Machine
Category Type	Hardware Component
Submission Standards	NS 10.1 + NSW Appendix (dated 24/11/11)
Technical Standards	
Platform/Cabinet Details	
AVP BC20 – Video Top, Portrait 32IN Top Box	
AVPC – Video Top	
Universal – Slant Top	
Specific Approval Conditions	
The above identified Poly Topper must not be connected to a USB port on the gaming machine’s backplane board until the base / game software to support such an operation is approved.	
Application Reference No.	18-A1246/S01