Gaming Machine Approval 2014 (No 58)

Notifiable instrument NI2014-623

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the Gaming Machine Approval 2014 (No 58).

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Maureen Ogilvie
Delegate
ACT Gambling and Racing Commission

2 December 2014

New Gaming Machine Platform				
Device Name A560X Slant Top Platform				
Manufacturer	Ainsworth Game Technology Limited			
Category	Gaming Machine			
Туре	Hardware Platform			
Technical Standards	NS 10.3 + NSW Appendix (dated 24/04/13)			
Submission Standards	NSW CPTS 2.3; TITO TS V4.20			
Platform/Cabinet Details				
A560X-ST (with Primary 24" LCD, Seco	ondary 27" LCD, optional 24" LCD Topper, Configured with			
Ticket Printer only)				
BIOS Flash ROM Firmware ID	B001E001			
Application Reference No.	44-A0856/S01			

New Ga	New Gaming Machine Game					
Game Name			Emperor's Palace Wheel Winner (4 iSAP Levels)			
Specific	ation Nun	nber	44.BF191			
Manufa	cturer		Ainsworth Game Technolo	gy Limited		
Gaming	Machine	Туре	iSAP			
Game T	у ре		Spinning Reels			
Game I	dentifier		GDNSEA1E			
Base Id	entifier	tifier NX1H2I9O				
Technic	al Standaı	rds .	NS Rev 10.3 + NSW Appendix Rev 10.3			
Submis	sion Stand	lards	NSW CPTS Rev 2.3; NSW JI	P TS Rev 1.3; TITO TS V4.20		
Progressive Levels Supported		s Supported				
iSAP / T	ype / Leve	ls / Wins transferred	Yes / Standard / 4 / Yes			
to 'Tota	l Wins' me	eter:				
Maxim	um Bet Va	lue	\$10.00			
Base Cr	edit Value	!	1c, 2c			
Variatio	on Details					
Var	BCV	Game RTP%	iSAP RTP%	Min PRTP% - Max PRTP%		
51		64.47	26.835142	91.30		
53	1c, 2c	c 64.02 26.147354 90.17				
54		63.91	25.568769 89.48			

Platform/Cabinet Details (BIOS Version A003E002)

A560-H – High Boy (with Primary 22" LCD, Secondary 22" LCD, optional A560 19" LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)

A560-L – Low Boy (with Primary 22" LCD and A560 19" LCD Topper, Configured with either Ticket Printer and/or Hopper option)

A560-ST – Slant Top (with Primary 24" LCD, Secondary 27" LCD, optional 24" LCD Topper, Configured with Ticket Printer only)

Platform/Cabinet Details (BIOS Version B001E001)

A560X-H (with Primary 22" LCD, Secondary 22" LCD, optional A560 19" LCD Topper, optional Oval Topper, Configured with either Ticket Printer and/or Hopper option)

A560X-ST (with Primary 24" LCD, Secondary 27" LCD, optional 24" LCD Topper, Configured with Ticket Printer only)

Specific Approval Conditions

- 1. The above-mentioned game must only be configured with either the standard button panel or the 15 button OLED panel (but not the 10 button OLED panel on the A560 platform).
- 2. The A560 Topper must be installed on the A560 Low Boy platform when operating the above-mentioned game.

Application Reference No.	44-A0885/S01
---------------------------	--------------

Updated Gar	ning Machine Ga	me Soft	tware					
Game Name			5 Dragons Legends					
Specification	Number		1.CF003					
Manufacture	er		Aristocrat Tech	nologies Australia F	Pty Ltd			
Gaming Mac	hine Type		MGGM – Ante Bet					
Game Type			Spinning Reels					
Game Identi	fier		10162966					
Technical Sta	andards		NS Rev 10.0 + N	NSW Appendix (date	ed 14/1/09)			
			NSW CPTS 2.2;	TITO TS V4.20				
Submission S	Standards		NS 10.3 + NSW	Appendix (dated 24	4/4/13)			
Maximum Bo	et Value		\$4.50					
Base Credit \	/alue		1c					
Component	Game Set Details							
Ga	ame Number			Game Nan	ne			
	1			5 Dragon	S			
	2			5 Dragons De	luxe			
Multi-Game	Combination							
MGC	CRP%	G	ame Number	Variation	SDB PRTP%			
99	88.54		1	99	88.54			
33	88.34		2	99	88.54			
1	1 87.88		1	1	87.88			
1	87.88		2	1	87.88			
2	2 96.97		1	2	86.87			
2	2 86.87		2	2	86.87			
3	3 85.85		1	3	85.85			
3	85.85	2	3	85.85				

Platform/Cabinet Details

Gen7 Viridian Widescreen – Casino Top (with in-machine LCD; Mystery Link) (Configured with either Ticket Printer and/or Hopper option)

Gen7 Vii Slant – Casino Top (with in-machine LCD; Mystery Link) (Configured with Ticket Printer option)

Operational Conditions

Multi-Game Combinations 2 & 3 are only approved to operate on a link jackpot arrangement where the combined machine/link percentage return to player is at least 87%.

Application Reference No.	01-A1518/S01

New G	Saming Mad	chine Game & Ui	odated	Supporting Softwa	re	
Game Name			Extreme Dragon (4 iSAP Levels)			
Specification Number			6.BF029			
Manufacturer			Aruze Gaming Au	ustralia Pty Ltd		
Gamin	ng Machine	Туре		iSAP	,	
Game		,,		Spinning Reels		
	Identifier			EXDMG004		
Base I	dentifier			ZANGA003		
Techn	ical Standa	rds		NS Rev 10.3 + NS	W Appendix Re	ev 10.3
Submi	ission Stan	dards		NSW CPTS Rev 2.	.3; NSW JP TS R	ev 1.3; TITO TS V4.20
iSAP/		Is Supported els / Wins transfe eter:	erred	Yes / Standard /	4 / Yes	
Maxin	num Bet Va	alue		\$6.00		
Base C	Credit Value	e		1c, 2c		
Variat	ion Details					
Var	BCV	Game RTP%	Sett	ing Combination	iSAP RTP%	Min PRTP% - Max PRTP%
1	1c	83.47-83.65	9	SC1, SC2, SC8	7.300000	90.77-90.95
	1c, 2c	03.47 03.03		SC4, SC5, SC6, SC7	7.500000	30.77 30.33
2	1c	84.48-84.58		SC1, SC2, SC8	7.300000	91.78-91.88
2	1c, 2c	04.40-04.50	SC3, 9	SC4, SC5, SC6, SC7	7.30000	
3	1c	85.27-85.38	9	SC1, SC2, SC8	7.300000	92.57-92.68
3	1c, 2c	83.27-83.38	SC3, 9	SC4, SC5, SC6, SC7	7.300000	
4	1c	88.44-88.55	9	SC1, SC2, SC8	7.300000	95.74-95.85
4	1c, 2c	00.44-00.33	SC3, 9	SC4, SC5, SC6, SC7	7.300000	93.74-93.83
Platfo	rm/Cabine	t Details				
G-ENE	X-WD00 -	Midway				
GENX-	-WD00 (G-E	NEX II) - Midway	/			
Device	e Details					
Device	e Name			BASE Software (GENEX, G-ENEX II)		
Catego	ory			Supporting Function		
Type				System Software		
Techn	ical Standa	rds		NS 10.3 + NSW Appendix dated (24/04/13)		
			NSW CPTS 2.3; TITO TS V4.20; NSW JP TS Rev 1.3			
				ZANGA003		
G-ENE G-Com GENX-	nfort -WD00 (G-E	Midway, Low bo	•	eluxe, Stepper boy, G-Deluxe, Step	oper	
G-Comfort II				<u> </u>		
Applic	ation Refe	rence No.		06-A0489/S01, /S	S02	

New G	aming Ma	chine Game					
Game Name			Extreme Phoenix (4 iSAP Levels)				
Specification Number			6.BF030				
Manu	facturer			Aruze Gaming Au	stralia Pty Ltd		
Gamin	ng Machine	Туре		iSAP	iSAP		
Game	Туре			Spinning Reels			
Game	Identifier			EPHMG005	EPHMG005		
Base I	dentifier			ZANGA003			
Techn	ical Standa	ırds		NS Rev 10.3 + NS	W Appendix Re	ev 10.3	
Submi	ssion Stan	dards		NSW CPTS Rev 2.	3; NSW JP TS R	ev 1.3; TITO TS V4.20	
Progressive Levels Supported iSAP / Type / Levels / Wins transferred to 'Total Wins' meter:			Yes / Standard / 4	Yes / Standard / 4 / Yes			
Maxin	num Bet Va	alue		\$6.00			
Base C	redit Valu	e		1c, 2c			
Variat	ion Details	}					
Var	BCV	Game RTP%	Setti	ng Combination	iSAP RTP%	Min PRTP% - Max PRTP%	
1	1c	83.51-83.66	S	C1, SC2, SC8	7.300000	90.81-90.96	
	1c, 2c	65.51-65.00	SC3, S	C4, SC5, SC6, SC7			
2	1c	84.19-84.36	S	C1, SC2, SC8	7.300000	91.49-91.66	
	1c, 2c	04.19-04.50	SC3, S	C4, SC5, SC6, SC7	7.300000	91.49-91.00	
3	1c	05 36 05 43	S	C1, SC2, SC8	7,200,000		
3 1c, 2c 85.26-85.42 SC3, S			C4, SC5, SC6, SC7	7.300000 92.56-92.72			
4	1c	88.42-88.61	S	C1, SC2, SC8	7.300000	95.72-95.91	
1c, 2c SC3, SC			C4, SC5, SC6, SC7	7.500000	33.72 33.31		
Platfo	rm/Cabine	t Details					
G-ENEX-WD00 – Midway							
GENX-	GENX-WD00 (G-ENEX II) - Midway						
Application Reference No.				06-A0490/S01, /S	502		

Alternate Coin Validator				
Device Name Condor Premier Coin Validator				
Manufacturer	Bally Technologies ANZ Pty Ltd			
Category	Gaming Machine			
Туре	Hardware Component			
Technical Standards	NS 10.3 + NSW Appendix (dated 24/04/13)			
Submission Standards	NSW CPTS 2.3			
Condor Premier Coin Validator	P/N 09-029PREMIER			
Platform/Cabinet Details				
PC4 – Equinox, Equinox Low Boy, Equinox Super Top				
SL-V > Equinox, Equinox Low Boy, Equinox Super Top Box				
Application Reference No. 35-A0955/S01				

New Gaming Machine Game	
Game Name	Hand Of Fortune – Golden Keys (3 iSAP Levels)
Specification Number	35.BF142
Manufacturer	Bally Technologies ANZ Pty Ltd
Gaming Machine Type	iSAP
Game Type	Spinning Reels
Game Identifier	HGKNSW1C
Technical Standards	NS Rev 10.3 + NSW Appendix Rev 10.3
Submission Standards	NSW CPTS Rev 2.3; NSW JP TS Rev 1.3; TITO TS V4.20
Progressive Levels Supported	
iSAP / Type / Levels / Wins	Yes / Standard / 3 / Yes
transferred to 'Total Wins' meter:	
Maximum Bet Value	\$4.80
Base Credit Value	1c, 2c
Submission Standards Progressive Levels Supported iSAP / Type / Levels / Wins transferred to 'Total Wins' meter: Maximum Bet Value	NSW CPTS Rev 2.3; NSW JP TS Rev 1.3; TITO TS V4.20 Yes / Standard / 3 / Yes \$4.80

Variation Details

Var	BCV	Game RTP%	iSAP RTP%	Min / Max PRTP%
99		86.79	4.817727	91.60
50		84.96	5.258873	90.22
51		85.94	5.258873	91.20
52	1- 2-	86.63	5.258873	91.89
59	1c, 2c	86.14	5.258873	91.40
90		85.45	4.817727	90.26-90.27
91		86.49	4.817727	91.30
92		87.15	4.817727	91.97

Platform/Cabinet Details

PC4 – Equinox, Equinox Super Top

Specific Approval Conditions

The 'Number of Gamble Allowed' in the 'Standard Machine Setup' menu must be set to 5 to ensure it is consistent with the Artwork rules.

Application Reference No.	35-A0957/S01

New Gaming	g Machine Gan	ne				
Game Name			Wild Isle (3 iSAP Levels)			
Specification Number			35.BF141			
Manufactur	er		Bally Techi	nologies ANZ Pty Ltd		
Gaming Mad	chine Type		iSAP			
Game Type			Spinning R	eels		
Game Ident	ifier		WIINSW10			
Technical St	andards		NS Rev 10.	3 + NSW Appendix Rev	10.3	
Submission	Standards		NSW CPTS	Rev 2.3; NSW JP TS Rev	1.3; TITO TS V4.20	
Progressive	Levels Suppor	ted				
iSAP / Type ,	/ Levels / Wins		Yes / Stand	dard / 3 / Yes		
transferred	to 'Total Wins'	meter:				
Maximum B	et Value		\$10.00			
Base Credit	Value		1c, 2c			
Variation De	etails			,	_	
Var	BCV	Game	RTP%	iSAP RTP%	Min / Max PRTP%	
50				5.027721	90.38	
51				5.828468	91.18	
52				6.627689	91.98	
59	1c, 2c	85.35	-85.36	4.228238	89.58	
89	10, 20	05.55	05.50	4.241898	89.59-89.60	
90				5.037422	90.39	
91				5.840700	91.19-91.20	
93				7.838088	93.19	
Platform/Ca	Platform/Cabinet Details					
PC4 – Equino	OX					
	roval Condition					
The 'Number of Gamble Allowed' in the 'Standard Machine Setup' menu must be set to 5 to						
ensure it is consistent with the Artwork rules.						
Application Reference No. 35-A0956/S01, /S02						