

Australian Capital Territory

Gaming Machine Approval 2015 (No 36)

Notifiable instrument NI2015–528

made under the

Gaming Machine Act 2004, section 69 (Approval of gaming machines and peripheral equipment)

1 Name of instrument

This instrument is the *Gaming Machine Approval 2015 (No 36)*.

2 Commencement

This instrument commences the day after the date of notification.

3 Approval

I approve the gaming machine(s) described in the attached Schedule to this instrument.

Lesley Maloney
Delegate
ACT Gambling and Racing Commission

10 September 2015

New Gaming Machine Game					
Game Name		Blazing Dragons (4 iSAP Levels)			
Manufacturer		Bally Technologies ANZ Pty Ltd			
Specification Number		35.B0022			
Gaming Machine Type		iSAP			
Game Type		Spinning Reel			
Technical Standards Submission Standards		NS 10.3 + NSW Appendix (dated 24/4/13) Item 2.3.12 of the NSW Appendix to NS2015 (dated 5/2/15) ILGA Circular (dated 3/7/15) NSW CPTS 2.4; TITO TS V4.20 NSW JP TS Rev 1.3			
Progressive Levels Supported		iSAP	Type	Levels	Wins Transferred to Total Wins meter
		Yes	Standard	4	Yes
Maximum Bet Value		\$10.00			
Base Credit Value		1c, 2c			
Variation Details					
Var	BCV	Game RTP%	Setting Combination	iSAP RTP%	Min - Max PRTP%
49	2c	83.72 – 83.79	Var49_2c	5.693380	89.42 – 89.48
50	2c	83.72 – 83.79	Var50_51_52_2c	6.657332	90.38 – 90.45
51	2c	84.72 – 84.79	Var50_51_52_2c	6.657332	91.38 – 91.45
52	2c	85.22 – 85.30	Var50_51_52_2c	6.657332	91.88 – 91.95
89	1c	83.72 – 83.79	Var89_1c	5.646432	89.37 – 89.44
90	1c	83.72 – 83.79	Var90_91_92_1c	6.704280	90.43 – 90.49
91	1c	84.72 – 84.79	Var90_91_92_1c	6.704280	91.43 - 91.50
92	1c	85.22 – 85.30	Var90_91_92_1c	6.704280	91.93 – 92.00
Software Details 1					
Game		Base		BIOS	
DBLDNS1C		S3NWX01C		SBAL2105	
Platform/Cabinet Details					
Alpha Pro Hybrid AH-1 (V27/27 with/without Alpha Pro Topper)					
Software Details 2					
Game		Base		BIOS	
DBLDNS1C		S3NWX01C		SBSLV003	
Platform/Cabinet Details					
DualOS					
Specific Approval Conditions:					
When the above-mentioned game is configured on the Alpha II platform with the IMPU Board Alpha 2.1 Assy PCA212268-3-0 Rev A, it requires 8GB RAM in the gaming machine in order to operate satisfactorily					
Application Reference No.		35-A1036/S01			

New Multigame Gaming Machine				
Game Name	Multideluxe Grand			
Specification Number	35.D0004			
Manufacturer	Bally Technologies ANZ Pty Ltd			
Gaming Machine Type	MGGM – iSAP			
Game Type	Spinning Reels			
Technical Standards	NS 10.3 + NSW Appendix (dated 24/4/13)			
Submission Standards	Item 2.3.12 of the NSW Appendix to NS2015 (dated 5/2/15) NSW CPTS 2.4; TITO TS V4.20 NSW JP TS Rev 1.3			
Progressive Levels Supported (where applicable)	iSAP/linked	Type	Levels	Wins Transferred to Total Wins meter
	Yes	Standard	3	Yes
Maximum Bet Value	\$10.00			
Base Credit Value	50c, \$1.00			
Component Game Set Details (for MGGM games)				
Game Number	Game Name	BCV		
1	Big Rex	50c, \$1.00		
2	Main Event	50c, \$1.00		
3	Rise of the Emperor	50c, \$1.00		
4	Desert Ram	50c, \$1.00		
Multi-Game Combination				
MGC	CRP%	BCV	Game Number	Variation
1	89.91	\$1.00	1	89
			2	
			3	
			4	
2	90.40	\$1.00	1	90
			2	
			3	
			4	
3	90.87	\$1.00	1	99
			2	
			3	
			4	
4	91.41	\$1.00	1	91
			2	
			3	
			4	
5	91.93	\$1.00	1	92
			2	
			3	
			4	

MGC	CRP%	BCV	Game Number	Variation	SDB RTP%
6	93.28	\$1.00	1	93	93.50
			2		93.55
			3		93.01
			4		93.50
7	90.54	50c	1	50	90.45
			2		90.56
			3		90.59
			4		90.57
8	91.56	50c	1	51	91.52
			2		91.54
			3		91.48
			4		91.61
Software Details – 1					
Game		Base		BIOS	
AMDGNS1B		A2NWX06E		SBAL2004	SBAL2105
Platform/Cabinet Details					
Alpha II – Alpha Pro Upright AP-1 (V22/22 with/without Alpha Pro Topper)					
Alpha II – Alpha Pro Slant Top AS-1 (V22/26 with/without Alpha Pro Topper)					
Software Details - 2					
Game		Base		BIOS	
AMDGNS1B		A2NWX06E		SBAL2105	
Platform/Cabinet Details					
Alpha Pro Hybrid AH-1 (V40 with/without Alpha Pro Topper)					
Alpha Pro Hybrid AH-1 (V27/27 with/without Alpha Pro Topper)					
Specific Approval Conditions					
When the above-mentioned game is configured on the Alpha II platform with the IMPU Board Alpha 2.1 Assy PCA212268-3-0 Rev A, it requires 8GB RAM in the gaming machine in order to operate satisfactorily					
Application Reference No.			35-A1027/S01		

New Gaming Machine Game					
Game Name		Southern Magic – Dashing Dollars (4 iSAP Levels)			
Manufacturer		Bally Technologies ANZ Pty Ltd			
Specification Number		35.B0020			
Gaming Machine Type		iSAP			
Game Type		Spinning Reel			
Technical Standards Submission Standards		NS Rev 10.3 + NSW Appendix Rev 10.3; Item 2.3.12 of the NSW Appendix to NS2015 (dated 5/2/15) NSW CPTS Rev 2.4; NSW JP TS Rev 1.3; TITO TS V4.20 ILGA Circular (dated 3-7-15)			
Progressive Levels Supported		iSAP	Type	Levels	Wins Transferred to Total Wins meter
		Yes	Standard	4	Yes
Maximum Bet Value		\$10.00			
Base Credit Value		1c, 2c, 5c			
Variation Details					
Var	BCV	Game RTP%	Setting Combination	iSAP RTP%	Min - Max PRTP%
59	5c	84.85 – 84.94	Var59_5c	4.869705	89.72 – 89.81
60	5c	85.22 – 85.31	Var60_5c	5.308759	90.53 – 90.61
61	5c	85.49 – 85.57	Var61_5c	5.653152	91.14 – 91.23
62	5c	85.76 – 85.84	Var62_5c	6.120423	91.88 – 91.97
89	1c, 2c	84.85 – 84.94	Var89_1c, Var89_2c	4.744569	89.60 – 89.68
90	1c, 2c	85.19 – 85.27	Var90_1c, Var90_2c	5.236387	90.42 – 90.51
91	1c, 2c	85.49 – 85.57	Var91_1c, Var91_2c	5.623083	91.11 -91.19
92	1c, 2c	85.80 – 85.88	Var92_1c, Var92_2c	6.064594	91.86 – 91.95
Software Details					
Game		Base		BIOS	
DSDANS1E		S3NWX01C		SBSLV003	
Platform/Cabinet Details					
DualLOS SL-V > Equinox					
Application Reference No.		35-A1032/S01			

Updated Gaming Machine Game Software					
Game Name		68 Cranes (4 iSAP Levels)			
Manufacturer		IGT (Australia) Pty Ltd			
Specification Number		18.B0720			
Gaming Machine Type		iSAP			
Game Type		Spinning Reels			
Game Identifier		GAME_68 Cranes_X0A37_1_000.vhd			
Technical Standards Submission Standards		NS Rev 2015 + NSW Appendix Rev 2015 ILGA Circular (dated 3/7/15) NSW CPTS Rev 2.4; NSW JP TS Rev 1.3; TITO TS V4.20			
Progressive Levels Supported		iSAP	Type	Levels	Wins Transferred to Total Wins meter
		Yes	Standard	4	Yes
Maximum Bet Value		\$6.80			
Base Credit Value		1c, 2c			
Variation Details					
Var	BCV	Game RTP%	Setting Combination	iSAP RTP%	Min - Max PRTP%
1	1c, 2c	85.82 – 85.85	SC0101, SC0102	5.149240	90.97 – 91.00
2	1c, 2c	86.19 – 86.21	SC0201, SC0202	5.789015	91.97 – 92.00
3	1c	86.49 – 86.52	SC0301	6.490369	92-98 – 93.01
Platform/Cabinet Details					
Crystal Core Australia - (with Primary 23" LCD, Secondary 23" LCD, optional Video Topper, Configured with either Ticket Printer and/or Hopper option)					
Specific Approval Conditions:					
After a RAM Clear, in the Machine Configuration Menu, the MDB Type must be 'V0106' to enable functions supported in the CPTS 2.4.					
Application Reference No.		18-A5442/S01			

Updated Gaming Machine Game Software					
Game Name		Feng Huang (4 iSAP Levels)			
Manufacturer		IGT (Australia) Pty Ltd			
Specification Number		18.B0722			
Gaming Machine Type		iSAP			
Game Type		Spinning Reels			
Game Identifier		Game_Feng Huang_X0A36_1_000.vhd			
Technical Standards Submission Standards		NS Rev 2015 + NSW Appendix Rev 2015 ILGA Circular (dated 3/7/15) NSW CPTS Rev 2.4; NSW JP TS Rev 1.3; TITO TS V4.20			
Progressive Levels Supported		iSAP	Type	Levels	Wins Transferred to Total Wins meter
		Yes	Standard	4	Yes
Maximum Bet Value		\$6.80			
Base Credit Value		1c, 2c			
Variation Details					
Var	BCV	Game RTP%	Setting Combination	iSAP RTP%	Min - Max PRTP%
1	1c, 2c	85.79 – 85.84	SC0101, SC0102	5.149240	90.93 – 90.99
2	1c, 2c	86.15 – 86.21	SC0201, SC0202	5.789015	91.94 – 92.00
3	1c	86.45 – 86.50	SC0301	6.490369	92.94 – 92.99
Platform/Cabinet Details					
Crystal Core Australia (with Primary 23" LCD, Secondary 23" LCD, optional Video Topper, Configured with either Ticket Printer and/or Hopper option)					
Specific Approval Conditions:					
After a RAM Clear, in the Machine Configuration Menu, the MDB Type must be 'V0106' to enable functions supported in the CPTS 2.4.					
Application Reference No.		18-A5441/S01			

Updated Gaming Machine Game Software					
Game Name		Flourishing Fortunes (4 iSAP Levels)			
Manufacturer		IGT (Australia) Pty Ltd			
Specification Number		18.B0721			
Gaming Machine Type		iSAP			
Game Type		Spinning Reels			
Game Identifier		Game_Flourishing Fortunes_X0A26_1_000.vhd			
Technical Standards Submission Standards		NS Rev 2015 + NSW Appendix Rev 2015; ILGA Circular (dated 3/7/15) NSW CPTS Rev 2.4; NSW JP TS Rev 1.3; TITO TS V4.20			
Progressive Levels Supported		iSAP	Type	Levels	Wins Transferred to Total Wins meter
		Yes	Standard	4	Yes
Maximum Bet Value		\$3.40			
Base Credit Value		1c			
Variation Details					
Var	BCV	Game RTP%	Setting Combination	iSAP RTP%	Min - Max PRTP%
1	1c	85.84	SC0101	5.149240	90.99
2	1c	86.20	SC0201	5.789015	91.99
3	1c	86.51	SC0301	6.490369	93.00
Platform/Cabinet Details					
Crystal Core Australia (with Primary 23" LCD, Secondary 23" LCD, optional Video Topper, Configured with either Ticket Printer and/or Hopper option)					
Specific Approval Conditions:					
After a RAM Clear, in the Machine Configuration Menu, the MDB Type must be 'V0106' to enable functions supported in the CPTS 2.4.					
Application Reference No.		18-A5440/S01			

New Gaming Machine Game					
Game Name		Kingdom of the Burnt Lands (2 iSAP Levels)			
Specification Number		18.BG004			
Manufacturer		IGT (Australia) Pty Ltd			
Gaming Machine Type		iSAP – Multi Denom			
Game Type		Spinning Reels			
Game Identifier		Game_Kingdom of the Burnt Lands_X1001_0_002.vhd			
Technical Standards Submission Standards		NS Rev 2015 + NSW Appendix Rev 2015; ILGA Circular (dated 3/7/15) NSW CPTS Rev 2.4; NSW JP TS Rev 1.3; TITO TS V4.20			
Progressive Levels Supported		iSAP	Type	Levels	Wins Transferred to Total Wins meter
		Yes	Standard	2	Yes
Maximum Bet Value		\$10.00			
Base Credit Value		1c, 2c, 5c, 10c, 20c, 50c, \$1.00 (selectable by player)			
Variation Details					
Var	BCV	Game RTP%	Setting Combination	iSAP RTP%	Min - Max PRTP%
4	1c	87.77 – 87.81	SC04001	4.183493	91.95 – 91.99
	2c		SC04002		
	5c		SC04005		
	10c		SC04010		
	20c		SC04020		
	50c		SC04050		
	\$1.00		SC04100		
Platform/Cabinet Details					
Crystal Core Australia (with Primary 23" LCD, Secondary 23" LCD, optional Video Topper, Configured with either Ticket Printer and/or Hopper option)					
Specific Approval Conditions:					
After a RAM Clear, in the Machine Configuration Menu, the MDB Type must be 'V0106' to enable functions supported in the CPTS 2.4.					
Application Reference No.		18-A5434/S01			

New Gaming Machine Game					
Game Name		Kingdom of the Crystal Mountains (2 iSAP Levels)			
Manufacturer		IGT (Australia) Pty Ltd			
Specification Number		18.BG002			
Gaming Machine Type		iSAP			
Game Type		Spinning Reels			
Game Identifier		GAME_Kingdom of the Crystal Mountains_X0A39_0_004.vhd			
Technical Standards		NS Rev 2015 + NSW Appendix Rev 2015			
Submission Standards		ILGA Circular (dated 3/7/15) NSW CPTS Rev 2.4; NSW JP TS Rev 1.3; TITO TS V4.20			
Progressive Levels Supported		iSAP	Type	Levels	Wins Transferred to Total Wins meter
		Yes	Standard	2	Yes
Maximum Bet Value		\$10.00			
Base Credit Value		1c, 2c, 5c, 10c, 20c, 50c, \$1.00 (selectable by player)			
Variation Details					
Var	BCV	Game RTP%	Setting Combination	iSAP RTP%	Min - Max PRTP%
4	1c	87.66 – 87.76	SC04001	4.238134	91.90 – 91.99
	2c		SC04002		
	5c		SC04005		
	10c		SC04010		
	20c		SC04020		
	50c		SC04050		
	\$1.00		SC04100		
Platform/Cabinet Details					
Crystal Core Australia – (with Primary 23" LCD, Secondary 23" LCD, optional Video Topper, Configured with either Ticket Printer and/or Hopper option)					
Specific Approval Conditions:					
After a RAM Clear, in the Machine Configuration Menu, the MDB Type must be 'V0106' to enable functions supported in the CPTS 2.4.					
Application Reference No.		18-A5433/S01			

New Gaming Machine Game					
Game Name		Temple of the Moon (2 iSAP Levels)			
Manufacturer		IGT (Australia) Pty Ltd			
Specification Number		18.BG001			
Gaming Machine Type		iSAP			
Game Type		Spinning Reels			
Game Identifier		GAME_Temple of the Moon_X0A27_0_009.vhd			
Technical Standards Submission Standards		NS Rev 2015 + NSW Appendix Rev 2015 ILGA Circular (dated 3/7/15) NSW CPTS Rev 2.4; NSW JP TS Rev 1.3; TITO TS V4.20			
Progressive Levels Supported		iSAP	Type	Levels	Wins Transferred to Total Wins meter
		Yes	Standard	2	Yes
Maximum Bet Value		\$10.00			
Base Credit Value		1c, 2c, 5c, 10c, 20c, 50c, \$1.00 (selectable by player)			
Variation Details					
Var	BCV	Game RTP%	Setting Combination	iSAP RTP%	Min - Max PRTP%
4	1c	88.27 – 88.30	SC04001	3.551947	91.82 – 91.85
	2c		SC04002		
	5c		SC04005		
	10c		SC04010		
	20c		SC04020		
	50c		SC04050		
	\$1.00		SC04100		
Platform/Cabinet Details					
Crystal Core Australia – (with Primary 23" LCD, Secondary 23" LCD, optional Video Topper, Configured with either Ticket Printer and/or Hopper option)					
Specific Approval Conditions:					
After a RAM Clear, in the Machine Configuration Menu, the MDB Type must be 'V0106' to enable functions supported in the CPTS 2.4.					
Application Reference No.		18-A5422/S01			

New Gaming Machine Game					
Game Name		Temple of the Sun (2 iSAP Levels)			
Manufacturer		IGT (Australia) Pty Ltd			
Specification Number		18.BG003			
Gaming Machine Type		iSAP			
Game Type		Spinning Reels			
Game Identifier		GAME_Temple of the Sun_X0A3B_0_005.vhd			
Technical Standards Submission Standards		NS Rev 2015 + NSW Appendix Rev 2015 ILGA Circular (dated 3/7/15) NSW CPTS Rev 2.4; NSW JP TS Rev 1.3; TITO TS V4.20			
Progressive Levels Supported		iSAP	Type	Levels	Wins Transferred to Total Wins meter
		Yes	Standard	2	Yes
Maximum Bet Value		\$10.00			
Base Credit Value		1c, 2c, 5c, 10c, 20c, 50c, \$1.00 (selectable by player)			
Variation Details					
Var	BCV	Game RTP%	Setting Combination	iSAP RTP%	Min - Max PRTP%
4	1c	88.39 – 88.41	SC04001	3.551947	91.94 – 91.96
	2c		SC04002		
	5c		SC04005		
	10c		SC04010		
	20c		SC04020		
	50c		SC04050		
	\$1.00		SC04100		
Platform/Cabinet Details					
Crystal Core Australia – (with Primary 23" LCD, Secondary 23" LCD, optional Video Topper, Configured with either Ticket Printer and/or Hopper option)					
Specific Approval Conditions:					
After a RAM Clear, in the Machine Configuration Menu, the MDB Type must be 'V0106' to enable functions supported in the CPTS 2.4.					
Application Reference No.		18-A5431/S01			