## Work Health and Safety (Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice) Approval 2022

#### Notifiable instrument NI2022–686

made under the

Work Health and Safety Act 2011, section 274 (Approved Codes of Practice)

#### 1 Name of instrument

This instrument is the Work Health and Safety (Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice) Approval 2022.

#### 2 Commencement

This instrument commences on 30 January 2023.


#### 3 Code of Practice Approval

Under section 274 of the *Work Health and Safety Act 2011* (the Act) and being satisfied that this code of practice was developed by a process described in s274 (2) of the Act, I approve the attached Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

#### 4 Revocation

This instrument revokes the Work Health and Safety (Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice) Approval 2020 [NI2020-550].

Mick Gentleman Minister for Industrial Relations and Workplace Safety 20 December 2022 ACT Government



**Code of Practice** 

December 2022

Authorised by the ACT Parliamentary Counsel-also accessible at www.legislation.act.gov.au

#### Disclaimer

This code is based on a national model code of practice developed by Safe Work Australia under the national harmonisation of work health and safety legislation and has been approved under section 274 of the *Work Health and Safety Act 2011* (ACT), following the legislated consultation.

This code of practice commenced in the Australian Capital Territory on the date it was published on the ACT Legislation Register.

Safe Work Australia is an Australian Government statutory agency established in 2009. Safe Work Australia includes Members from the Commonwealth, and each state and territory, Members representing the interests of workers and Members representing the interests of employers.

Safe Work Australia works with the Commonwealth, state and territory governments to improve work health and safety and workers' compensation arrangements. Safe Work Australia is a national policy body, not a regulator of work health and safety. The Commonwealth, states and territories have responsibility for regulating and enforcing work health and safety laws in their jurisdiction.

ISBN 978-0-642-33311-7 (PDF)

ISBN 978-0-642-33312-4 (DOCX)

#### **Creative Commons**

This copyright work is licensed under a Creative Commons Attribution-Non-commercial 4.0 International licence. To view a copy of this licence, visit creativecommons.org/licenses In essence, you are free to copy, communicate and adapt the work for non-commercial purposes, as long as you attribute the work to Safe Work Australia and abide by the other licence terms.

#### **Contact information**

Safe Work Australia | info@swa.gov.au | www.swa.gov.au

# Contents

Forewo	Foreword6		
1. Int	roduction	7	
1.1	What is a safety data sheet?	7	
1.2	What are the duties in relation to the preparation of safety data sheets?	7	
1.3	When is it necessary to prepare a safety data sheet?	8	
1.4	Chemicals that do not require a safety data sheet	9	
2. Pr	eparing, reviewing and amending safety data sheets	10	
2.1	What information is needed in an SDS?		
3. Re	esearch chemicals, waste products or samples for analysis	12	
3.1	What Can an SDS prepared overseas be used?	12	
3.2	Reviewing and amending an SDS	12	
4. Co	ontent of the safety data sheet	14	
4.1	Section 1—Identification	14	
4.2	Section 2—Hazard(s) identification	15	
4.3	Section 3—Composition and information on ingredients	16	
4.4	Section 4—First aid measures		
4.5	Section 5—Firefighting measures	20	
4.6	Section 6—Accidental release measures	21	
4.7	Section 7—Handling and storage	22	
4.8	Section 8—Exposure controls and personal protection	23	
4.9	Section 9—Physical and chemical properties		
4.10	Section 10—Stability and reactivity	27	
4.11	Section 11—Toxicological information		
4.12	Section 12—Ecological information		
4.13	Section 13—Disposal considerations		
4.14	Section 14—Transport information	33	
4.15	Section 15—Regulatory information		
4.16	Section 16—Any other relevant information	35	

Appendix A: Glossary	36
Appendix B: Header checklist	42
Appendix C: GHS label elements for inclusion in the SDS	47
Appendix D: Guide for selecting generic names	105
Appendix E: Other relevant information	118
Amendments	125

# Foreword

This Code of Practice about the preparation of safety data sheets for hazardous chemicals is an approved code of practice under section 274 of the <u>Work Health and Safety Act 2011</u> (the WHS Act).

An approved code of practice provides practical guidance on how to achieve the standards of work health and safety required under the WHS Act and the <u>Work Health and Safety Regulation 2011</u> (the WHS Regulations).

A code of practice can assist anyone who has a duty of care in the circumstances described in the code of practice. Following an approved code of practice will assist the duty holder to achieve compliance with the health and safety duties in the WHS Act and WHS Regulations, in relation to the subject matter of the code of practice. Like regulations, codes of practice deal with particular issues and may not cover all relevant hazards or risks. The health and safety duties require duty holders to consider all risks associated with work, not only those for which regulations and codes of practice exist.

Codes of practice are admissible in court proceedings under the WHS Act and WHS Regulations. Courts may regard a code of practice as evidence of what is known about a hazard, risk, risk assessment or risk control and may rely on the code in determining what is reasonably practicable in the circumstances to which the code of practice relates. For further information see the Interpretive Guideline: <u>The meaning of 'reasonably practicable'</u>.

Compliance with the WHS Act and WHS Regulations may be achieved by following another method if it provides an equivalent or higher standard of work health and safety than the code.

An inspector may refer to an approved code of practice when issuing an improvement or prohibition notice.

#### **Scope and application**

This Code is intended to be read by a person conducting a business or undertaking (PCBU). It provides practical guidance to PCBUs on how to prepare safety data sheets for hazardous chemicals that are being manufactured or imported for use, handling or storage in Australia.

This Code may be a useful reference for other persons interested in the duties under the WHS Act and WHS Regulations.

This Code applies to a person conducting a business or undertaking involved in the manufacture or import of hazardous chemicals that will be used, or could reasonably be expected to be used, in workplaces covered by the WHS Act.

#### How to use this Code of Practice

This Code includes references to the legal requirements under the WHS Act and WHS Regulations. These are included for convenience only and should not be relied on in place of the full text of the WHS Act or WHS Regulations. The words 'must', 'requires' or 'mandatory' indicate a legal requirement exists that must be complied with.

The word 'should' is used in this Code to indicate a recommended course of action, while 'may' is used to indicate an optional course of action.

# 1. Introduction

# 1.1 What is a safety data sheet?

A safety data sheet (SDS), previously called a Material Safety Data Sheet (MSDS), is a document that provides critical information about hazardous chemicals. For example, an SDS includes information on:

- the chemical's identity and ingredients
- health and physical hazards
- safe handling and storage procedures
- emergency procedures, and
- disposal considerations.

An SDS is an important tool for assessing and managing the risks associated with the use of hazardous chemicals in workplaces. See <u>Appendix A</u> for the definition of 'hazardous chemical' and other terms used in this Code.

# 1.2 What are the duties in relation to the preparation of safety data sheets?

#### WHS Regulation section 330

Manufacturer or importer to prepare and provide safety data sheets

A manufacturer or importer of a hazardous chemical must prepare an SDS for the hazardous chemical.

Manufacturers and importers of hazardous chemicals have duties under the WHS Regulations to provide current information about the hazardous chemical in the form of an SDS.

Under the WHS Regulations, manufacturers and importers of a substance, mixture or article have an obligation, before first supplying it to a workplace, to determine whether it is a hazardous chemical and, if so, to correctly classify that substance, mixture or article.

The manufacturer or importer of a hazardous chemical must prepare an SDS for the hazardous chemical before first manufacturing or importing the hazardous chemical or if that is not practicable, as soon as practicable after first manufacturing or importing the hazardous chemical and before first supplying it to a workplace.

The manufacturer or importer must review the SDS at least once every five years from the date of original preparation or the last revision of the SDS. The manufacturer or importer must amend the SDS whenever necessary to ensure that the SDS contains correct, current information, for example, whenever any new information about the hazardous chemical is known or received or when the formulation changes.

It is not necessary to review the SDS if the manufacturer or importer has not manufactured or imported the chemical in the last five years.

The manufacturer or importer must also provide the current SDS to any person if the person is likely to be affected by the hazardous chemical and asks for the SDS. The manufacturer or importer is not

required to provide the SDS if they have not manufactured or imported the chemical in the last five years.

The person writing the SDS should have appropriate expertise and have access to the product formulation and information on its correct hazard classification

*Note*: a person conducting a business or undertaking (PCBU) who packages or relabels a hazardous chemical with their own product name is considered to be a manufacturer and therefore has the same obligations as a manufacturer under the WHS Regulations to prepare an SDS.

A PCBU may change an SDS if they are the manufacturer or importer and the changes are consistent with the duties of the importer or manufacturer. A PCBU who is not the manufacturer or importer may only change an SDS to attach a translation to the SDS and it must be clear that the attachment is not part of the original SDS.

### 1.3 When is it necessary to prepare a safety data sheet?

#### WHS Regulation section 330

Manufacturer or importer to prepare and provide safety data sheets

An SDS must be prepared before first manufacturing or importing a hazardous chemical, or if this is not possible, as soon as practicable after first manufacturing or importing the chemical and before first supplying it to a workplace.

Almost every hazardous chemical, as defined in the WHS Regulations, needs an SDS under the WHS Regulations. This includes hazardous chemicals that are intended for use as consumer products.

A chemical that is not hazardous does not require a safety data sheet, however if you intend to prepare an SDS for a non-hazardous chemical it should be prepared in accordance with this code so far as is reasonably practicable. The definition of hazardous chemical can be found in the glossary at <u>Appendix A.</u>

While this Code applies to hazardous chemicals as defined in the WHS Regulations, an SDS should also be provided for:

- any chemical that may adversely impact the health or safety of persons or the environment, but has insufficient information to allow it to be correctly classified. The SDS should reflect what is currently known about the chemical.
- a mixture which contains an ingredient that meets the criteria for respiratory and skin sensitisation, specific target organ toxicity, reproductive toxicity, carcinogenicity and mutagenicity. It is recommended that an SDS be prepared for that mixture, even if the mixture overall is not a hazardous chemical according to the WHS Regulations.
- engineered or manufactured nanomaterials<sup>1</sup> or chemicals containing engineered or manufactured nanomaterials. An SDS should be provided unless there is evidence that the nanomaterials are not hazardous.

<sup>&</sup>lt;sup>1</sup> SA TS ISO 80004-1:2016 Nanotechnologies—Vocabulary Core Terms provides the following definitions:

<sup>•</sup> Nanomaterial —material with any external dimension in the nanoscale or having internal structure or surface structure in the nanoscale

Engineered nanomaterial—nanomaterial designed for specific purpose or function

<sup>•</sup> Manufactured nanomaterial—nanomaterial intentionally produced to have selected properties or composition

Other information on hazard properties of a chemical not already captured within the SDS should be included, for example if the chemical has ototoxic properties.<sup>2</sup>

Some overseas authorities may require an SDS or information on an SDS for certain chemicals that are not hazardous chemicals under the WHS Regulations, for example substances that meet the criteria for a Globally Harmonized System of Classification and Labelling of Chemicals (GHS) hazard class or category that has been excluded from the definition of a hazardous chemical in Australia.

It is acceptable to prepare a single SDS for a group of substances, mixtures and articles where it is reasonable to assume that the group will have similar hazardous properties, provided the SDS contains all product identifiers.

# 1.4 Chemicals that do not require a safety data sheet

Preparing and providing an SDS is mandatory where a substance, mixture or article is a hazardous chemical. However, the WHS Regulations do not require an SDS to be prepared for hazardous chemicals in the following circumstances (although the duty of care requirements under the WHS Act still apply):

- chemicals in batteries while they are incorporated in plant
- fuel, oils or coolants in a container that is fitted to a vehicle, vessel or aircraft, mobile plant, appliance or other device, where the fuel, oils or coolants are intended for use in its operation
- fuel in the fuel container of a domestic or portable fuel burning appliance where the quantity of fuel does not exceed 25 kg or 25 litres
- hazardous chemicals in portable firefighting or medical equipment for use at a workplace
- hazardous chemicals that form part of the integrated refrigeration system of refrigerated freight containers, or
- potable liquids that are consumer products at retail premises.

The following things do not require an SDS:

- food and beverages within the meaning of the *Food Standards Australia New Zealand Food Standards Code* that are in a package and form intended for human consumption
- therapeutic goods within the meaning of the *Therapeutic Goods Act 1989* at the point of intentional intake by or administration to humans
- veterinary chemical products within the meaning of the Agricultural and Veterinary Chemicals (AgVet) Code at the point of administration to animals, or
- tobacco or products made of tobacco.

**Note** that the exemptions described above only apply in the circumstances described. For example, the exemption for therapeutic goods and veterinary chemical products only applies at the point of intentional intake or administration. SDS are required for these products at all other times, such as when they are being stored at a pharmacy or veterinary clinic.

<sup>•</sup> Nanoscale—length range from approximately 1 nm to 100 nm.

<sup>&</sup>lt;sup>2</sup> Ototoxicity is the potential damage to the ears, specifically to the cochlea or auditory nerve, by a toxin. A list of ototoxic substances is included in Appendix A of the <u>Code of Practice: Managing noise and preventing hearing loss at work</u>.

# 2. Preparing, reviewing and amending safety data sheets

An SDS must be prepared and written to provide accurate information about:

- the hazards of a chemical
- how to handle the chemical safely, including its storage and disposal
- the chemical's physical and chemical properties, and
- potential first aid and emergency response measures.

The SDS should also contain information about effects it may have on the environment.

## 2.1 What information is needed in an SDS?

#### WHS Regulations Schedule 7 section 7.1

Safety data sheets

A safety data sheet must:

- be in English
- contain unit measures expressed in Australian legal units of measurement under the National Measurement Act 1960 (Cwlth)
- state the date it was last reviewed, or if it has not been reviewed, the date it was prepared
- state the name, Australian address and business telephone number of the manufacturer or the importer, and
- state an Australian business telephone number from which information about the chemical can be obtained in an emergency.

The language used in an SDS should be simple, clear and precise, avoiding jargon, acronyms and abbreviations. Vague and misleading expressions should not be used. Phrases such as 'may be dangerous', 'no health effects', 'safe under most conditions of use' and 'harmless' are also not recommended. It may be that information on certain properties is of no significance or that it is technically impossible to provide detailed information, and if so, the reasons for this should be clearly stated under each heading. If it is stated that a particular hazard does not exist, the SDS should clearly differentiate between cases where no information is available to the classifier and cases where negative test results are available.

Other units of measurement, including the International System of Units (SI) or non-SI units may be used if they are in wide use in Australia. For example, mm Hg for vapour pressure or degrees Celsius (°C) rather than Kelvin (K) for temperature can be used.

An SDS should include a version number, superseded date or some other indication of what version is replaced.

There is no limit in relation to the length of the document, but it should be proportionate to the hazard level of the chemical and the available information.

Preparation of Safety Data Sheets for hazardous chemicals Code of Practice

All pages of an SDS should be numbered and include an indication of the end of the SDS, for example, 'Page 1 of 3'. Alternatively, number each page and indicate whether there is a page following, for example, 'Continued on next page' or 'End of SDS'.

A safety data sheet for a hazardous chemical must state the following information about the chemical:

- Section 1—Identification: Product identifier and chemical identity
- Section 2—Hazard(s) identification
- Section 3—Composition and information on ingredients
- Section 4—First aid measures
- Section 5—Firefighting measures
- Section 6—Accidental release measures
- Section 7—Handling and storage
- Section 8—Exposure controls and personal protection
- Section 9—Physical and chemical properties
- Section 10—Stability and reactivity
- Section 11—Toxicological information
- Section 12—Ecological information
- Section 13—Disposal considerations
- Section 14—Transport information
- Section 15—Regulatory information
- Section 16—Any other relevant information.

<u>Chapter 3</u> of this Code contains further guidance about the information that should be included in the SDS, where relevant and available.<sup>3</sup> A reasonable attempt should be made to obtain the information, however, when information is not available or lacking, this should be clearly stated. The SDS should not contain any blank spaces or abbreviations without a legend.

Any recommendation made by the National Industrial Chemicals Notification and Assessment Scheme (NICNAS) in a relevant NICNAS assessment report relating to the information required in an SDS should be reviewed and considered for inclusion.

Information to protect the health and safety of persons at the workplace may be included on the SDS for chemicals that do not meet the GHS classification criteria, for example some miscellaneous dangerous goods (identified in the Australian Code for the Transport of Dangerous Goods by Road and Rail (the ADG Code)). For example, the health and safety information in the SDS for dry ice could include recommendations within Section 7—Handling and Storage to use gloves while handling the hazardous chemical, instructions not to use it in enclosed spaces and to ensure that there is adequate ventilation.

<sup>&</sup>lt;sup>3</sup> 'Available' means where the information is available to the manufacturer or importer.

# 2.2 Research chemicals, waste products or samples for analysis

#### WHS Regulations Schedule 7 section 7.2

Safety Data Sheets

Where it is not reasonably practicable to comply with the WHS Regulations to prepare an SDS for a chemical that is a research chemical, waste product or a sample for analysis because the hazard properties are not fully known, then an acceptable SDS is one that:

- is written in English
- states the name, Australian address and business telephone number of the manufacturer or importer
- states that full identification or hazard information is not available for the chemical, and in the absence of such information a precautionary approach must be taken to handling or storing the chemical
- states the chemical identity or structure of the chemical, or chemical composition, as far as is reasonably practicable
- states any known or suspected hazards, and
- states any precautions that must be taken in using, handling or storing the chemical, to the extent such precautions have been identified.

### 2.3 What Can an SDS prepared overseas be used?

An SDS prepared by an overseas manufacturer or supplier is acceptable only if it is prepared in accordance with the WHS Regulations. Unless an SDS has been prepared specifically for use in Australia it is unlikely it will meet all the requirements of the WHS Regulations, which require information specific to the chemical's use in Australia. For example, the contact details of the Australian manufacturer or importer of the hazardous chemical.

If the overseas manufacturer's SDS does not comply with the requirements of the WHS Regulations, the importer will be responsible for preparing an SDS that does comply. <u>Section 3.1</u> of this Code details what information is required to be included in an SDS for it to be is compliant with the WHS Regulations. The importer should check each section of the overseas manufacturer's SDS against the Australian requirements to ensure it is correct.

### 2.4 Reviewing and amending an SDS

The manufacturer or importer must review the SDS at least once every five years from the date of original preparation or the last revision of the SDS. The manufacturer or importer must amend the SDS whenever necessary to ensure that the SDS contains correct, current information, for example, whenever any new information about the hazardous chemical is known or received or when the formulation changes.

It is not necessary to review the SDS if the manufacturer or importer has not manufactured or imported the chemical in the last five years.

An SDS should still be made available after the hazardous chemical is withdrawn from sale as it may be required by workplaces at a later date.

It is acceptable to have a translation of the SDS attached to the original SDS, provided the appended information clearly states the translation is not part of the original SDS. The original SDS is the SDS prepared in accordance with the WHS Regulations.

# 3. Content of the safety data sheet

This chapter describes the type of information needed for each of the sections required in an SDS. A summary of this information is provided in a checklist at <u>Appendix B</u>.

# 3.1 Section 1—Identification

This section of the SDS provides information about the identification of the hazardous chemical, recommended uses and the contact details of the Australian manufacturer or importer, including an emergency contact.

	Description
Product identifier	The SDS must include the product identifier of the hazardous chemical, exactly as found on the label. If one generic SDS is used to cover several minor variants of a hazardous chemical, all product identifiers must be listed on the SDS.
Other means of identification	The hazardous chemical must be identified by its product identifier or chemical identity. The SDS should include any company product codes, numbers or other unique identifiers, for example a Proper Shipping Name (as identified in the ADG Code), or a name specified in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP). Other names or synonyms by which the hazardous chemical is labelled or commonly known should also be provided in this section.

	Description
Recommended use of the chemical and restrictions on use	The recommended or intended use of the hazardous chemical should be provided in this section. This includes a brief description of what the chemical does, for example a flame retardant or anti-oxidant. Restrictions on use should be stated as far as known, for example if the chemical is a prohibited carcinogen, an illicit drug precursor, or a chemical of security concern.
	<b>'Prohibited carcinogen'</b> is defined in the WHS Regulations and listed in Schedule 10 of the WHS Regulations.
	<b>'Illicit drug precursors'</b> are controlled under various state and territory governments' legislation. Please see the <i>Code of Practice for Supply Diversion into Illicit Drug Manufacture</i> published by Chemistry Australia.
	<b>'Chemical of security concern'</b> means one of the chemicals listed in the <i>National Code of Practice for chemicals of security concern</i> published by Australian National Security.
	Note that this is not a comprehensive list of the restrictions that may apply to a hazardous chemical.
Details of manufacturer or importer	The name, Australian address and business telephone number of the Australian manufacturer or importer must be included in the SDS.
Emergency phone number	The SDS must include Australian emergency contact information. The emergency information available through this service should be available outside working hours.
	If an emergency information service or poisons information centre phone number is provided in the SDS, this arrangement should be confirmed with the service beforehand and copies of the SDS should be provided to them. The poisons information centre may require additional information such as a full list of any ingredients not included in the SDS.

## 3.2 Section 2—Hazard(s) identification

This section of the SDS describes the hazards of the chemical and the appropriate warning information associated with the hazards. The information provided here must include a hazard classification statement explaining all the hazards of the hazardous chemical, as described below. <u>Appendix C</u> lists the GHS signal words, pictograms, hazard statements and precautionary statements that apply to each GHS hazard class and category.

#### **CLASSIFICATION OF THE HAZARDOUS CHEMICAL**

If the hazardous chemical is classified in accordance with the GHS, the appropriate hazard class and category should be indicated, for example:

- Flammable liquid—Category 1
- Acute toxicity—oral—Category 3.

Although it is not mandatory under the WHS Regulations, an SDS may provide information on environmental hazards and other GHS hazard classes and categories, for example 'Acute toxicity— oral—Category 5', that are outside the scope of the WHS Regulations.

#### LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

The following labelling elements should be included in accordance with the hazardous chemicals classification:

- Signal word
- Hazard statement(s), and
- Precautionary statement(s).

Additionally, <u>Appendix C</u> includes 12 non-GHS hazard statements that should be included on the SDS, where relevant.

It is not mandatory to include pictograms (or hazard symbols) in an SDS. However, these symbols may be included in this section as graphical reproductions in black and white. This allows for the distribution of an SDS with ease via hard copy or through a database.

Persons preparing an SDS can download the GHS pictograms from the UNECE (United Nations Economic Commission for Europe) website. Pictograms should meet the size specification (>1x1 cm<sup>2</sup> and <2x2 cm) to avoid stretching or having oversized pictograms on the SDS.



The name of the pictogram should also be provided. These are defined in the tables in <u>Appendix C</u> (for example, flame, skull and crossbones).

Dangerous goods class labels may also be used. However, graphical elements do not need be duplicated.

# 3.3 Section 3—Composition and information on ingredients

The ingredient(s) of the hazardous chemical must be identified. This includes the identification of impurities and stabilising additives that contribute to the classification of the hazardous chemical.

**DISCLOSURE OF INGREDIENT NAMES** 

#### WHS Regulations Schedule 8

Disclosure of ingredients in safety data sheet

The chemical identity of an ingredient must be disclosed on an SDS in accordance with Schedule 8 of the WHS Regulations. In some cases, a generic name may be used.

Ingredients that are not classified as hazardous but have an exposure standard and which constitute more than 1% of the mixture should be mentioned in the SDS if it is likely that they might be released under standard storage and application conditions.

Disclosure of ingredient names is not required by the WHS Regulations for those ingredients that meet only physical and/or environmental hazard classifications, or for non-hazardous ingredients.

There is no requirement to disclose the identity of ingredients for the following GHS health hazard categories because they fall outside the scope of the WHS Regulations:

- Acute toxicity—Category 5 (oral, dermal and inhalation)
- Skin corrosion/irritation—Category 3
- Serious eye damage/eye irritation— Category 2/2
- Aspiration hazard—Category 2
- Aquatic toxicity (all categories)
- Flammable gas—Category 2
- Ozone depletion.

#### **USE OF GENERIC NAMES<sup>4</sup>**

Generic names may be used in an SDS if the identity of an ingredient is genuinely commercially confidential, and if:

- the ingredient is in any of the following health hazard categories:
- Acute toxicity—Category 4 (oral, dermal, inhalation)
- Aspiration hazard—Category 1
- Serious eye damage/eye irritation— Category 2/2A or 2B
- Skin corrosion/irritation—Category 2
- Specific target organ toxicity (single exposure)—Category 3.
- the ingredient does not cause the correct classification of the hazardous chemical to include any other hazard class or category, and
- an exposure standard for the ingredient has not been established.

A guide for selecting generic names for ingredients is included in <u>Appendix D</u>.

#### **DISCLOSURE OF PROPORTIONS OF INGREDIENTS**

Where the chemical identity or generic name of an ingredient that makes up a hazardous chemical is disclosed, the proportions of the ingredients must also be disclosed in an SDS.

For multiple ingredients, proportions should be listed in descending order by mass or volume. Ingredients not contributing to the hazard classification should also be listed and, where included, should be listed after the ingredients contributing to the hazard classification.

However, where the exact concentration of an ingredient is commercially confidential, the concentration of the ingredient can be disclosed using the following ranges:

- <10%
- 10-<30%

<sup>&</sup>lt;sup>4</sup> This section is an Australian specific requirement not necessarily applicable in other countries. SDS prepared for export products must comply with relevant legislation of the export country.

- 30–60%
- >60%.

The proportion of an ingredient should normally be disclosed using a narrower range, for example, for an ingredient present at 35%, a range of 30–40% should be used instead of 30–60%.

Where possible, the percentage composition should add up to or indicate a total of 100%, even if an estimate of non-hazardous ingredients needs to be provided.

### 3.4 Section 4—First aid measures

This section of the SDS provides information about the initial care (that does not involve the use of sophisticated equipment or access to a wide selection of medications) to be given to a person affected by a hazardous chemical. It should state whether medical attention is required for a chemical, including the urgency of treatment required.

An SDS should provide information on any immediate effects of the chemical, by route of exposure, and the immediate treatment required. It should also include information on the possible delayed effects of the chemical and on specific health monitoring that may be needed.

Term	Description	
Description of necessary first aid measures	In this section, the SDS should provide first aid instructions for each relevant route of exposure and describe expected immediate and delayed symptoms. Sub-headings to indicate the procedure for each route (for example, inhalation, skin contact, eye contact and ingestion) should be used. Information should be provided on situations when: - immediate medical attention is required - known antidotes should be available for administration by persons trained in their use (and, where relevant, authorised by law) as part of the recommended first aid procedure - delayed effects can be expected after exposure	
	<ul> <li>movement of the exposed individual to fresh air is recommended</li> <li>removal of clothing and shoes from the individual is recommended</li> <li>personal protective equipment (PPE) for first aiders is recommended</li> <li>there is a risk that first aiders may be exposed to risks from individuals who have ingested hazardous chemicals (for example, organophosphates).</li> <li>Any information on specific first aid facilities, for example showers or eyewashes that are necessary in a workplace where the particular</li> </ul>	
	hazardous chemical is used, should also be provided.	
Symptoms caused by exposure	Relevant information on the most important symptoms and effects of exposure to the chemical should be provided. Information should be provided on acute, delayed and aggravated medical conditions caused by the hazardous chemical to enable first aid to be administered.	
Medical attention and special treatment	If applicable, information on clinical testing and medical monitoring for delayed effects, specific details on antidotes (where they are known) and contraindications are recommended for inclusion in this section.	

# 3.5 Section 5—Firefighting measures

This section of the SDS provides information on how to fight a fire caused by a hazardous chemical, or a fire arising in its vicinity.

Table 3 Section 5 of the SDS: Fi	Firefighting measures
----------------------------------	-----------------------

Item	Description
Suitable extinguishing equipment	<ul> <li>This SDS should describe:</li> <li>the type of extinguishers or firefighting agents needed for extinguishing a fire</li> <li>whether any extinguishers are unsuitable for a particular situation involving the hazardous chemical.</li> </ul>
Specific hazards arising from the chemical	<ul> <li>The SDS should describe any specific hazards that may arise from a hazardous chemical relevant to its physical properties, such as explosive properties or hazardous combustion products that may be generated when the hazardous chemical burns, for example:</li> <li>'May produce toxic fumes, for example, carbon monoxide if burning'</li> <li>'Produces oxides of sulphur and nitrogen on combustion'</li> <li>'May produce flammable gas if wet'.</li> </ul>
Special protective equipment and precautions for firefighters	Advice should be provided on any precautions to be taken during firefighting, for example, 'Keep containers cool with water spray' and advice on appropriate personal protective equipment (PPE) required for firefighters for example specific boots, overalls, gloves, eye and face protection, and breathing apparatus.
	The Hazchem Code should be included in this section for the information of emergency services. The Hazchem Code for bulk dangerous goods provides information on the firefighting medium to be used, for example whether water should be used as a firefighting agent, as this will be the first response of firefighters. The Hazchem Code includes information on PPE, the risk of violent reaction or explosion, spillage action and whether evacuation should be considered in the event of an incident with the material.

# 3.6 Section 6—Accidental release measures

This section of the SDS provides information on the appropriate ways to respond to the release of chemicals, in the form of spills, leaks or other accidental release. This is so that the adverse effects on people, property and the environment at or near the workplace can be prevented or minimised. This information should distinguish between responses for large and small spills where the spill volume has a significant impact on the hazard or response.

Table 1 Continu	6 of the CDC.	Accidental release	magauraa
1 abie 4 Section	0 01 1110 303. F	Accidental release	ineasures

Item	Description	
Personal precautions, protective equipment and emergency procedures	<ul> <li>The SDS should provide the following advice on a spill or release of a hazardous chemical:</li> <li>The use of suitable equipment (including PPE) to prevent contamination of skin, eyes and personal clothing.</li> <li>The removal of ignition sources and provision of sufficient ventilation.</li> <li>Emergency procedures, for example the need to evacuate the danger area or to consult an expert.</li> </ul>	
Environmental precautions	Contamination of the environment can give rise to indirect human chemical exposures within and outside the workplace. The SDS should provide advice on precautions related to accidental spills and releases of the hazardous chemical into the environment, for example keeping away from drains and surface and ground water.	
Methods and materials for containment and cleaning up	<ul> <li>The SDS should include advice on how to contain and clean up a spill. Appropriate containment techniques may include:</li> <li>bunding<sup>5</sup></li> <li>covering of drains</li> <li>capping procedures (providing a cover or protection, for example to prevent damage or spillage).</li> <li>Appropriate clean-up procedures may include:</li> <li>neutralisation techniques</li> <li>decontamination techniques</li> <li>adsorbent materials</li> <li>cleaning techniques</li> <li>equipment required for containment/clean up (includes the use of non-sparking tools and equipment where applicable).</li> <li>Recommended clean-up procedures should also take into account disposal considerations under 'Section 13—Disposal considerations' of the SDS.</li> </ul>	

<sup>&</sup>lt;sup>5</sup> A **bund** is a provision of liquid collection facilities which, in the event of any leak or spillage from tanks or pipe work, will capture well in excess of the volume of liquids held, for example, an embankment. Bunded areas should drain to a capture tank which should have facilities for water/oil separation.

Preparation of Safety Data Sheets for hazardous chemicals Code of Practice

# 3.7 Section 7—Handling and storage

This section of the SDS provides guidance on safe handling and storage practices to minimise the risks of release and exposure to the hazardous chemical. These precautions should be appropriate to the intended use of the chemical and its unique properties.

#### **PRECAUTIONS FOR SAFE HANDLING**

Information should be provided to:

- allow for the safe handling of the hazardous chemical, for example, avoiding spills
- prevent inappropriate handling of incompatible hazardous chemicals
- minimise the release of the hazardous chemical outside of the workplace.

Information on how the chemical may be safely used must be provided.

General warnings on what practices to avoid or restrict should also be included in this section. This information is in addition to other hazard control measures in 'Section 8—Exposure controls and personal protection' of the SDS.

Section 7 should also provide advice on general hygiene requirements, for example:

- 'Eating, drinking and smoking in work areas is prohibited'
- 'Wash hands after use'
- 'Remove contaminated clothing and protective equipment before entering eating areas'.

# CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

This section should include advice consistent with the physical and chemical properties of a hazardous chemical referred to other sections of the SDS ('Section 9—Physical and chemical properties' and 'Section 10—Stability and Reactivity'). Advice should be provided on specific storage requirements, including:

- how to avoid:
  - o explosive atmospheres
  - o corrosive conditions
  - o flammability hazards
  - o incompatible substances or mixtures
  - evaporative conditions
  - o potential ignition sources (including electrical equipment).
- how to control the effects of:
  - o weather conditions
  - o ambient pressure
  - o temperature
  - o sunlight
  - o humidity
  - vibration.
- how to maintain the integrity of the hazardous chemical by the use of:
  - o stabilisers
  - $\circ$  anti-oxidants
  - temperature control.

- other advice on:
  - ventilation requirements for storage facilities
  - o specific designs for storage rooms/vessels
  - o quantity limits under storage conditions
  - o packaging compatibilities
  - warnings if water should not be used as a firefighting agent, for example: 'Ensure that firefighting water cannot reach water-sensitive chemicals and if necessary provide protective cabinets with appropriate labelling'.

# 3.8 Section 8—Exposure controls and personal protection

This section provides guidance on how to eliminate or minimise risks associated with exposure to hazardous chemicals. 'Exposure control' means the full range of specific protection measures (including engineering control measures) to be taken during the use of a hazardous chemical in order to minimise personal exposure to the chemical.

#### **EXPOSURE CONTROL MEASURES**

The SDS should include advice on what measures should be taken to minimise exposure to hazardous chemicals and to keep exposure below the relevant exposure standard. Exposure standards represent airborne concentrations of individual substances which, according to current knowledge, should neither impair the health of, nor cause undue discomfort to, nearly all workers.

Exposure standards are generally expressed as a time-weighted average (TWA), which is the average airborne concentration of a particular substance permitted over an eight-hour working day and a five-day working week. Short term exposure limits (STEL) and peak limitations should also be specified where available.

This section should list the available exposure standards, including all notations, for each hazardous chemical ingredient. If additional air contaminants are generated when using the hazardous chemical as intended, exposure standards for these should also be listed.

If there are no Australian exposure standards or occupational exposure limits, overseas standards should be used. Examples of overseas standards or limits include those of the Health and Safety Executive (HSE) in Great Britain, American Conference of Governmental Industrial Hygienists (ACGIH) or the German Deutsche Forschungsgemeinschaft (DFG).

Regardless of the exposure standard (if any), this section should describe controls to be implemented in a workplace to eliminate or minimise personal exposure.

Exposure standards are reviewed from time to time and therefore an up-to-date record of exposure standards should be consulted. Safe Work Australia publishes the <u>Workplace Exposure Standards for</u> <u>Airborne Contaminants</u>. A list of Australian exposure standards is also available on Safe Work Australia's <u>Hazardous Chemicals Information System (HCIS)</u>.

#### **BIOLOGICAL MONITORING**

Biological monitoring can assist in the detection and estimation of absorption of the hazardous chemical, for example by skin, gastrointestinal system or inhalation. The effects of some hazardous chemicals used in the workplace must be monitored through biological monitoring. The SDS should detail the monitoring needed for a hazardous chemical.

This section of the SDS should also list known or recognised safe biological levels (in some countries these are known as biological limit values, biological exposure indices, or biological exposure standards) where available, including notations for a hazardous chemical or for each ingredient of a mixture.

The source of the biological levels should be stated on the SDS. When biological levels are listed, they should use the chemical identity as specified in <u>section 3.3</u> of this Code.

#### **CONTROL BANDING**

Control banding is a process used in some countries where a hazardous chemical is assigned to a band, based on the chemical's hazard classification and use. Each band may have a different control solution, for example: band 1—good industrial hygiene practice, band 2—use local exhaust ventilation, band 3—enclose the process.

If the control banding approach is recommended in the SDS to provide protection in relation to specific uses of the hazardous chemical, then sufficient detail should be given to enable effective management of risks. The context and limitations of the specific control banding recommendation should be made clear.

#### **ENGINEERING CONTROLS**

The SDS should include a description of appropriate engineering control measures relating to the intended use of the hazardous chemical. This section should indicate when special engineering controls are necessary, and specify which controls are required, for example:

- 'Maintain air concentration below occupational exposure standards, using engineering controls if necessary'
- 'Use only in a well-ventilated area'
- 'Use local exhaust ventilation'
- 'Use only in an enclosed system'
- 'Use only in spray-paint booth or enclosure'
- 'Use mechanical handling to reduce human contact with materials'
- 'Use explosive dust handling controls'.

The information in this section should complement that provided in 'Section 7—Handling and Storage' of the SDS.

# INDIVIDUAL PROTECTION MEASURES, FOR EXAMPLE PERSONAL PROTECTIVE EQUIPMENT (PPE)

Consistent with the hierarchy of controls, PPE should be used only when other control measures (for example elimination, substitution, isolation, engineering controls) have been found to be impracticable or in conjunction with one or more control measures. This section of the SDS should include information on PPE provided that it clearly recommends other controls to minimise exposure to the hazardous chemical.

Consideration should be given to the possible reduction in effectiveness of PPE and possible detrimental effects of hazardous chemicals on some materials from which items of PPE may be made, for example the use of synthetic clothing for protection against corrosive hazardous chemicals.

#### Eye and face protection

Information should be provided on eye and face protection needed for a hazardous chemical. It is important to specify:

- the type of eye protection required, for example safety glasses, goggles or face shields, and
- the properties of the eye protection required based on the hazard of the chemical and potential for contact, for example the degree of impact protection or splash resistance.

#### **Skin protection**

Information should be included on the skin protection required for a hazardous chemical. It is important to specify:

- the protective equipment to be worn when using or handling the hazardous chemical including the types of gloves, boots and bodysuits required, and
- the properties of the protective equipment based on the hazard of the chemical and potential for contact, for example cotton, PVC or nitrile.

#### **Respiratory protection**

If respiratory protection is needed for a hazardous chemical, the SDS should include information on the appropriate types of respiratory protection based on the chemical hazard and potential for exposure, for example air-purifying respirators requiring specific respiration filters, air-line respirator or breathing apparatus. Where appropriate, a reference to a standard should be included.

Vague information—for example 'use respirator'—is not helpful and should be avoided, whereas information such as 'use half-face filter respirator suitable for organic vapours' is far more useful.

#### **Thermal hazards**

The SDS should include information on the PPE required for thermal hazards. Special consideration should be given to the materials of the PPE to avoid adding to the thermal load of the wearer. Information on any secondary risk should also be included here.

See also <u>section 3.5</u> of this Code for specific fire/chemical PPE advice.

# 3.9 Section 9—Physical and chemical properties

This section of the SDS describes the physical and chemical properties of a hazardous chemical. The data should apply to the hazardous chemical as supplied. If the hazardous chemical is a mixture, the physical and chemical data should describe the mixture. If that information is not available, the properties of the most relevant ingredients should be provided.

The following properties should be included in the SDS where relevant and the appropriate units of measure and/or reference conditions should be specified:

- physical state
- colour
- odour
- melting point/freezing point
- boiling point or initial boiling point and boiling range
- flammability
- lower and upper explosion limit/flammability limit
- flash point
- Auto-ignition temperature
- decomposition temperature
- pH
- kinematic viscosity
- solubility
- partition coefficient: n-octanol/water (log value)
- vapour pressure
- density and/or relative density
- relative vapour density, and
- particle characteristics.

If relevant, the interpretation of the numeric value and the method of the determination should also be provided. Where there is no information about specific characteristics or data available, a statement should be included to that effect. It may confuse the reader if the SDS includes blank spaces or uses the term 'N/A' for physical and chemical properties, so this should be avoided.

In addition to those listed above, other physical or chemical parameters relevant to health and safety should be included in this section of the SDS. This includes parameters which, in addition to chemistry, can significantly influence the properties of chemicals, for example size or surface area in the case of engineered nanomaterials. Examples of parameters which may be included are:

- biodurability or biopersistence
- crystallinity
- degree of aggregation or agglomeration, and dispersibility
- dustiness
- particle size (average and range)
- redox potential
- release of invisible flammable vapours and gases
- saturated vapour concentration (include reference temperatures)
- shape and aspect ratio
- size distribution
- specific heat value
- surface area, and
- surface coating or chemistry (if different to rest of particle).

The GHS also recommends additional physical properties be included in the SDS for some hazard classes. These additional physical properties can be found in Appendix 4 of the GHS.

## 3.10 Section 10—Stability and reactivity

This section of the SDS provides information regarding the stability and reactivity of the hazardous chemical. Information on the possibility of hazardous reactions is necessary to ensure the safe handling and storage of chemicals and to ensure effective firefighting and spill control measures.

#### REACTIVITY

This section should describe the reactivity hazards of the chemical, including the conditions under which the hazardous reactions may occur, for example:

- whether the hazardous chemical will react or polymerise
- flame propagation or burning rate of solid materials
- properties of both flammable and non-flammable materials that may initiate or add to the intensity of a fire
- potential for dust explosion
- reactions that release flammable or toxic gases or vapours
- fast or intensely burning characteristics, and
- non-flammables that could contribute unusual hazards to a fire, for example strong oxidising and reducing agents or peroxide fumes.

Specific test data should be provided for the hazardous chemical as a whole, where available. However, the information may also be based on general data for the class or family of chemical if such data adequately represents the anticipated hazard of the hazardous chemical.

If data for mixtures is not available, ingredient data should be provided. In determining incompatibility, the substances, containers and contaminants that the hazardous chemical might be exposed to during transportation, storage and use should be considered.

#### **CHEMICAL STABILITY**

Information should be provided on the stability of the hazardous chemical under normal ambient storage and handling conditions. Consider any foreseeable changes in temperature and pressure conditions. Any stabilisers used to maintain the product should be described, as well as the safety implications of any change in the physical appearance of the product which may result if the stabiliser is compromised.

#### **POSSIBILITY OF HAZARDOUS REACTIONS**

If relevant, the SDS should state if a hazardous chemical will react or polymerise, releasing excess pressure or heat, or create other hazardous conditions. It should describe under what conditions a hazardous reaction may occur.

#### **CONDITIONS TO AVOID**

Information should include conditions—for example, temperature, pressure, shock, static discharge, vibrations or other physical stresses—that might cause a hazardous reaction.

#### **INCOMPATIBLE MATERIALS**

Classes of chemicals or specific substances with which the hazardous chemical could react to produce a hazardous situation should be listed in the SDS, for example, explosion, excessive heat generation, release of toxic or flammable materials.

#### HAZARDOUS DECOMPOSITION PRODUCTS

The SDS should list any hazardous products that may be produced due to the decomposition of the chemical during use, storage or heating. The anticipated outcomes of a reaction with another material should be described, including the production of flammable, toxic or asphyxiating gases. Advice should be provided about what should be done if an unstable state is reached.

Hazardous combustion products should be included in 'Section 5—Firefighting measures' of the SDS.

# 3.11 Section 11—Toxicological information

This section of the SDS provides toxicological information relevant to the health hazard category assigned to the chemical using the GHS. It should be based on expert toxicological advice and on the toxicological hazards information provided in the GHS classification criteria. A concise but complete and comprehensible description of the various toxicological health effects (for both acute and chronic effects) consistent with the hazard classification, and the available data used to identify those effects, should be provided. The relevant hazards for which data should be provided are (in the following order):

- acute toxicity
- skin corrosion/irritation
- serious eye damage/irritation
- respiratory or skin sensitisation
- germ cell mutagenicity
- carcinogenicity
- reproductive toxicity
- Specific Target Organ Toxicity (STOT)—single exposure
- Specific Target Organ Toxicity (STOT)—repeated exposure, and
- aspiration hazard.

Information on these hazards should be presented in the above order in each SDS. Other nonclassifiable hazards may also be included. For example, some chemicals, such as dimethyl sulphoxide, readily penetrate the skin and may increase skin absorption of other toxins. Information should also be provided on whether potential exposure to the hazardous chemical has immediate or delayed health effects.

If data for any of these hazards is not available, they should still be listed, with a statement that data is not available.

The toxicological data should apply to the hazardous chemical as used in the workplace. It should be relevant to the mixture. Where information on the mixture is not available, then information on the toxicological properties of the hazardous ingredients above the concentration cut-off in the mixture should be provided. If there is no data on a mixture but sufficient data exists on the components of the mixture or similar mixtures, bridging principles can be used to provide information. The type of bridging principles used should also be stated.

The health effects included in the SDS should be consistent with those described in studies used for the classification of the hazardous chemical. General statements—for example 'Toxic' or 'Safe if properly used'—with no supporting data are not acceptable as they may be misleading and do not provide a description of health effects. Phrases such as 'not applicable' and 'not relevant', or leaving blank spaces in the health effects section, can lead to confusion and misunderstanding and should not be used. Where information on health effects is not available, this should be clearly stated.

Health effects should be described accurately and relevant distinctions made. For example, 'allergic contact dermatitis' and 'irritant contact dermatitis' should be distinguished from each other.

Where there is a substantial amount of test data on the hazardous chemical, the results should be summarised, for example by grouping toxicological data by the route of exposure.

Information should also be provided on the relevant negative data. Information to support negative test results should be included, for example 'carcinogenicity studies in the rat have shown no significant increase in the incidence of cancer'.

#### **INFORMATION ON POSSIBLE ROUTES OF EXPOSURE**

Information should be provided on the possible routes of exposure and the effects of the hazardous chemical via each route of exposure, that is, through ingestion (swallowing), inhalation or skin/eye exposure. A statement should be made if health effects are not known. Statements such as 'Ingestion is not expected to occur' or 'Ingestion should be avoided' are not acceptable.

Information on all routes of exposure should be provided as it is not possible to predict how a chemical will be used in a workplace or the most likely exposure route.

#### EARLY ONSET SYMPTOMS RELATED TO EXPOSURE

Information should be provided on early symptoms associated with exposure to the hazardous chemical, its ingredients or known by-products. Information should include the symptoms related to the physical, chemical and toxicological characteristics of the hazardous chemical following exposure related to the intended uses. This section should describe the first symptoms at the lowest exposures through to the consequences of severe exposure, for example, 'Headaches and dizziness may occur, proceeding to fainting or unconsciousness; large doses may result in coma and death'.

#### DELAYED HEALTH EFFECTS FROM EXPOSURE

Information should be provided on whether delayed or immediate effects can be expected after short or long-term exposure consistent with the classification of the chemical. Information should include acute and chronic health effects relating to human exposure to the hazardous chemical.

Where human data is not available, animal data should be summarised and the species clearly identified. The SDS should indicate whether toxicological data is based on human or animal data. Classifications or studies from government or international agencies may be used, for example 'Has been classified as a probable human carcinogen by the International Agency for Research on Cancer'. Where data on chronic effects is not available, it is recommended that the SDS take a precautionary approach to health effects from exposure.

#### **EXPOSURE LEVELS AND HEALTH EFFECTS**

The SDS should provide information on the dose, concentration or conditions of exposure that may cause adverse health effects. Where appropriate, doses should be linked to symptoms and effects, including the period of exposure likely to cause harm. For example, '10 ppm respiratory irritation, 250–300 ppm difficulty in breathing, 500 ppm unconsciousness leading to death after 30 minutes'. Where exposure levels are not known, the SDS should take a precautionary approach to exposure levels or include links to potential health effects, if available.

#### **INTERACTIVE EFFECTS**

If known, information on interactions should be included in situations where:

- symptoms are worsened by drinking alcohol, taking medication or smoking
- pre-existing medical conditions—for example, asthma, high blood pressure or a predisposition to allergic reactions—may increase risk.

#### WHEN SPECIFIC CHEMICAL DATA IS NOT AVAILABLE

Where there is insufficient data to classify a chemical, testing may be required. However, it may not always be possible to obtain information on the hazards of a chemical. In cases where data on the specific hazardous chemical is not available, data on the chemical functional group, if appropriate, should be used. Where generic data is used or where data is not available, this should be stated clearly in the SDS.

#### **MIXTURES OF CHEMICALS**

If a mixture has not been tested for its health effects as a whole, then information must be provided on each ingredient listed under 'Section 3—Composition and information on ingredients' of the SDS.

Ingredients may interact with each other in the body resulting in different rates of absorption, metabolism and excretion. As a result, the toxic actions may be altered and the overall toxicity of the mixture may be different from its ingredients.

This section should advise whether the concentration of each ingredient is sufficient to contribute to the overall health effects of the mixture. The information on toxic effects should be presented for each ingredient, except:

- if the information is duplicated, in which case it is not necessary to list this more than once (for example, if two ingredients both cause vomiting and diarrhoea, the mixture should be described overall as causing vomiting and diarrhoea)
- if it is unlikely that these effects will occur at the concentrations present (for example, when a mild irritant is diluted in a non-irritating solution, the overall mixture would be unlikely to cause irritation).

Predicting the interactions between ingredients is difficult where information on interactions is not available. However, assumptions should not be made. Instead, the SDS should list the health effects of each ingredient separately

#### **OTHER INFORMATION**

It is recommended that other relevant information on adverse health effects be included, even when the hazards are outside the scope of the GHS.

# 3.12 Section 12—Ecological information

This section of the SDS provides information about the environmental and ecological hazards of hazardous chemicals. This information can assist in handling spills and evaluating waste treatment practices and should clearly indicate species, media, units, test duration and test conditions. Where information is not available, this should also be stated.

Ecological information should be given for each ingredient, where available and appropriate.<sup>6</sup>

#### ECOTOXICITY

Information on ecotoxicity should be provided using data from tests performed on aquatic and/or terrestrial organisms. This should include relevant available data on both acute and chronic aquatic toxicity for fish, crustaceans, algae and other aquatic plants. In addition, toxicity data on other organisms (including soil micro and macro-organisms) for example birds, bees and plants, should be included when available. Where the hazardous chemical has inhibitory effects on the activity of micro-organisms, the possible impact on sewage treatment plants should be mentioned.

#### PERSISTENCE AND DEGRADABILITY

Persistence and degradability relate to the potential for the hazardous chemical (or hazardous ingredients of a mixture) to degrade in the environment, either through biodegradation or other processes, for example oxidation or hydrolysis. Test results relevant to assess persistence and degradability should be given where available. If degradation half-lives are quoted an indication of whether these half-lives refer to mineralisation or to primary degradation should be provided. The potential for the hazardous chemical (or hazardous ingredients of a mixture) to degrade in sewage treatment plants may also be mentioned.

#### **BIOACCUMULATIVE POTENTIAL**

Bioaccumulation is the potential for the hazardous chemical (or hazardous ingredients of a mixture) to accumulate in biota and possibly pass through the food chain. Test results relevant to assess the bioaccumulative potential should be given. This may include reference to the octanol-water partition coefficient (K<sub>ow</sub>) and bioconcentration factor (BCF), if available.

<sup>&</sup>lt;sup>6</sup> Further ecological information, such as ecotoxicity, persistence, degradability and mobility, may be available from chemical assessments undertaken by the Department of Sustainability, Environment, Water, Population and Communities (DSEWPaC), NICNAS or the Australian Pesticides and Veterinary Medicines Authority (APVMA).

Preparation of Safety Data Sheets for hazardous chemicals Code of Practice

#### **MOBILITY IN SOIL**

Mobility in soil is the potential for a hazardous chemical (or hazardous ingredients of a mixture) released into the environment to move under natural forces to the groundwater or to a distance from the site of release. The potential for mobility in soil should be provided in an SDS where the information is available. Information on mobility can be determined from relevant mobility data sets, for example absorption studies or leaching studies. For example,  $K_{oc}^{7}$  values can be predicted from octanol/water partition coefficients ( $K_{ow}$ ). Leaching and mobility can be predicted from models.

Where real data on the hazardous chemical is available, this data should take precedence over models and predictions.

#### **OTHER ADVERSE EFFECTS**

Information on any other adverse effects to the environment should be included where data is available, for example environmental fate (exposure), ozone depletion potential, photochemical ozone creation potential, endocrine-disrupting potential and global warming potential.

# 3.13 Section 13—Disposal considerations

This section of the SDS provides information on the most effective way to dispose of a chemical safely.

#### **DISPOSAL METHODS**

Information should be provided for proper disposal, recycling or reclamation of the hazardous chemical and its container to assist in the determination of safe and environmentally-preferred waste management options. This section should include:

- disposal containers and methods
- physical/chemical properties that may affect disposal options
- effects of sewage disposal, and
- special precautions for incineration or landfill.

The disposal advice provided on the SDS should apply to the material as manufactured.

For the safety of persons conducting disposal, recycling or reclamation activities, make reference to the information in 'Section 8—Exposure Controls and Personal Protection' of the SDS.

The local council and /or state environment authority may be able to provide advice on the disposal of chemicals.

<sup>&</sup>lt;sup>7</sup> Soil organic carbon partition coefficient

Preparation of Safety Data Sheets for hazardous chemicals Code of Practice

# 3.14 Section 14—Transport information

This section of the SDS provides basic classification information for the transportation or shipment of a hazardous chemical by road, rail, sea or air as required by relevant transport legislation. Where information is not available or relevant this should be stated.

Table 5 Section 14 of the SDS: Transport information

Term	Description
UN number	The UN number (a four-digit identification number for the substance or article) as listed in the ADG Code should be provided.
Proper shipping name or technical name	The proper shipping name or technical name from the ADG Code should also be included. For hazardous chemicals, the proper shipping name or technical name should be provided in this subsection even if it has not appeared as the product identifier or national or regional identifier.
Transport hazard class	The SDS should provide the transport class/division (and subsidiary risks) assigned to the hazardous chemical according to the most predominant hazards that the chemical presents under the ADG Code.
Packing group number	If applicable, information should be provided on the Packing Group number found in the ADG Code. The packing group number is assigned to certain hazardous chemicals in accordance with their degree of hazard. Packing Group I is the highest hazard and Packing Group III the lowest.
Environmental hazards for transport purposes	The SDS should indicate whether the hazardous chemical is a known marine pollutant according to the International Maritime Dangerous Goods (IMDG) Code. Also it is recommended that the SDS indicate whether the substance or mixture is classified as having an acute aquatic toxicity hazard as required under the ADG Code.
	Additional information for certain environmentally hazardous chemicals may be required on the SDS to comply with maritime transport laws, for example, for chemicals listed in Annex 1 of the International Convention for the Prevention of Pollution from Ships (MARPOL).
Special precautions for user	Information should be provided on special precautions that users should be aware of or should comply with when transporting a hazardous chemical. Any other special requirements relevant to transport of the chemical should be stated here, for example shock sensitivity, specific storage requirements during transit/warehousing and overseas regulatory transport requirements if the hazardous chemical is for export.

Term	Description
Additional information	Any additional information required by overseas regulatory agencies or relevant regulations for the transport of goods by other modes should be included here.
Hazchem or emergency action code	The relevant hazchem (or emergency action) code should be provided as specified in the ADG Code.

# 3.15 Section 15—Regulatory information

This section of the SDS provides advice on other regulatory information on the hazardous chemical that is not provided elsewhere in the SDS, for example whether the hazardous chemical is subject to the following international agreements:

- Montreal Protocol (Ozone depleting substances)<sup>8</sup>
- The Stockholm Convention (Persistent Organic Pollutants)<sup>9</sup>
- The Rotterdam Convention (Prior Informed Consent)<sup>10</sup>
- Basel Convention (Hazardous Waste)<sup>11</sup>, and
- International Convention for the Prevention of Pollution from Ships (MARPOL).

#### SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

Other regulatory information specific to the hazardous chemical may also be included here, for example whether the substance is covered by the following requirements:

- the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act 1989 (Cwlth) (as amended). If so, list the relevant Poisons Schedule number
- any applicable prohibition or notification/licensing requirements, including for carcinogens under commonwealth, state or territory legislation
- the Agricultural and Veterinary Chemicals Act 1994 (Cwlth) and/or applicable commonwealth, state or territory control-of-use legislation
- the *Industrial Chemicals (Notification and Assessment) Act 1989* (Cwlth), including listing on the Australian Inventory of Chemical Substances (AICS), any condition of use associated with the listing on the AICS and/or whether any chemical or a chemical in the product is being introduced under a permit.

In addition, it is recommended that information in a NICNAS assessment report be included.

<sup>&</sup>lt;sup>8</sup> Montreal Protocol means the Montreal Protocol on Substances that Deplete the Ozone Layer, as adjusted and/or amended.
<sup>9</sup> Stockholm Convention means the Stockholm Convention on Persistent Organic Pollutants.

<sup>&</sup>lt;sup>10</sup> Rotterdam Convention means the Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.

<sup>&</sup>lt;sup>11</sup> Basel Convention means the Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.

Preparation of Safety Data Sheets for hazardous chemicals Code of Practice

### 3.16 Section 16—Any other relevant information

This section of the SDS provides any other information relevant to the preparation of the SDS, including:

- the date of preparation of the latest revision of the SDS. When revisions are made to an SDS, this section should describe the changes made to the previous version of the SDS. Suppliers should maintain an explanation of the changes and be willing to provide it upon request, and
- a key/legend to abbreviations and acronyms used in the SDS.

Key literature references and sources for data used to compile the SDS should also be included.

# Appendix A: Glossary

Term	Description
ADG Code	The Australian Code for the Transport of Dangerous Goods by Road and Rail, as in force or remade from time to time, approved by the Transport and Infrastructure Council. The ADG Code is accessible at the National Transport Commission website www.ntc.gov.au
Article	A manufactured item, other than a fluid or particle, that is formed into a particular shape or design during manufacture and has hazard properties and a function that are wholly or partly dependent on the shape or design.
Bioaccumulative potential	The potential for a chemical to accumulate in biota and possibly pass through the food chain.
Biological monitoring	The measurement and evaluation of a substance, or its metabolites, in the body tissue, fluids or exhaled air of a person exposed to that substance.
Chemical identity	A name, in accordance with the nomenclature systems of the International Union of Pure and Applied Chemistry or the Chemical Abstracts Service, or a technical name, that gives a chemical a unique identity.
Class (of dangerous goods)	The number assigned to the goods in the ADG Code indicating the hazard, or most predominant hazard, exhibited by the goods.
Combustible liquid	A liquid, other than a flammable liquid, that has a flash point, and a fire point less than its boiling point.
Combustible substance	A substance that is combustible and includes dust, fibres, fumes, mists or vapours produced by the substance.
Container	Anything in or by which a hazardous chemical is, or has been, wholly or partly covered, enclosed or packed, including anything necessary for the container to perform its function as a container.
Correct classification	The set of hazard classes and hazard categories assigned to a hazardous chemical when it is correctly classified.
Division (of dangerous goods)	A number, in a class of dangerous goods, to which the dangerous goods are assigned in the ADG Code.

Term	Description	
Duty holder	Any person who owes a work health and safety duty under the WHS Act including a person conducting a business or undertaking, a designer, manufacturer, importer, supplier, installer of products or plant used at work (upstream duty holder), officer or a worker.	
Exposure standard	An exposure standard published by Safe Work Australia in the Workplace Exposure Standards for Airborne Contaminants.	
Flammable liquid	A flammable liquid within the meaning of the GHS that has a flash point of less than 93°C.	
Flash point	The lowest temperature (corrected to a standard pressure of 101.3 kPa) at which the application of an ignition source causes the vapours of a liquid to ignite under specified test conditions.	
Generic name	A name applied to a group of chemicals having a similar structure and properties.	
Genuine research	Systematic investigative or experimental activities that are carried out for either acquiring new knowledge (whether or not the knowledge will have a specific practical application) or creating new or improved materials, products, devices, processes or services.	
GHS	The Globally Harmonized System of Classification and Labelling of Chemicals, 7 <sup>th</sup> revised edition, published by the United Nations as modified by Schedule 6 to the WHS Regulations.	
Hazard	A situation or thing that has the potential to harm a person. Hazards at work may include: noisy machinery, a moving forklift, chemicals, electricity, working at heights, a repetitive job, bullying and violence at the workplace.	
Hazard category	A division of criteria within a hazard class in the GHS.	
Hazard class	The nature of a physical, health or environmental hazard under the GHS.	

Term	Description	
Hazardous chemical	<ul> <li>Any substance, mixture or article that satisfies the criteria for any one or more hazard classes in the GHS (including a classification referred to in Schedule 6 of the WHS Regulations), unless the only hazard class or classes for which the substance, mixture or article satisfies the criteria are any one or more of the following: <ul> <li>acute toxicity—oral—category 5</li> <li>acute toxicity—dermal—category 5</li> <li>acute toxicity—inhalation—category 5</li> <li>skin corrosion/irritation—category 3</li> <li>aspiration hazard—category 2</li> <li>flammable gas—category 2</li> <li>chronic hazard to the aquatic environment—category 1, 2 or 3</li> <li>chronic hazard to the ozone layer.</li> </ul> </li> <li>Note: The Schedule 6 tables replace some tables in the GHS.</li> </ul>	
Hazard pictogram	A graphical composition, including a symbol plus other graphical elements, that is assigned in the GHS to a hazard class or hazard category.	
Hazard statement	A statement assigned to a hazard class or hazard category describing the nature of the hazards of a hazardous chemical including, if appropriate, the degree of hazard.	
Hazchem code	Has the same meaning as 'Hazchem Code' under the ADG Code, also known as the emergency action code.	
Health and safety committee	A consultative body established under the WHS Act. The committee's functions include facilitating cooperation between workers and the person conducting a business or undertaking to ensure workers' health and safety at work, and assisting to develop work health and safety standards, rules and procedures for the workplace.	
Health and safety representative	A worker who has been elected by their work group under the WHS Act to represent them on health and safety matters.	
Health monitoring	Monitoring the person to identify changes in the person's health status as a result of exposure to a hazardous chemical.	
Import	Bring into the jurisdiction from outside Australia.	
Importer (of a hazardous chemical)	A person who conducts a business or undertaking that imports a substance that is a hazardous chemical that is to be used, or could reasonably be expected to be used, at a workplace.	

Term	Description		
Label	Written, printed or graphical information elements concerning a hazardous chemical that is affixed to, printed on or attached to the container of a hazardous chemical.		
Manufacture	The activities of packing, repacking, formulating, blending, mixing, making, remaking and synthesising of the chemical.		
Manufacturer (of a hazardous chemical)	A person who conducts a business or undertaking that manufactures a substance that is a hazardous chemical that is to be used, or could reasonably be expected to be used, at a workplace.		
Мау	'May' indicates an optional course of action.		
Mixture	Means a combination of or a solution composed of two or more substances that do not react with each other.		
Must	'Must' indicates a legal requirement exists that must be complied with.		
Officer	<ul> <li>An officer under the WHS Act includes:</li> <li>an officer under section 9 of the <i>Corporations Act 2001</i> (Cth)</li> <li>an officer of the Crown within the meaning of section 247 of the WHS Act, and</li> <li>an officer of a public authority within the meaning of section 252 of the WHS Act.</li> </ul> A partner in a partnership or an elected member of a local authority is not an officer while acting in that capacity.		
Person conducting a business or undertaking (PCBU)	<ul> <li>A PCBU is an umbrella concept which intends to capture all types of working arrangements or relationships.</li> <li>A PCBU includes a: <ul> <li>company</li> <li>unincorporated body or association</li> <li>sole trader or self-employed person.</li> </ul> </li> <li>Individuals who are in a partnership that is conducting a business will individually and collectively be a PCBU.</li> <li>A volunteer association (defined under the WHS Act, see below) or elected members of a local authority will not be a PCBU.</li> </ul>		

Term	Description	
Precautionary statement	A phrase prescribed by the GHS that describes recommended measures to be taken to prevent or minimise the adverse effects of exposure to a hazardous chemical or the improper handling of a hazardous chemical.	
Product identifier	The name or number used to identify a product on a label or in an SDS. <sup>12</sup>	
Proper shipping name	A proper shipping name under the ADG Code.	
Research chemical	A substance or mixture that is manufactured in a laboratory for genuine research and is not for use or supply for a purpose other than analysis or genuine research.	
Risk	The possibility harm (death, injury or illness) might occur when exposed to a hazard.	
Should	'Should' indicates a recommended course of action.	
Substance	<ul> <li>A chemical element or compound in its natural state or obtained or generated by a process:</li> <li>including any additive necessary to preserve the stability of the element</li> </ul>	
	<ul> <li>Including any additive necessary to preserve the stability of the element or compound and any impurities deriving from the process, but</li> <li>excluding any solvent that may be separated without affecting the stability of the element or compound, or changing its composition.</li> </ul>	
Supply	Selling or transferring ownership or responsibility for a chemical.	
Technical name	A name that is:	
	<ul> <li>ordinarily used in commerce, regulations and codes to identify a substance or mixture, other than an International Union of Pure and Applied Chemistry or Chemical Abstracts Service name, and</li> <li>recognised by the scientific community.</li> </ul>	
United Nations (UN) number	A number assigned to dangerous goods by the United Nations Subcommittee of Experts on the Transport of Dangerous Goods. <sup>13</sup>	

<sup>&</sup>lt;sup>12</sup> The term 'product name' has previously been used for 'product identifier'.

<sup>&</sup>lt;sup>13</sup> UN numbers are published in the UN Recommendations on the Transport of Dangerous Goods—Model Regulation, and in the ADG Code.

Preparation of Safety Data Sheets for hazardous chemicals Code of Practice

Term	Description	
Volunteer association	A group of volunteers working together for one or more community purposes where none of the volunteers, whether alone or jointly with any other volunteers, employs any person to carry out work for the volunteer association.	
Work group	A group of workers established to facilitate the representation of workers by one or more health and safety representatives. A work group may be all workers at a workplace but it may also be appropriate to split a workplace into multiple work groups where workers share similar work conditions or are exposed to similar risks and hazards. For example all workers on night shift.	
Worker	Any person who carries out work for a person conducting a business or undertaking, including work as an employee, contractor or subcontractor (or their employee), self-employed person, outworker, apprentice or trainee, work experience student, employee of a labour hire company placed with a 'host employer' or a volunteer.	
Workplace	Any place where work is carried out for a business or undertaking and includes any place where a worker goes, or is likely to be, while at work. This may include offices, factories, shops, construction sites, vehicles, ships, aircraft or other mobile structures on land or water.	

## **Appendix B: Header checklist**

This checklist provides a summary of the information contained in <u>Chapter 3</u> of this Code (Content of the safety data sheet) by listing its headers or the parameters considered. It is not a comprehensive list of information required on the SDS. Refer to the relevant section of this Code for detailed instructions.

Table 6 Chapter 3 header checklist

Section of the SDS	Headers	
Section 1— Identification	Product Identifier	
luentincation	□ Other means of identification	
	□ Recommended use of the chemical and restrictions on use	
	Details of manufacturer or importer	
	Emergency phone number	
Section 2—Hazard(s)	Classification of the hazardous chemical	
dentineation	□ Label elements, including precautionary statements	
Section 3— Composition and	□ Disclosure of ingredient names	
information	Use of generic names	
on ingredients	Disclosure of proportions of ingredients	
Section 4—First aid	Description of necessary first aid measures	
measures	□ Symptoms caused by exposure	
	□ Medical attention and special treatment	
Section 5—	Suitable extinguishing equipment	
Firefighting measures	□ Specific hazards arising from the chemical	
	□ Special protective equipment and precautions for firefighters	

Section of the SDS	Headers	
Section 6— Accidental release measures	<ul> <li>Personal precautions, protective equipment and emergency procedures</li> <li>Environmental precautions</li> <li>Methods and materials for containment and cleaning up</li> </ul>	
Section 7—Handling and storage	<ul> <li>Precautions for safe handling</li> <li>Conditions for safe storage, including any incompatibilities</li> </ul>	
Section 8—Exposure controls and personal protection	<ul> <li>Exposure control measures</li> <li>Biological monitoring</li> <li>Control Banding</li> <li>Engineering controls</li> <li>Individual protection measures, for example personal protective equipment (PPE)</li> </ul>	

Section of the SDS	Headers	
Section 9—Physical and chemical properties	□ Appearance	
	□ Odour	
	Odour threshold	
	□ pH	
	Melting point/freezing point	
	□ Boiling point and boiling range	
	□ Flash point	
	Evaporation rate	
	Flammability (solid, gas)	
	□ Upper/lower flammability or explosive limits	
	□ Vapour pressure	
	□ Vapour density	
	□ Relative density	
	□ Solubility	
	Partition coefficient: n-octanol/water	
	□ Auto-ignition temperature	
	Decomposition temperature	
	□ Viscosity	
	□ Specific heat value	
	□ Saturated vapour concentration	
	Release of invisible flammable vapours and gases	
	Particle size	
	□ Size distribution	

Section of the SDS	Headers	
Section 9—Physical and chemical	□ Shape and aspect ratio	
properties	Crystallinity	
	□ Surface area	
	□ Degree of aggregation or agglomeration, and dispersibility	
	Redox potential	
	□ Biodurability or biopersistence	
□ Surface coating or chemistry		
Section 10—Stability and reactivity	□ Reactivity	
	Chemical stability	
	Possibility of hazardous reactions	
	□ Conditions to avoid	
	Incompatible materials	
	□ Hazardous decomposition products	
Section 11— Toxicological	□ Information on possible routes of exposure	
information	Early onset symptoms related to exposure	
	□ Delayed health effects from exposure	
	□ Exposure levels and health effects	
	□ Interactive effects	
	□ When specific chemical data is not available	
	□ Mixtures of chemicals	
	□ Other information	

Section of the SDS	Headers	
Section 12— Ecological		
information	Persistence and degradability	
	Bioaccumulative potential	
	□ Mobility in soil	
	□ Other adverse effects	
Section 13—Disposal considerations	□ Disposal methods	
Section 14—	□ UN number	
Transport information	Proper Shipping Name or Technical Name	
	Transport hazard class	
	Packing Group	
	Environmental hazards for transport purposes	
	□ Special precautions for user	
	Additional information	
	□ Hazchem or Emergency Action Code	
Section 15— Regulatory information	□ Safety, health and environmental regulations	
Section 16—Other information	□ Date of preparation or review	
	□ Key abbreviations or acronyms used	

## Appendix C: GHS label elements for inclusion in the SDS

The information in this Appendix guides the selection of appropriate GHS signal words, pictograms, hazard statements and precautionary statements that apply to each GHS hazard class and category. It includes elements for all categories of precautionary action. All specific elements relating to particular hazard classes and categories should be used. General elements not linked in particular to a certain hazard class or category should also be used, where appropriate.

The precautionary statements included in the following matrix cover general emergency response and first aid. For some specific chemicals, supplementary first aid, treatment measures or specific antidotes or cleansing materials may be required. Poisons Centres and/or medical practitioners or specialist advice should be sought in such situations and included on labels where appropriate.

#### STRUCTURE OF HAZARD STATEMENT TEXT

The text in bold in the tables below (<u>Tables of label elements from the GHS</u>) should appear in the SDS, except as otherwise specified. The information in italics should also appear as part of the hazard statement in the SDS when the information is known, for example:

#### 'Causes damage to organs [or state all organs affected, if known] through prolonged or repeated exposure [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]'.

The hazard statement codes shown in the tables are intended to be used for reference purposes only. They are not part of the hazard statement text and should not be used to replace it in the SDS.

## STRUCTURE OF PRECAUTIONARY STATEMENT TEXT

There are five types of precautionary statements: **general**, **prevention**, **response** (in case of accidental spillage or exposure, emergency response and first aid), **storage** and **disposal**.

The core parts of the precautionary statements are shown in bold print. This is the text that should appear in the SDS, except as otherwise specified.

The precautionary statement codes used in the tables below (<u>Tables of label elements from the GHS</u>) are intended to be used for reference purposes only. They are not part of the precautionary statement text and should not be used to replace it in the SDS.

To provide flexibility in the application of precautionary phrases, a combination of statements may be used to improve the readability of phrases. Combinations of phrases can also be useful for different types of hazard where the precautionary behaviour is similar. For example:

## 'Keep away from heat, sparks and open flame and store in a cool well ventilated place'.

Where precautionary statements have been modified or combined, clear plain language is essential to convey information on precautionary behaviour.

When a backslash or diagonal mark [/] appears in a precautionary statement text, it indicates that a choice has to be made between the phrases it separates. For example, P280 'Wear protective gloves/protective clothing/eye protection/face protection' can read 'Wear eye protection' where the hazard classification does not warrant the additional personal protective equipment (PPE).

When three full stops [...] appear in a precautionary statement text, they indicate that all applicable conditions are not listed. For example, in P241 '**Use explosion-proof electrical/ventilating/lighting/.../equipment**.', the use of '...' indicates that other equipment should be specified.

When text in italics is used in the precautionary statement text, this indicates specific conditions apply to the use or allocation of the precautionary statement. This may relate to conditions attaching to either the general use of a precautionary statement or its use for a particular hazard class and/or hazard category. For example, P241 '**Use explosion-proof electrical/ventilating/lighting/.../equipment**' only applies for flammable solids 'if dust clouds can occur'.

## **GENERAL PRECAUTIONARY MEASURES**

The general precautionary statements listed below are not aligned with any particular GHS hazard category. According to the GHS principles, these statements are required for consumer products only. However, manufacturers of hazardous chemicals may choose to include these in an SDS, particularly where it is foreseeable that the chemical may be used in a non-workplace situation.

Table 7 General precaution	ry statements for consumer products
----------------------------	-------------------------------------

Code	General precautionary statements	Conditions for use
P101	If medical advice is needed, have product container or label at hand.	Consumer products
P102	Keep out of reach of children.	Consumer products
P103	Read carefully and follow all instructions.	Consumer products

## TABLES OF LABEL ELEMENTS FROM THE GHS

The tables below provide the following information for each hazard class and hazard category of the GHS:

- hazard category
- the assigned signal word
- the assigned hazard statement and code
- the assigned GHS symbol
- the assigned precautionary statements, by precautionary statement type and code.

Hazard category	Signal word	Hazard statement	Symbol
Unstable Explosive	Danger	H200 Unstable Explosive	Exploding bomb

Prevention	Response	Storage	Disposal
P201 Obtain special instructions before use. P250 Do not subject to grinding/shock/friction/ manufacturer/supplier or the competent authority to specify applicable rough handling. — <i>if the explosive is</i> <i>mechanically sensitive</i> . P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.	P370 + P372 + P380 + P373 In case of fire: Explosion risk. Evacuate area. DO NOT fight fire when fire reaches explosives.	P401 Store in accordance with  manufacturer/supplier or the competent authority to specify local/regional/ national/international regulations as applicable.	P503 Refer to manufacturer/supplier/ for information on disposal/recovery/recycling. manufacturer/supplier or the competent authority to specify appropriate source of information in accordance with local/regional/ national/international regulations as applicable.

Hazard category	Signal word	Hazard statement	Symbol
Division 1.1	Danger	H201 Explosive; mass explosion hazard	1/1-
Division 1.2	Danger	H202 Explosive; severe projection hazard	
Division 1.3	Danger	H203 Explosive; fire, blast or projection hazard	Exploding bomb

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
<ul> <li>P210</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P230</li> <li>Keep wetted with</li> <li>Manufacturer/ supplier or the competent authority to specify appropriate material.</li> <li>-for substances and mixtures which are wetted, diluted, dissolved or suspended with a phlegmatizer in order to reduce or suppress their explosive properties (desensitised explosives).</li> <li>P234</li> <li>Keep only in original packaging.</li> <li>P240</li> <li>Ground and bond container and receiving equipment.</li> <li>- if the explosive is electrostatically sensitive.</li> <li>P250</li> <li>Do not subject to grinding/shock/friction/</li> <li> manufacturer/supplier or the competent authority to specify applicable rough handling.</li> <li>- if the explosive is mechanically sensitive.</li> <li>P280</li> <li>Use protective gloves /protective clothing/eye protection/ face protection/hearing protection/</li> <li> manufacturer/supplier or the competent Authority to specify applicable rough handling.</li> <li>- if the explosive is mechanically sensitive.</li> <li>P280</li> <li>Use protective gloves /protective clothing/eye protection/ face protection/hearing protection/</li> <li> manufacturer/supplier or the competent Authority to specify the appropriate personal protective equipment.</li> </ul>	P370 + P372 + P380 + P373 In case of fire: Explosion risk. Evacuate area. DO NOT fight fire when fire reaches explosives.	P401 Store in accordance with manufacturer/supplier or the competent authority to specify local/regional/ national/international regulations as applicable.	P503 Refer to manufacturer/supplier/ for information on disposal/recovery/ recycling. manufacturer/supplier or the competent authority to specify appropriate source of information in accordance with local/regional/ national/international regulations as applicable.

Hazard category	Signal word	Hazard statement	Symbol
Division 1.4	Warning	H204 Fire or projection hazard	Exploding bomb

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P234 Keep only in original packaging. P240 Ground and bond container and receiving equipment. — if the explosive is electrostatically sensitive. P250 Do not subject to grinding/shock/friction/ manufacturer/supplier or the competent authority to specify applicable rough handling. — if the explosive is mechanically sensitive. P280 Wear protective gloves/protective clothing/eye protection/face protection/face protection/mearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.	P370 + P372 + P380 + P373 In case of fire: Explosion risk. Evacuate area. DO NOT fight fire when fire reaches explosives. P370 + P380 + P375 In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. — for explosives of division 1.4 (compatibility group S) in transport packaging.	P401 <b>Store in accordance with</b> Manufacturer/supplier or the competent authority to specify local/regional/national/international regulations as applicable.	P503 Refer to manufacturer/supplier/for information on disposal/recovery/recycling Manufacturer/supplier or the competent authority to specify appropriate source of information in accordance with local/regional/national/international regulations as applicable.

Hazard category	Signal word	Hazard statement	Symbol*
Division 1.5	Danger	H205 May mass explode in fire	1.5 EXPLOSIVE

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P230	P370 + P372 + P380 + P373 In case of fire: Explosion risk. Evacuate area. DO NOT fight fire when fire reaches	P401 Store in accordance with  manufacturer/supplier or the competent authority to specify local/regional/	P503 Refer to manufacturer/supplier/ for information on disposal/recovery/recycling. manufacturer/supplier or
Keep wetted with Manufacturer/ supplier or the competent authority to specify appropriate material. —for substances and mixtures which are wetted, diluted, dissolved or suspended with a phlegmatizer in order to reduce or suppress their explosive properties (desensitised explosives). P234 Keep only in original packaging. P240 Ground and bond container and receiving equipment. — if the explosive is electrostatically sensitive. P250 Do not subject to	fire reaches explosives.	national/international regulations as applicable.	the competent authority to specify appropriate source of information in accordance with local/regional/ national/international regulations as applicable.
grinding/shock/friction/ Manufacturer/supplier or the competent authority to specify applicable rough handling. — <i>if the explosive is mechanically</i> <i>sensitive.</i> P280 Use protective gloves /protective clothing/eye protection/face protection/face protection/hearing protection/ Manufacturer/supplier or the competent Authority to specify the appropriate personal protective equipment.			

\*Note: This symbol is according to the ADG Code for the Transport of Dangerous Goods

Hazard category	Signal word	Hazard statement	Symbol*
Division 1.6	No signal word	No hazard statement	1.6 EXPLOSIVE

#### **Precautionary statements**

	Prevention	Response	Storage	Disposal	
	No precautionary statements	No precautionary statements	No precautionary statements	No precautionary statements	
*	*Note: Symbol for Explosive Division 1.6 is the symbol used according to the ADG Code for the Transport of				

\*Note: Symbol for Explosive Division 1.6 is the symbol used according to the ADG Code for the Transport of Dangerous Goods

#### **FLAMMABLE GASES**

Hazard category	Signal word	Hazard statement	Symbol
1A	Danger	H220 Extremely flammable gas	
1B	Danger	H221 Flammable gas	Flame

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
P210	P377	P403	
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	Leaking gas fire: Do not extinguish, unless leak can be stopped safely. P381 In case of leakage, eliminate all ignition sources.	Store in well-ventilated place.	

## FLAMMABLE GASES (PYROPHORIC GASES)

Hazard category	Signal word	Hazard statement	Symbol
1A, Pyrophoric gas	Danger	H220 Extremely flammable gas; and H232 May ignite spontaneously if exposed to air	Flame

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
P210	P377	P403	
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P222 Do not allow contact with air — if emphasis of the hazard statement is deemed necessary. P280	Leaking gas fire: Do not extinguish, unless leak can be stopped safely. P381 In case of leakage, eliminate all ignition sources.	Store in well- ventilated place.	
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment			

Note: This table lists only precautionary statements that are assigned due to the flammability and the pyrophoricity of the gas. For other precautionary statements that are assigned based on chemical instability see the respective table for chemically unstable gases A and B.

## FLAMMABLE GASES (CHEMICALLY UNSTABLE GASES)

Hazard category	Signal word	Hazard statement	Symbol
1A, chemically unstable has A	Danger	H220 Extremely flammable gas; and H230 May react explosively even in the absence of air	Flame
1A, chemically unstable gas B	Danger	H220 Extremely flammable gas; and H230 May react explosively even in the absence of air at elevated pressure and/or temperature	

Prevention	Response	Storage	Disposal
P202	P377	P403	
Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	Leaking gas fire: Do not extinguish, unless leak can be stopped safely. P381 In case of leakage, eliminate all ignition sources.	Store in well-ventilated place.	

## AEROSOLS

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H222 Extremely flammable aerosol; and H229 Pressurized container: may burst if heated	Flame
2	Warning	H223 Flammable aerosol; and H229 Pressurized container: may burst if heated	

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
P210		P410 + P412	
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		Protect from sunlight. Do not expose to temperatures exceeding 50ºC/122ºF.	
P211 Do not spray on an open flame or other ignition source.		Manufacturer/supplier or the competent authority to use applicable temperature scale.	
P251 Do not pierce or burn, even after use.			

#### AEROSOLS

Hazard category	Signal word	Hazard statement	Symbol
3	Warning	H229 Pressurized container: may burst if heated	No symbol

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
P210		P410 + P412	
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		Protect from sunlight. Do not expose to temperatures exceeding 50ºC/122ºF.	
P251 Do not pierce or burn, even after use.		Manufacturer/supplier or the competent authority to use applicable temperature scale.	

## **OXIDISING GASES**

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H270 May cause or intensify fire; oxidiser	Flame over circle

Prevention	Response	Storage	Disposal
P220	P370 + P376	P403	
Keep away from clothing and other combustible materials.	In case of fire: Stop leak if safe to do so.	Store in well-ventilated place.	
P244			
Keep valves and fittings free from grease and oil.			

# GASES UNDER PRESSURE (COMPRESSED, LIQUIFIED AND DISSOLVED GASES)

Hazard category	Signal word	Hazard statement	Symbol
Compressed gas	Warning	H280 Contains gas under pressure; may explode if heated	
Liquefied gas	Warning	H280 Contains gas under pressure; may explode if heated	Gas cylinder
Dissolved gas	Warning	H280 Contains gas under pressure; may explode if heated	

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
		<ul> <li>P410 + P403</li> <li>Protect from sunlight. Store in a well-ventilated place.</li> <li>— P410 may be omitted for gases filled in transportable gas cylinders in accordance with packing instruction</li> <li>P200 of the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, unless those gases are subject to (slow) decomposition or polymerisation, or the competent authority provides otherwise.</li> </ul>	

## GASES UNDER PRESSURE (REGRIGERATED LIQUEFIED GASES)

Hazard category	Signal word	Hazard statement	Symbol
Refrigerated liquefied gas	Warning	H281 Contains refrigerated gas; may cause cryogenic burns or injury	Gas cylinder

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
P282	P336 + P315	P403	
Wear cold insulating gloves and either face shield or eye protection.	Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention	Store in well-ventilated place.	
	Manufacturer/supplier or the competent authority to select medical advice or attention as appropriate.		

## FLAMMABLE LIQUIDS

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H224 Extremely flammable liquid and vapour	
2	Danger	H225 Highly flammable liquid and vapour	
3	Danger	H226 Flammable liquid and vapour	Flame

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. — <i>if the liquid is volatile and may generate an</i> <i>explosive atmosphere</i> . P240 Ground and bond container and receiving equipment — <i>if the liquids is volatile and may generate</i> <i>an explosive atmosphere</i> . P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. — <i>if the liquid is volatile and may generate an</i> <i>explosive atmosphere</i> . P241 Use explosion-proof [electrical/ventilating/lighting/] equipment. — <i>if the liquid is volatile and may generate an</i> <i>explosive atmosphere</i> . — <i>text in square brackets may be used to</i> <i>specify specific electrical, ventilating, lighting</i> <i>or other equipment if necessary and as</i> <i>appropriate</i> . — <i>precautionary statement may be omitted</i> <i>where local or national legislation introduces</i> <i>more specific provisions</i> P242 Use non-sparking tools. P243 Take action to prevent static discharges. — <i>if the liquid is volatile and may generate</i> <i>an explosive atmosphere</i> — <i>may be omitted where .local or national</i> <i>legislation introduces more specific</i> <i>provisions</i> . P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ — <i>manufacturer/supplier or the competent</i> <i>authority to specify the appropriate personal</i> <i>protective equipment</i> .	P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. —text in square brackets to be included where the manufacturer /supplier or the competent authority considers it appropriate for the specific chemical. P370 + P378 In case of fire: Use to extinguish. Manufacturer/supplier or the competent authority to specify appropriate media. — if water increases risk.	P403 + P235 Store in a well- ventilated place. Keep cool. —for flammable liquids category I and other flammable liquids that are volatile and may generate an explosive atmosphere.	P501 Dispose of contents/container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## FLAMMABLE LIQUIDS

Hazard category	Signal word	Hazard statement	Symbol
4	Warning	H227 Combustible liquid	No symbol

Prevention	Response	Storage	Disposal
<ul> <li>P210</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P280</li> <li>Wear protective gloves/protective clothing/eye protection/ face protection/hearing protection/</li> <li>Manufacturer/supplier or the competent authority to specify type of equipment.</li> </ul>	P370 + P378 In case of fire: Use to extinguish. Manufacturer/supplier or the competent authority to specify appropriate media. — <i>if water increases risk.</i>	P403 Store in a well-ventilated place. —for flammable liquids Category 1 and other flammable liquids that are volatile and may generate an explosive atmosphere.	P501 Dispose of contents/container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## FLAMMABLE SOLIDS

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H228 Flammable solid	
2	Warning	H228 Flammable solid	
			Flame

Prevention	Response	Storage	Disposal
P210 Keep away from heat/ sparks/ open flames/ hot surfaces—No smoking. Manufacturer/supplier or the competent authority to specify applicable ignition source(s). P240 Ground/ Bond container and receiving equipment.	P370 + P378 In case of fire: Use for extinction Manufacturer/supplier or the competent authority to specify appropriate media. — <i>if water increases risk.</i>		
<ul> <li>if electrostatically sensitive material is for reloading.</li> <li>P241</li> <li>Use explosion-proof electrical/ventilating/ lighting/ / equipment.</li> <li> Manufacturer/ supplier or the competent authority to</li> </ul>			
<ul> <li>The competent authority to specify other equipment.</li> <li><i>—if dust clouds can occur.</i></li> <li>P280</li> <li>Wear protective gloves/ eye protection/face protection</li> <li>Manufacturer/ supplier or the competent authority to specify type of equipment.</li> </ul>			

## SELF-REACTIVE SUBSTANCES AND MIXTURES

Hazard category	Signal word	Hazard statement	Symbol
Туре А	Danger	H240 Heating may cause an explosion	Exploding bomb

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
<ul> <li>P210</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P234</li> <li>Keep only in original packaging.</li> <li>P235</li> <li>Keep cool.</li> <li><i>may be omitted if P411 is given on the label.</i></li> <li>P240</li> <li>Ground and bond container and receiving equipment.</li> <li><i>if electrostatically sensitive and able to generate an explosive atmosphere.</i></li> <li>P280</li> <li>Wear protective gloves/protective clothing/eye protection/face protection/face protection/face protection/face protection/</li> <li>Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.</li> </ul>	P370 + P372 + P380 + P373 In case of fire: Explosion risk. Evacuate area. DO NOT fight fire when fire reaches explosives.	P403 Store in a well-ventilated place. — except for temperature controlled self- reactive substances and mixtures or organic peroxides because condensation and consequent freezing may take place. P411 Store at temperatures not exceeding°C/°F. — if temperature control is required (according to section 2.8.2.3 or 2.15.2.3 of the GHS) or if otherwise deemed necessary. Manufacturer/supplier or the competent authority to specify temperature using applicable temperature scale P420 Store separately.	P501 Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## SELF-REACTIVE SUBSTANCES AND MIXTURES

Hazard category	Signal word	Hazard statement	Symbol
Туре В	Danger	H241 Heating may cause a fire or explosion	Exploding bomb

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
<ul> <li>P210</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P234</li> <li>Keep only in original packaging.</li> <li>P235</li> <li>Keep cool <ul> <li>may be omitted if P411 is given on the label.</li> <li>P240</li> </ul> </li> <li>Ground and bond container and receiving equipment. <ul> <li>if electrostatically sensitive and able to generate an explosive atmosphere.</li> <li>P280</li> </ul> </li> <li>Wear protective gloves/protective clothing/eye protection/face protection/face protection/maring protection/ <ul> <li>Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.</li> </ul> </li> </ul>	P370 + P380 + P375 [+ P378] In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. [Useto extinguish] text in square brackets to be included if water increases risk. Manufacturer/supplier or the competent authority to specify appropriate media.	P403 Store in a well-ventilated place. — except for temperature controlled self- reactive substances and mixtures or organic peroxides because condensation and consequent freezing may take place. P411 Store at temperatures not exceeding°C/°F. — if temperature control is required (according to section 2.8.2.3 or 2.15.2.3 of the GHS) or if otherwise deemed necessary. Manufacturer/supplier or the competent authority to specify temperature using applicable temperature scale. P420 Store separately.	P501 Dispose of contents/container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## SELF-REACTIVE SUBSTANCES AND MIXTURES

Hazard category	Signal word	Hazard statement	Symbol
Type C	Danger	H242 Heating may cause a fire	Flame
Type D	Danger	H242 Heating may cause a fire	
Type E	Danger	H242 Heating may cause a fire	
Type F	Danger	H242 Heating may cause a fire	

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P234 Keep only in original packaging. P235 Keep cool — may be omitted if P411 is given on the label. P240 Ground and bond container and receiving equipment. — if electrostatically sensitive and able to generate an explosive atmosphere. P280 Wear protective gloves/protective clothing/eye protection/face protection/face protection/mearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.	P370 + P378 In case of fire: Use to extinguish. Manufacturer/ supplier or the competent authority to specify appropriate media. — <i>if water increases risk.</i>	P403 Store in a well-ventilated place. — except for temperature controlled self- reactive substances and mixtures or organic peroxides because condensation and consequent freezing may take place. P411 Store at temperatures not exceeding°C/°F. — if temperature control is required (according to section 2.8.2.3 or 2.15.2.3 of the GHS) or if otherwise deemed necessary. Manufacturer/supplier or the competent authority to specify temperature using applicable temperature scale. P420 Store separately.	P501 Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

Note: Hazard category Type G: There are no label elements allocated to this hazard category

## **PYROPHORIC LIQUIDS**

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H250 Catches fire spontaneously if exposed to air	Flame

Prevention	Response	Storage	Disposal
P210	P302 + P334		
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P222 Do not allow contact with air.	IF ON SKIN: Immerse in cool water or wrap in wet bandages. P370 + P378 In case of fire: Use to extinguish. Manufacturer/ supplier or the		
— if emphasis of the hazard statement is deemed necessary. P233	competent authority to specify appropriate media. — <i>if water increases risk.</i>		
Keep container tightly closed.			
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.			

## **PYROPHORIC SOLIDS**

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H250 Catches fire spontaneously if exposed to air	Flame

Prevention	Response	Storage	Disposal
<ul> <li>P210</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P222</li> <li>Do not allow contact with air.</li> <li><i>if emphasis of the hazard statement is deemed necessary.</i></li> </ul>	P302 + P335 + P334 IF ON SKIN: Brush off loose particles from skin. Immerse in cool water or wrap in wet bandages. P370 + P378 In case of fire: Use to extinguish. Manufacturer/ supplier or the competent authority to specify appropriate media.		
P233 Keep container tightly closed. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.	— if water increases risk.		

## SELF-HEATING SUBSTANCES AND MIXTURES

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H251 Self-heating; may catch fire	
2	Warning	H252 Self-heating in large quantities; may catch fire	Flame

Prevention Response	Storage	Disposal
P235 Keep cool. — may be omitted if P413 is given on the label. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.	P407 Maintain air gap between stacks or pallets. P410 Protect from sunlight P413 Store bulk masses greater than kg/lbs at temperatures not exceeding°C/°F. Manufacturer/supplier or the competent authority to specify mass and temperature using applicable scale. P420 Store separately.	

# SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH WATER, EMIT FLAMMABLE GASES

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H260 In contact with water releases flammable gases, which may ignite spontaneously	
2	Danger	H261 In contact with water releases flammable gases	Flame

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
P223 Do not allow contact with water. 	P302 + P335 + P334 IF ON SKIN: Brush off loose particles from skin and immerse in cool water. P370 + P378 In case of fire: Use to extinguish. Manufacturer/supplier or the competent authority to specify appropriate media. — <i>if water increases risk.</i>	P402 + P404 Store in a dry place. Store in a closed container.	P501 Dispose of contents/ container to in accordance with local/regional/national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

# SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH WATER, EMIT FLAMMABLE GASES

Hazard category	Signal word	Hazard statement	Symbol
3	Danger	H261 In contact with water releases flammable gases	Flame

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
P231 + P232 Handle and store contents under inert gas/ Protect from moisture. — if the substance or mixture reacts readily with moisture in air. Manufacturer/supplier or the competent authority to specify appropriate liquid or gas if "inert gas" is not appropriate. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.	P370 + P378 In case of fire: Use to extinguish. Manufacturer/ supplier or the competent authority to specify appropriate media. — <i>if water increases risk.</i>	P402 + P404 Store in a dry place. Store in a closed container.	P501 Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## **OXIDISING LIQUIDS**

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H271 May cause fire or explosion; strong oxidiser	Flame over circle

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
P210	P306 + P360	P420	P501
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P220 Keep away from clothing and other combustible materials. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/mearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment. P283 Wear fire resistant or flame retardant clothing.	P306 + P360 IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. P371 + P380 + P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. P370 + P378 In case of fire: Use to extinguish. Manufacturer/ supplier or the competent authority to specify appropriate media. — <i>if water increases risk.</i>	P420 Store separately.	P501 Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## **OXIDISING LIQUIDS**

Hazard category	Signal word	Hazard statement	Symbol
2	Danger	H272 May intensify fire; oxidiser	Flame over circle
3	Warning	H272 May intensify fire; oxidiser	

Prevention	Response	Storage	Disposal
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P220 Keep away from clothing and other combustible materials. P280 Wear protective gloves/protective clothing/eye protection/face protective protective protective protective protective protective protective protective protective	P370 + P378 In case of fire: Use to extinguish. Manufacturer/ supplier or the competent authority to specify appropriate media. — <i>if water increases risk.</i>		P501 Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## **OXIDISING SOLIDS**

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H271 May cause fire or explosion; strong oxidiser	Flame over circle

Prevention	Response	Storage	Disposal
P210	P306 + P360	P420	P501
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P220 Keep away from clothing and other combustible materials. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment. P283 Wear fire resistant or flame retardant clothing.	IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. P371 + P380 + P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. P370 + P378 In case of fire: Use to extinguish. Manufacturer/ supplier or the competent authority to specify appropriate media. — if water increases risk.	Store separately.	Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## **OXIDISING SOLIDS**

Hazard category	Signal word	Hazard statement	Symbol
2	Danger	H272 <b>May intensify fire; oxidiser</b>	Flame over circle
3	Warning	H272 <b>May intensify fire; oxidiser</b>	

Prevention	Response	Storage	Disposal
P210	P370 + P378		P501
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P220 Keep away from clothing and other combustible materials. P280 Wear protective gloves/protective clothing/eye protection/face protection/face protection/face protection/mearing	In case of fire: Use to extinguish. Manufacturer/ supplier or the competent authority to specify appropriate media. — <i>if water increases risk.</i>		Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## **ORGANIC PEROXIDES**

Hazard category	Signal word	Hazard statement	Symbol
Туре А	Danger	H240 Heating may cause an explosion	Exploding bomb

Prevention	Response	Storage	Disposal
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P234 Keep only in original packaging. P235 Keep cool. — may be omitted if P411 is given on the label. P240 Ground and bond container and receiving equipment. — if electrostatically sensitive and able to generate an explosive atmosphere. P280 Wear protective gloves/protective clothing/eye protection/face protection/face protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.	P370 + P372 + P380 + P373 In case of fire: Explosion risk. Evacuate area. DO NOT fight fire when fire reaches explosives.	P403 Store in a well-ventilated place. — except for temperature controlled self- reactive substances and mixtures or organic peroxides because condensation and consequent freezing may take place P410 Protect from sunlight. P411 Store at temperatures not exceeding °C/°F. — if temperature control is required (according to section 2.8.2.3 or 2.15.2.3 of the GHS) or if otherwise deemed necessary. Manufacturer/supplier or the competent authority to specify temperature using applicable temperature scale P420 Store separately.	P501 Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## **ORGANIC PEROXIDES**

Hazard category	Signal word	Hazard statement	Symbol
Туре В	Danger	H241 Heating may cause a fire or explosion	Exploding bomb

## **Precautionary statements**

Prevention	Response	Storage	Disposal
<ul> <li>P210</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P234</li> <li>Keep only in original packaging.</li> <li>P235</li> <li>Keep cool.</li> <li><i>may be omitted if P411 is given on the label.</i></li> <li>P240</li> <li>Ground and bond container and receiving equipment.</li> <li><i>if electrostatically sensitive and able to generate an explosive atmosphere.</i></li> <li>P280</li> <li>Wear protective gloves/protective clothing/eye protection/face protection/face protection/</li> <li>Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.</li> </ul>	P370 + P380 + P375 [+ P378] In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. [Useto extinguish] text in square brackets to be used if water increases risk. Manufacturer/supplier or the competent authority to specify appropriate media.	P403 Store in a well-ventilated place. — except for temperature controlled self- reactive substances and mixtures or organic peroxides because condensation and consequent freezing may take place. P410 Protect from sunlight. P411 Store at temperatures not exceeding °C/°F. — if temperature control is required (according to section 2.8.2.3 or 2.15.2.3 of the GHS) or if otherwise deemed necessary. Manufacturer/supplier or the competent authority to specify temperature using applicable temperature scale P420 Store separately.	P501 Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## **ORGANIC PEROXIDES**

Hazard category	Signal word	Hazard statement	Symbol
Туре С	Danger	H242 Heating may cause a fire	
Type D	Danger	H242 Heating may cause a fire	
Туре Е	Warning	H242 Heating may cause a fire	Flame
Type F	Warning	H242 Heating may cause a fire	

## **Precautionary statements**

Prevention	Response	Storage	Disposal
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P234 Keep only in original packaging. P235 Keep cool. — may be omitted if P411 is given on the label. P240 Ground and bond container and receiving equipment. — if electrostatically sensitive and able to generate an explosive atmosphere. P280 Wear protective gloves/protective clothing/eye protection/face protection/face protection/mearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.	P370 + P378 In case of fire: Use to extinguish. if water increases risk. Manufacturer/supplier or the competent authority to specify appropriate media.	P403 Store in a well- ventilated place. — except for temperature controlled self- reactive substances and mixtures or organic peroxides because condensation and consequent freezing may take place. P410 Protect from sunlight. P411 Store at temperatures not exceeding °C/°F. — if temperature control is required (according to section 2.8.2.3 or 2.15.2.3 of the GHS) or if otherwise deemed necessary. Manufacturer/supplier or the competent authority to specify temperature using applicable temperature scale P420 Store separately.	P501 Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

Note: Hazard category Type G: There are no label elements allocated to this hazard category

## CORROSIVE TO METALS

Hazard category	Signal word	Hazard statement	Symbol
1	Warning	H290 May be corrosive to metals	Corrosion

Prevention	Response	Storage	Disposal
P234	P390	P406	
Keep only in original packaging	Absorb spillage to prevent material damage.	Store in corrosive resistant/ container with a resistant inner liner. — may be omitted if P234 is given on the label Manufacturer/ supplier or the competent authority to specify other compatible materials.	

## **DESENSITISED EXPLOSIVES**

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H206 Fire, blast or projection hazard; increased risk of explosion if desensitizing agent is reduced	Flame
2	Danger	H207 Fire or projection hazard; increased risk of explosion if desensitizing agent is reduced	
3	Warning	H207 Fire or projection hazard; increased risk of explosion if desensitizing agent is reduced	

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
<ul> <li>P210</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P212</li> <li>Avoid heating under confinement or reduction of the desensitizing agent.</li> <li>P230</li> <li>Keep wetted with</li> <li>Manufacturer/supplier or the competent authority to a surface of the sensition of the desensitien of the</li></ul>	P370+P380+P375 In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.	P401 Store in accordance with Manufacturer/supplier or the competent authority to specify local/regional/ national/international regulations as applicable.	P501 Dispose of contents/containers to in accordance with local/regional/national /international regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.
specify appropriate material. P233 <b>Keep container tightly</b> <b>closed.</b> P280			
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.			

## DESENSITISED EXPLOSIVES

Hazard category	Signal word	Hazard statement	Symbol
4	Warning	H208 Fire hazard; increased risk of explosion if desensitizing agent is reduced	Flame

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
<ul> <li>P210</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P212</li> <li>Avoid heating under confinement or reduction of the desensitizing agent.</li> <li>P230</li> <li>Keep wetted with</li> <li>Manufacturer/supplier or the competent authority to specify appropriate material.</li> <li>P233</li> <li>Keep container tightly closed.</li> <li>P280</li> <li>Wear protective gloves/protective clothing/eye protection/face protection/face protection/</li> <li>Manufacturer/supplier or the competent authority to specify appropriate material.</li> </ul>	P371+P380+P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.	P401 <b>Store in accordance with</b> Manufacturer/supplier or the competent authority to specify local/regional/ national/international regulations as applicable.	P501 Dispose of contents/containers to in accordance with local/regional/national /international regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## ACUTE TOXICITY—ORAL

Hazard category	Signal word	Hazard statement	Symbol
1 2 3	Danger Danger Danger	H300 Fatal if swallowed H300 Fatal if swallowed H301 Toxic if swallowed	₩ Se
			Skull and crossbones

Prevention	Response	Storage	Disposal
P264 Washthoroughly after handling. Manufacturer/ supplier or the competent authority to specify parts of the body to be washed after handling. P270 Do not eat, drink or smoke when using this product.	P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/ Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice. P321 Specific treatment (see on this label) — if immediate administration of antidote is required. Reference to supplemental first aid instruction P330 Rinse mouth.	P405 Store locked up.	P501 Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## ACUTE TOXICITY—ORAL

Hazard category	Signal word	Hazard statement	Symbol
4	Warning	H302 Harmful if swallowed	Exclamation mark

Prevention	Response	Storage	Disposal
P264	P301 + P312		P501
Washthoroughly after handling. Manufacturer/ supplier or the competent authority to specify parts of the body to be washed after handling. P270 Do not eat, drink or smoke when using this product.	IF SWALLOWED: Call a POISON CENTER/doctor/if you feel unwell. Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice. P330		Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to
	Rinse mouth.		contents, container or both.

Hazard category	Signal word	Hazard statement	Symbol
1 2	Danger Danger	H310 Fatal in contact with skin H310 Fatal in contact with skin	
			Skull and crossbones

## **Precautionary statements**

Prevention	Response	Storage	Disposal
<ul> <li>P262</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>P264</li> <li>Washthoroughly after handling.</li> <li> Manufacturer/ supplier or the competent authority to specify parts of the body to be washed after handling.</li> <li>P270</li> <li>Do not eat, drink or smoke when using this product.</li> <li>P280</li> <li>Wear protective gloves/protective clothing.</li> <li>Manufacturer/supplier or the competent authority may further specify type of equipment where appropriate.</li> </ul>	P302 + P352 IF ON SKIN: Wash with plenty of water/ Manufacturer/supplier or the competent authority may specify a cleansing agent if appropriate, or may recommend an alternative agent in exceptional cases if water is clearly inappropriate. P310 Immediately call a POISON CENTER/doctor/ Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice. P321 Specific treatment (see on this label) — if immediate measures such as specific cleansing agent is advised. Reference to supplemental first aid P361+ P364 Take off immediately all contaminated clothing and wash it before reuse.	P405 Store locked up.	P501 Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## ACUTE TOXICITY—DERMAL

Hazard category	Signal word	Hazard statement	Symbol
3	Danger	H311 Toxic in contact with skin	
			Skull and crossbones

## **Precautionary statements**

Prevention	Response	Storage	Disposal
P280	P302 + P352	P405	P501
Wear protective gloves/ protective clothing. Manufacturer/supplier or the competent authority may further specify type of equipment where appropriate.	P302 + P352 IF ON SKIN: Wash with plenty of water/ Manufacturer/supplier or the competent authority may specify a cleansing agent if appropriate, or may recommend an alternative agent in exceptional cases if water is clearly inappropriate. P312 Call a POISON CENTER/doctor/if you feel unwell. Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice. P321 Specific treatment (see on this label) — if immediate measures such as specific cleansing agent is advised. Reference to supplemental first aid instruction. P361 + P364 Take off immediately all contaminated clothing and wash it before reuse.	P405 Store locked up.	P501 Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## ACUTE TOXICITY—DERMAL

Hazard category	Signal word	Hazard statement	Symbol
4	Warning	H312 Harmful in contact with skin	Exclamation mark

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
P280	P302 + P352		P501
Vear protective gloves/ protective clothing. Manufacturer/supplier or the competent authority may further specify type of equipment where appropriate.	P302 + P352 IF ON SKIN: Wash with plenty of water/ Manufacturer/supplier or the competent authority may specify a cleansing agent if appropriate, or may recommend an alternative agent in exceptional cases if water is clearly inappropriate. P312 Call a POISON CENTER/doctor/if you feel unwell. Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice. P321 Specific treatment (see on this label) – if immediate measures such as specific cleansing agent is advised. Reference to supplemental first aid instruction. P362 + P364 Take off contaminated clothing and wash it before reuse.		P501 Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## ACUTE TOXICITY—INHALATION

Hazard category	Signal word	Hazard statement	Symbol
1 2	Danger Danger	H330 Fatal if inhaled H330 Fatal if inhaled	Skull and crossbones

Prevention	Response	Storage	Disposal
P260	P304 + P340	P403 + P233	P501
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Manufacturer/supplier or the competent authority to specify applicable conditions. P271 Use only outdoors or in a well-ventilated area. P284 [In case of inadequate ventilation] wear respiratory protection. — text in square brackets may be used if additional information is provided with the chemical at the point of use that explains what type of ventilation would be adequate for safe use. Manufacturer/supplier or the competent authority to specify equipment.	IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a POISON CENTER/doctor/ Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice. P320 Specific treatment is urgent (see on this label) if immediate administration of antidote is required. Reference to supplemental first aid instruction.	Store in a well-ventilated place. Keep container tightly closed. — if the chemical is volatile and may generate a hazardous atmosphere. P405 Store locked up.	Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## ACUTE TOXICITY—INHALATION

Hazard category	Signal word	Hazard statement	Symbol
3	Danger	H331 Toxic if inhaled	Skull and crossbones

Prevention	Response	Storage	Disposal
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. — may be omitted if P260 is given on the label Manufacturer/ supplier or the competent authority to specify applicable conditions. P271 Use only outdoors or in a well-ventilated area.	P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P311 Call a POISON CENTER/doctor Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice. P321 Specific treatment (see on this label) — if immediate specific measures are required. Reference to supplemental first aid instruction.	P403 + P233 Store in a well-ventilated place. Keep container tightly closed. — if the chemical is volatile and may generate a hazardous atmosphere. P405 Store locked up.	P501 Dispose of content/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## **ACUTE TOXICITY—INHALATION**

Hazard category	Signal word	Hazard statement	Symbol
4	Warning	H332 Harmful if inhaled	Exclamation mark

Prevention	Response	Storage	Disposal
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. — may be omitted if P260 is given on the label Manufacturer/ supplier or the	P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON		
competent authority to specify applicable conditions. P271 Use only outdoors or in a well-ventilated area.	CENTER/doctor/if you feel unwell. Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice.		

## **SKIN CORROSION/IRRITATION**

Hazard category	Signal word	Hazard statement	Symbol
1A to 1C	Danger	H314 Causes severe skin burns and eye damage	Corrosion

## **Precautionary statements**

Prevention	Response	Storage	Disposal
P260	P301 + P330 + P331	P405	P501
Do not breathe dusts or mists.	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	Store locked up.	Dispose of contents/ container to
— if inhalable particles of dusts or mists may occur during use.	P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated		in accordance with local/ regional/ national/ international Regulations (to be specified).
P264	clothing. Rinse skin with water [or shower].		Manufacturer/supplier or the
Wash …thoroughly after handling.	— text in square brackets to be		competent authority to
Manufacturer/ supplier or the competent authority to specify parts of the body to be washed after handling. P280	included where the manufacturer/supplier or the competent authority considers it appropriate for the specific chemical.		specify whether disposal requirements apply to contents, container or both.
Wear protective gloves/	P363		
protective clothing/ eye protection.	Wash contaminated clothing before reuse.		
Manufacturer/supplier or the	P304 + P340		
competent authority may further specify type of equipment where	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
appropriate.	P310		
	Immediately call a POISON CENTER/doctor/		
	Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice.		
	P321		
	Specific treatment (see on this label)		
	Reference to supplemental first aid instruction. Manufacturer/supplier or the competent authority may specify a cleansing agent if appropriate.		
	P305 + P351 + P338		
	IF IN EYES: Rinse cautiously with		
	water for several minutes.		
	Remove contact lenses, if present and easy to do. Continue		
	rinsing.		

## **SKIN CORROSION/IRRITATION**

Hazard category	Signal word	Hazard statement	Symbol
2	Warning	H315 Causes skin irritation	Exclamation mark

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
P264 Washthoroughly after handling. Manufacturer/ supplier or the competent authority to specify parts of the body to be washed after handling. P280 Wear protective gloves. Manufacturer/supplier or the competent authority may further specify type of equipment where appropriate.	<ul> <li>P302 + P352</li> <li>IF ON SKIN: Wash with plenty water/</li> <li>Manufacturer/supplier or the competent authority may specify a cleansing agent if appropriate, or may recommend an alternative agent in exceptional cases if water is clearly inappropriate.</li> <li>P321</li> <li>Specific treatment (see on this label)</li> <li> Reference to supplemental first aid instruction.</li> <li>Manufacturer/supplier or the competent authority may specify a cleansing agent if appropriate.</li> <li>P332 + P313</li> <li>If skin irritation occurs: Get medical advice/attention.</li> <li><i>may be omitted when</i></li> <li>P333+P313 appears on the label Manufacturer/supplier or the competent authority to select medical advice or attention as appropriate.</li> <li>P362 + P364</li> <li>Take off contaminated clothing and wash it before reuse.</li> </ul>		

## **EYE DAMAGE/IRRITATION**

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H318 Causes serious eye damage	Corrosion

## **Precautionary statements**

Prevention	Response	Storage	Disposal
P280 Wear eye protection/face protection. Manufacturer/supplier or the competent authority may further specify type of equipment where appropriate.	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor/ Manufacturer/supplier or the competent authority to specify the appropriate source of operatory.		
	appropriate source of emergency medical advice.		

## **EYE DAMAGE/IRRITATION**

Hazard category	Signal word	Hazard statement	Symbol
2A	Warning	H319 Causes serious eye irritation	Exclamation mark

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
P264 <b>Washthoroughly after handling.</b> Manufacturer/supplier or the competent authority to specify parts of the body to be washed after handling. P280	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313		
Wear eye protection/face protection. Manufacturer/supplier or the competent authority may further specify type of equipment where appropriate.	If eye irritation persists: Get medical advice/attention. Manufacturer/supplier or the competent authority to select medical advice or attention as appropriate.		

## **EYE DAMAGE/IRRITATION**

Hazard category	Signal word	Hazard statement	Symbol
2B	Warning	H319 Causes eye irritation	No symbol

Prevention	Response	Storage	Disposal
P264 Wash thoroughly after handling. Manufacturer/supplier or the competent authority to specify parts of the body to be washed after handling.	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/attention. Manufacturer/supplier or the competent authority to select medical advice or attention as appropriate.		

## SENSITISATION—RESPIRATORY

Hazard category	Signal word	Hazard statement	Symbol
1, 1A, 1B	Danger	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled	Health hazard

Prevention	Response	Storage	Disposal
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. - may be omitted if P260 is given on the label Manufacturer/supplier or the competent authority to specify applicable conditions. P284 [In case of inadequate ventilation] wear respiratory protection. - text in square brackets may be used if additional information is provided with the chemical at the point of use that explains what type of ventilation would be adequate for safe use. Manufacturer/supplier or the competent authority to specify equipment.	P304 + P340 IF INHALED: remove person to fresh air and keep comfortable for breathing. P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor/ Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice.		P501 Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## SENSITISATION—SKIN

Hazard category	Signal word	Hazard statement	Symbol
1, 1A, 1B	Warning	H317 May cause an allergic skin reaction	Exclamation mark

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. — may be omitted if P260 is given on the label Manufacturer/ supplier or the competent authority to specify applicable conditions. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves. Manufacturer/supplier or the competent authority may further specify type of equipment where appropriate.	<ul> <li>P302 + P352</li> <li>IF ON SKIN: Wash with plenty of water/</li> <li>Manufacturer/supplier or the competent authority may specify a cleansing agent if appropriate, or may recommend an alternative agent in exceptional cases if water is clearly inappropriate.</li> <li>P333 + P313</li> <li>If skin irritation or rash occurs: Get medical advice/ attention.</li> <li>Manufacturer/supplier or the competent authority to select medical advice or attention as appropriate.</li> <li>P321</li> <li>Specific treatment (see on this label)</li> <li> Reference to supplemental first aid instruction.</li> <li>Manufacturer/supplier or the competent authority may specify a cleansing agent if appropriate.</li> <li>P321</li> </ul>		P501 Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## **GERM CELL MUTAGENICITY**

Hazard category	Signal word	Hazard statement	Symbol
1A, 1B 2	Danger Warning	H340 <b>May cause genetic defects</b> <> H341 <b>Suspected of causing genetic defects</b> <> <> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	Health hazard

Prevention	Response	Storage	Disposal
P201	P308 + P313	P405	P501
Obtain special instructions before use. — omit for consumer products where P202 is used P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.	IF exposed or concerned: Get medical advice/attention. Manufacturer/supplier or the competent authority to select medical advice or attention as appropriate.	Store locked up.	Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## CARCINOGENICITY

Hazard category	Signal word	Hazard statement	Symbol
1A, 1B 2	Danger Warning	H350 <b>May cause cancer</b> <> H351 <b>Suspected of causing cancer</b> <> <> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).	Health hazard

Prevention	Response	Storage	Disposal
P201	P308 + P313	P405	P501
Obtain special instructions before use. — omit for consumer products where P202 is used P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.	IF exposed or concerned: Get medical advice/attention. Manufacturer/supplier or the competent authority to select medical advice or attention as appropriate.	Store locked up.	Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## **REPRODUCTIVE TOXICITY**

Hazard category	Signal word	Hazard statement	Symbol
1A, 1B 2	Danger Warning	H360 May damage fertility or the unborn child <> <<>> H361 Suspected of damaging fertility or the unborn child <> <<> <> (state specific effect if known) <<> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	Health hazard

Prevention	Response	Storage	Disposal
P201 Obtain special instructions before use. — omit for consumer products where P202 is used P202 Do not handle until all safety precautions have	P308 + P313 IF exposed or concerned: Get medical advice/attention. Manufacturer/supplier or the competent authority to select medical advice or attention as appropriate.	P405 Store locked up.	P501 Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to
been read and understood. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.			specify whether disposal requirements apply to contents, container or both.

## **REPRODUCTIVE TOXICITY (EFFECTS ON OR VIA LACTATION)**

Hazard category	Signal word	Hazard statement	Symbol
(additional)	No signal word	H362 May cause harm to breast-fed children	No symbol

#### **Precautionary statements**

P201P308 + P313Obtain special instructions before use.IF exposed or concerned: Get medical advice/attention omit for consumer products where P202 is usedIF exposed or concerned: Get medical advice/attention.P202Manufacturer/supplier or the competent authority to select medical advice or attention as appropriate.Do not handle until all safety precautions have been read and understood.Manufacturer/supplier or the competent authority to select medical advice or attention as appropriate.P260Do not breathe dusts or mists.= if inhalable particles of	Prevention	Response	Storage	Disposal
dusts or mists may occur during use.P263Avoid contact during pregnancy and while nursing.P264Wash thoroughly after handlingManufacturer/supplier or the competent authority to specify parts of the body to be washed after handling.P270Do not eat, drink or smoke when using this product.	Obtain special instructions before use. — omit for consumer products where P202 is used P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dusts or mists. — <i>if inhalable particles of</i> dusts or mists may occur during use. P263 Avoid contact during pregnancy and while nursing. P264 Wash thoroughly after handling. Manufacturer/supplier or the competent authority to specify parts of the body to be washed after handling. P270 Do not eat, drink or smoke	IF exposed or concerned: Get medical advice/attention. Manufacturer/supplier or the competent authority to select medical advice or attention		

## SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H370 <b>Causes damage to organs</b> <> <<> <> (or state all organs affected if known) <<>> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	Health hazard

Prevention	Response	Storage	Disposal
P260	P308 + P311	P405	P501
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.	IF exposed or concerned: Call a POISON CENTER/doctor/	Store locked up.	Dispose of contents/ container to
Manufacturer/ supplier or the competent authority to specify applicable conditions. P264	Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice.		in accordance with local/ regional/ national/ international Regulations (to be specified).
<ul> <li>Washthoroughly after handling.</li> <li> Manufacturer/ supplier or the competent authority to specify parts of the body to be washed after handling.</li> <li>P270</li> <li>Do not eat, drink or smoke when using this product.</li> </ul>	<ul> <li>P321</li> <li>Specific treatment (see on this label)</li> <li>— if immediate measures are required.</li> <li> Reference to supplemental first aid instruction.</li> </ul>		Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)

Hazard category	Signal word	Hazard statement	Symbol
2	Warning	H371 <b>May cause damage to organs</b> <> <<> <> (or state all organs affected, if known) <<> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	Health hazard

Prevention	Response	Storage	Disposal
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Manufacturer/ supplier or the competent authority to specify applicable conditions. P264 Washthoroughly after handling. Manufacturer/ supplier or the competent authority	P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor/ Manufacturer/sup plier or the competent authority to specify the	P405 Store locked up.	P501 Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to
to specify parts of the body to be washed after handling. P270 Do not eat, drink or smoke when using this product.	appropriate source of emergency medical advice.		specify whether disposal requirements apply to contents, container or both.

## SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)

Hazard category	Signal word	Hazard statement	Symbol
3	Warning	H335 May cause respiratory irritation; or H336 May cause drowsiness or dizziness	Exclamation mark

Prevention	Response	Storage	Disposal
P261	P304 + P340	P403 + P233	P501
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	Store in a well- ventilated place. Keep container tightly	Dispose of contents/ container to in accordance with local/
<ul> <li>may be omitted if P260 is given on the label</li> <li>Manufacturer/ supplier or the competent authority to specify applicable conditions.</li> <li>P271</li> <li>Use only outdoors or in a well-ventilated area.</li> </ul>	P312 Call a POISON CENTER/doctor/if you feel unwell. Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice.	closed. — if the chemical is volatile and may generate a hazardous atmosphere. P405 Store locked up.	regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE)

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H372 <b>Causes damage to organs</b> <> <b>through prolonged or</b> <b>repeated exposure</b> <<>> <> (state all organs affected, if known) <<>> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	Health hazard

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Manufacturer/supplier or the competent authority to specify applicable conditions. P264 Wash thoroughly after handling. Manufacturer/ supplier or the competent authority to specify parts of the body to be washed after handling. P270 Do not eat, drink or smoke when using this product.	P314 Get medical advice/attention if you feel unwell. Manufacturer/supplier or the competent authority to select medical advice or attention as appropriate.		P501 Dispose of contents/ container to in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE)

Hazard category	Signal word	Hazard statement	Symbol
2	Warning	H373 May cause damage to organs <> through prolonged or repeated exposure <<>> <> (state all organs affected, if known) <<>> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	Health hazard

#### **Precautionary statements**

Prevention	Response	Storage	Disposal
P260	P314		P501
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Manufacturer/supplier or the competent authority to specify applicable conditions.	Get medical advice/attention if you feel unwell. Manufacturer/supplier or the competent authority to select medical advice or attention as appropriate.		<b>Dispose of contents/ container to</b> in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## **ASPIRATION HAZARD**

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H304 May be fatal if swallowed and enters airways	Health hazard

Prevention	Response	Storage	Disposal
	P301 + P310	P405	P501
	IF SWALLOWED: Immediately call a POISON CENTER/ doctor/ Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice. P331 Do NOT induce vomiting.	Store locked up.	<b>Dispose of contents/ container to</b> in accordance with local/ regional/ national/ international Regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

## **Additional non-GHS hazard statements**

The following 12 non-GHS hazard statements should be used on SDS of hazardous chemicals, where applicable.

## **PHYSICAL HAZARD STATEMENTS**

#### AUH001: Explosive when dry

For explosive substances and mixtures placed on the market wetted with water or alcohols or diluted with other chemicals to suppress their explosives properties.

#### AUH006: Explosive with or without contact with air

For substances and mixtures that are unstable at ambient temperatures, for example acetylene.

#### AUH014: Reacts violently with water

For substances and mixtures that react violently with water, for example acetyl chloride, alkali metals and titanium tetrachloride.

#### AUH018: In use, may form flammable/explosive vapour-air mixture

For substances and mixtures not classified as flammable themselves but which may form flammable/explosive vapour-air mixtures. For substances this might be the case for halogenated hydrocarbons and for mixtures this might be the case due to a volatile flammable component or due to the loss of a volatile non-flammable component.

#### AUH019: May form explosive peroxides

For substances and mixtures that may form explosive peroxides during storage, for example diethyl ether, 1,4-dioxan.

#### AUH044: Risk of explosion if heated under confinement

For substances and mixtures not classified as explosive but which may nevertheless display explosive properties in practice if heated under sufficient confinement. In particular, substances and mixtures that decompose explosively if heated in a steel drum do not show this effect if heated in less-strong containers.

## HUMAN HEALTH HAZARD STATEMENTS

#### AUH029: Contact with water liberates toxic gas

For substances and mixtures that, when in contact with water or damp air, evolve gases classified for acute toxicity in Category 1, 2 or 3 in potentially dangerous amounts, for example aluminium phosphide, phosphorus pentasulphide.

#### AUH031: Contact with acids liberates toxic gas

For substances and mixtures that react with acids to evolve gases classified for acute toxicity in Category 3 in dangerous amounts, for example sodium hypochlorite and barium polysulphide.

#### AUH032: Contact with acids liberates very toxic gas

For substances and mixtures that react with acids to evolve gases classified for acute toxicity in Category 1 or 2 in dangerous amounts, for example salts of hydrogen cyanide, sodium azide.

#### AUH066: Repeated exposure may cause skin dryness or cracking

For substances and mixtures which may cause concern as a result of skin dryness, flaking or cracking but which do not meet the criteria for skin irritancy.

#### AUH070: Toxic by eye contact

For substances or mixtures where an eye irritation test has resulted in overt signs of systemic toxicity or mortality among the animals tested, which is likely to be attributed to absorption of the substance or mixture through the mucous membranes of the eye. The statement should also be applied if there is evidence in humans for systemic toxicity after eye contact.

The statement should also be applied where a substance or a mixture contains another substance labelled for this effect, if the concentration of this substance is equal to, or greater than 0.1%.

#### AUH071: Corrosive to the respiratory tract

For substances and mixtures in addition to classification for inhalation toxicity, if data is available that indicates the mechanism of toxicity was corrosivity.

In addition to an appropriate acute toxicity symbol, a 'corrosion' symbol (similar to the 'corrosion' symbol used for skin and eye corrosivity) is added along with the hazard statement 'AUH071: Corrosive to the respiratory tract'.

For substances and mixtures in addition to classification for skin corrosivity, if no acute inhalation test data is available and which may be inhaled.

# Appendix D: Guide for selecting generic names

This appendix describes a procedure for naming hazardous chemicals and the division of substances into families. <u>Section 3.3</u> of this code explains when generic names may be used.

The methods for categorising substances are explained in <u>Division of substances into families and sub-families</u> below.

## Establishing the generic name

## **GENERAL PRINCIPLES**

In selecting a generic name, the most specific generic name must be chosen. The following approach should be adopted:

- identify the functional groups and chemical elements present in the molecule
- determine the most important functional groups and chemical elements that contribute to its properties.

The identified functional groups and elements taken into account are the names of the families and subfamilies set out in <u>Table 11</u> below in the form of a (non-restrictive) list.

## PRACTICAL APPLICATION

After having conducted a search to see if the substance belongs to one or more families or sub-families on the list in <u>Table 11</u> below, the generic name can be established in the following way:

• If the name of a family or sub-family is sufficient to characterise the chemical elements or important functional groups, this name will be chosen as the generic name. Table 8 shows some examples.

Name	Family	Generic name
	Sub-family	
1,4-dihydoxybenzene	604: Phenols and derivatives	Phenol derivative
Butanols	603: Alcohols and derivatives	Aliphatic alcohol
	Aliphatic alcohols	
2-isopropoxyethanol	603: Alcohols and derivatives	Glycolether
	Glycolethers	

Table 8 Family or sub-family name sufficient to establish generic name

Name	Family	Generic name
	Sub-family	
Methacrylate	607: Organic acids and derivatives	Methacrylate
	Methacrylate	

If the name of a family or sub-family is not sufficient to characterise the chemical elements of important functional groups, the generic name should be a combination of the corresponding different family or sub-family names. Table 9 shows some examples.

Table 9 Family and sub-family names combined to establish generic name

Name	Family • sub-family	Generic name
Lead hexafluorosilicate	009: Fluorine compounds <ul> <li>Inorganic fluorides</li> <li>082: Lead compounds</li> </ul>	Inorganic lead fluoride
Chlorobenzene	<ul><li>602: Halogenated hydrocarbons</li><li>Halogenated aromatic hydrocarbons</li><li>017: Chlorine compounds</li></ul>	Chlorinated aromatic hydrocarbon
2,3,6- Trichlorophenylacetic acid	<ul> <li>607: Organic acids and derivatives</li> <li>Halogenated aromatic acids</li> <li>017: Chlorine compounds</li> </ul>	Chlorinated aromatic acid
1-Chloro-1-nitropropane	<ul><li>610: Chloronitrated compounds</li><li>601: Hydrocarbons</li><li>Aliphatic hydrocarbons</li></ul>	Chlorinated aliphatic hydrocarbon
Tetrapropyl dithiopyrophosphate	<ul><li>015: Phosphorus compounds</li><li>Phosphoric esters</li><li>016: Sulphur compounds</li></ul>	Thiophosphoric ester

*Note*: In the case of certain elements, notably metals, the name of the family or sub-family may be indicated by the words 'organic' or 'inorganic'. Table 10 shows some examples.

Name	Family • sub-family	Generic name
Dimercury dichloride	080: Mercury compounds	Inorganic mercury compound
Barium acetate	056: Barium compounds	Organic barium compound
Ethyl nitrite	<ul><li>007: Nitrogen compounds</li><li>Nitrites</li></ul>	Organic nitrite
Sodium hydrosulphite	016: Sulphur compounds	Inorganic sulphur compound

## **Division of substances into families and sub-families**

The families of substances are defined in the following manner:

- inorganic or organic substances whose properties are identified by having a common chemical element as their chief characteristic. The family name is derived from the name of the chemical element. These families are identified in Table 11 below by the atomic number of the chemical element (Family No. 001 to 103)
- organic substances whose properties are identified by having a common functional group as their chief characteristic:
- the family name is derived from the functional group name
- these families are identified by the number convention found in Table 11 below (Family No. 601 to 650).

Sub-families bringing together substances with a common specific character have been added in certain cases.

Table 11 Division of substances into families and sub-families

Family no.	Families
	Sub-Families
001	<ul><li>Hydrogen compounds</li><li>Hydrides</li></ul>
003	Lithium compounds
004	Beryllium compounds

Family no.	Families
	Sub-Families
005	Boron compounds
	<ul><li>Boranes</li><li>Borates</li></ul>
006	Carbon compounds
	<ul> <li>Carbamates</li> <li>Inorganic carbon compounds</li> <li>Salts of hydrogen cyanide</li> <li>Urea and derivatives</li> </ul>
007	Nitrogen compounds
	<ul> <li>Quaternary ammonium compounds</li> <li>Acid nitrogen compounds</li> <li>Nitrates</li> <li>Nitrites</li> </ul>
008	Oxygen compounds
009	Fluorine compounds
	Inorganic fluorides
011	Sodium compounds
012	Magnesium compounds
	Organometallic magnesium derivatives
013	Aluminium compounds
	Organometallic aluminium derivatives
014	Silicon compounds
	<ul><li>Silicones</li><li>Silicates</li></ul>

Family no.	Families
	Sub-Families
015	<ul> <li>Phosphorus compounds</li> <li>Acid phosphorus compounds</li> <li>Phosphonium compounds</li> <li>Phosphoric esters</li> </ul> Phosphates <ul> <li>Phosphites</li> </ul> Phosphoramides and derivatives
016	Sulphur compounds <ul> <li>Acid sulphur compounds</li> </ul> <li>Mercaptans <ul> <li>Sulphates</li> <li>Sulphites</li> </ul> </li>
017	Chlorine compounds <ul> <li>Chlorates</li> <li>Perchlorates</li> </ul>
018	Argon compounds
019	Potassium compounds
020	Calcium compounds
021	Scandium compounds
022	Titanium compounds
023	Vanadium compounds
024	Chromium compounds <ul> <li>Chromium VI compounds</li> </ul>
025	Manganese compounds
026	Iron compounds

Family no.	Families	
	Sub-Families	
027	Cobalt compounds	
028	Nickel compounds	
029	Copper compounds	
030	Zinc compounds <ul> <li>Organometallic zinc derivatives</li> </ul>	
031	Gallium compounds	
032	Germanium compounds	
033	Arsenic compounds	
034	Selenium compounds	
035	Bromine compounds	
036	Krypton compounds	
037	Rubidium compounds	
038	Strontium compounds	
039	Yttrium compounds	
040	Zirconium compounds	
041	Niobium compounds	
042	Molybdenum compounds	
043	Technetium compounds	
044	Ruthenium compounds	

Family no.	Families	
	Sub-Families	
045	Rhodium compounds	
046	Palladium compounds	
047	Silver compounds	
048	Cadmium compounds	
049	Indium compounds	
050	<ul><li>Tin compounds</li><li>Organometallic tin derivatives</li></ul>	
051	Antimony compounds	
052	Tellurium compounds	
053	Iodine compounds	
054	Xenon compounds	
055	Caesium compounds	
056	Barium compounds	
057	Lanthanum	
058	Cerium compounds	
059	Praseodymium compounds	
060	Neodymium compounds	
061	Promethium compounds	
062	Samarium compounds	

Family no.	Families
	Sub-Families
063	Europium compounds
064	Gadolinium compounds
065	Terbium compounds
066	Dysprosium compounds
067	Holmium compounds
068	Erbium compounds
069	Thulium compounds
070	Ytterbium compounds
071	Lutetium compounds
072	Hafnium compounds
073	Tantalum compounds
074	Tungsten compounds
075	Rhenium compounds
076	Osmium compounds
077	Iridium compounds
078	Platinum compounds
079	Gold compounds
080	Mercury compounds
	Organometallic mercury derivatives

Family no.	Families	
	Sub-Families	
081	Thallium compounds	
082	Lead compounds	
	Organometallic lead derivatives	
083	Bismuth compounds	
084	Polonium compounds	
085	Astatine compounds	
086	Radon compounds	
087	Francium compounds	
088	Radium compounds	
089	Actinium compounds	
090	Thorium compounds	
091	Protactinium compounds	
092	Uranium compounds	
093	Neptunium compounds	
094	Plutonium compounds	
095	Americium compounds	
096	Curium compounds	
097	Berkelium compounds	
098	Californium compounds	

Family no.	Families	
	Sub-Families	
099	Einsteinium compounds	
100	Fermium compounds	
101	Mendelevium compounds	
102	Nobelium compounds	
103	Lawrencium compounds	
601	<ul> <li>Hydrocarbons</li> <li>Aliphatic hydrocarbons</li> <li>Aromatic hydrocarbons</li> <li>Alicyclic hydrocarbons</li> <li>Polycyclic aromatic hydrocarbons (PAH)</li> </ul>	
602	<ul> <li>Halogenated hydrocarbons*</li> <li>Halogenated aliphatic hydrocarbons*</li> <li>Halogenated aromatic hydrocarbons*</li> <li>Halogenated alicyclic hydrocarbons*</li> <li>* Specify according to family corresponding to halogen.</li> </ul>	
603	Alcohols and derivates <ul> <li>Aliphatic alcohols</li> <li>Aromatic alcohols</li> <li>Alicyclic alcohols</li> <li>Alcanolamines</li> <li>Epoxy derivatives</li> <li>Ethers</li> <li>Glycolethers</li> <li>Glycols and polyols</li> </ul>	
604	<ul> <li>Phenols and derivatives</li> <li>Halogenated phenol derivatives*</li> <li>* Specify according to the family corresponding to halogen.</li> </ul>	

Family no.	Families	
	Sub-Families	
605	Aldehydes and derivates <ul> <li>Aliphatic aldehydes</li> <li>Aromatic aldehydes</li> <li>Alicyclic aldehydes</li> <li>Aliphatic acetals</li> <li>Aromatic acetals</li> <li>Alicyclic acetals</li> </ul>	
606	Ketones and derivatives <ul> <li>Aliphatic Ketones</li> <li>Aromatic Ketones*</li> <li>Alicyclic Ketones</li> </ul> <li>* Quinones included</li>	

Family no.	Families	
	Sub-Families	
607	Organic acids and derivatives  Aliphatic acids Halogenated aliphatic acids* Aromatic acids  Halogenated aromatic acids*  Alicyclic acids Halogenated alicyclic acids* Aliphatic acid anhydrides Halogenated aliphatic acid anhydrides* Aromatic acid anhydrides Halogenated aromatic acid anhydrides* Aromatic acid anhydrides Halogenated aromatic acid anhydrides* Aromatic acid anhydrides Halogenated aromatic acid anhydrides* Alicyclic acid anhydrides Halogenated aromatic acid anhydrides* Alicyclic acid anhydrides Halogenated aromatic acid anhydrides* Alicyclic acid anhydrides Halogenated aromatic acid anhydrides* Salts of aliphatic acid Salts of halogenated aliphatic acid* Salts of aliphatic acid Salts of halogenated alicyclic acid* Esters of aliophatic acid Esters of halogenated alicyclic acid* Esters of aliopenated alicyclic acid* Esters of halogenated alicyclic	
608	Nitriles and derivatives	
609	Nitro compounds	
610	Chloronitrated compounds	
611	Azoxy and azo compounds	

Family no.	Families
	Sub-Families
612	Amine compounds
	<ul> <li>Aliphatic amines and derivatives</li> <li>Alicyclic amines and derivatives</li> <li>Aromatic amines and derivatives</li> <li>Aniline and derivatives</li> <li>Benzidine and derivatives</li> </ul>
613	Heterocyclic bases and derivatives
	<ul> <li>Benzimidazole and derivatives</li> <li>Imidazol and derivatives</li> </ul>
	Pyrethrinoids
	<ul> <li>Quinoline and derivatives</li> <li>Triazine and derivatives</li> <li>Triazole and derivatives</li> </ul>
614	Glycosides and alkaloids
	<ul><li>Alkaloid and derivatives</li><li>Glycosides and derivatives</li></ul>
615	Cyanates and isocyanates
	<ul><li>Cyanates</li><li>Isocyanates</li></ul>
616	Amides and derivatives
	<ul><li>Acetamide and derivatives</li><li>Anilides</li></ul>
617	Organic Peroxides
650	Various substances
	Do not use this family. Instead, use the families or sub-families mentioned above.

# Appendix E: Other relevant information

## **OTHER RELEVANT CODES OF PRACTICE**

• Code of Practice: Labelling of workplace hazardous chemicals

### HAZARD CLASSIFICATION

- <u>Australian Inventory of Chemical Substances</u> (AICS) (NICNAS)
- <u>Chemical Assessment Reports</u> (NICNAS)
- Workplace Exposure Standards for Airborne Contaminants
- <u>Globally Harmonized System of Classification and Labelling of Chemicals</u> (GHS) (United Nations)
- <u>Global Portal to Information on Chemical Substances</u> (OECD<sup>14</sup>)
- Hazardous Chemical Information System
- <u>European Chemicals Agency</u> (ECHA)

## STANDARDS APPLICABLE TO CLASSES OF HAZARDOUS SUBSTANCES

Table 12 Hazard classification: applicable standards

Code	Name
AS 1319–1994	Safety signs for the occupational environment
AS 1345–1995	Identification of the contents of pipes, conduits and ducts
AS/NZS 3833–2007	The storage and handling of mixed classes of dangerous goods, in packages and intermediate bulk containers
AS/NZS 4745–2012	Code of Practice for handling combustible dusts
AS 4897–2008	The design, installation and operation of underground petroleum storage systems
AS 4976–2008	The removal and disposal of underground petroleum storage tanks
AS 4977–2008	Petroleum products—Pipeline, road tanker compartment and underground tank identification
AS/NZS 60079.10.1– 2009	Explosive atmospheres—Classification of areas—Explosive gas atmospheres (IEC 60079-10-1, Ed. 1.0 (2008) MOD)

<sup>&</sup>lt;sup>14</sup> OECD means the Organisation for Economic Cooperation and Development

Code	Name
SAA/SNZ HB 76– 2010	Dangerous goods—Initial emergency response guide

Table 13 Standards for dangerous goods or specific types of dangerous goods within a class

Code	Name
	Gases (in particular DG classes 2.1, 2.2 and 2.3)
AS 1375–2013	Industrial fuel-fired appliances
AS/NZS 1596–2014	The storage and handling of LP Gas
AS/NZS 4645.2–2008	Gas distribution networks—Steel pipe systems
AS 1894–1997	The storage and handling of non-flammable cryogenic and refrigerated liquids
AS/NZS 2022–2003	Anhydrous ammonia—Storage and handling
AS 2030.1–2009	Gas cylinders—General requirements
AS 2030.2–1996	The verification, filling, inspection, testing and maintenance of cylinders for storage and transport of compressed gases—Cylinders for dissolved acetylene
AS 2030.4–1985	The verification, filling, inspection, testing and maintenance of cylinders for storage and transport of compressed gases—Welded cylinders—Insulated
AS 2337.1–2004	Gas cylinder test stations—General requirements, inspection and tests—Gas cylinders
AS 2658–2008	LP Gas—portable and mobile appliances
AS 2896–2011	Medical gas systems—Installation and testing of non-flammable medical gas pipeline systems
AS/NZS 2927–2001	The storage and handling of liquefied chlorine gas
AS 3814–2015	Industrial and commercial gas-fired appliances

Code	Name
AS 3961–2017	The storage and handling of liquefied natural gas
AS 4289–1995	Oxygen and acetylene gas reticulation systems
AS 4332–2004	The storage and handling of gases in cylinders
AS/NZS 5601.1-2013	Gas installations—General installations
	Flammable liquids (in particular DG class 3)
AS 1940–2017	The storage and handling of flammable and combustible liquids
AS 1692–2006	Steel tanks for flammable and combustible liquids
AS/NZS 2106 (series)	Methods for the determination of the flash point of flammable liquids (closed cup)
AS/NZS 2906–2001	Fuel Containers—Portable—plastic and metal
Flammable solids, self-reactive substances, pyrophoric liquids and solids, self-heating substances and substances which in contact with water emit flammable gases (in particular DG classes 4.1, 4.2 and 4.3)	
AS/NZS 4745–2012	Code of Practice for handling combustible dusts
Oxidising liquids	and solids, organic peroxides (in particular DG classes 5.1 and 5.2)
AS 2714–2008	The storage and handling of organic peroxides
AS 4326–2008	The storage and handling of oxidizing agents
Toxic substances (in particular DG class 6.1)	
AS/NZS 4081–2001	The storage and handling of liquid and liquefied polyfunctional isocyanates
AS/NZS 4452–1997	The storage and handling of toxic substances
Corrosive substances (in particular DG class 8)	

Code	Name
AS 3780–2008	The storage and handling of corrosive substances
Miscellaneous substances (in particular DG class 9)	
AS/NZS 4681–2000	The storage and handling of Class 9 (miscellaneous) dangerous goods and articles

#### Table 14 Standards for design requirements

Code	Name	
	Design requirements	
AS 1530.4–2014	Methods for fire tests on building materials, components and structures— Fire resistance tests for elements of construction	
AS 1668.2–2002 AS 1668.2 Supp 1— 2002 (R2016)	The use of ventilation and air-conditioning in buildings—Ventilation design for indoor air contaminant control	
AS/NZS 1680 (series)	Interior and workplace lighting	
AS 2809–2008 (series)	Road tank vehicles for dangerous goods	
AS/NZS 2885 (series)	Pipelines—gas and liquid petroleum	
AS/NZS 3788–2006 (R2017)	Pressure equipment—In-service inspection	
AS 3873–2001 (R2016)	Pressure equipment—Operation and maintenance	
AS 3892–2001 (R2016)	Pressure equipment—Installation	

Code	Name	
	General	
AS/NZS 1221–1997	Fire hose reels	
AS 1603 (series)	Automatic fire detection and alarm systems	
AS 1670 (series)	Fire detection, warning, control and intercom systems—System design, installation and commissioning	
AS 1851–2012; AS 1851–2012/Amdt 1– 2016	Routine service of fire protection systems and equipment	
AS 2118 (series)	Automatic fire sprinkler systems	
AS 2419 (series)	Fire hydrant installations	
AS 2441–2005	Installation of fire hose reels	
AS 2941–2008	Fixed fire protection installations—Pumpset systems	
	Fire prevention	
AS/NZS 1020–1995	The control of undesirable static electricity	
AS/NZS 1768–2007	Lightning protection	
AS 2359.12–1996	Powered industrial trucks—Hazardous areas	
	Fire Extinguishers	
AS/NZS 1841–2007 (series)	Portable fire extinguishers	
AS/NZS 1850–2009	Portable fire extinguishers—Classification, rating and performance testing	
AS 2444–2001	Portable fire extinguishers and fire blankets—Selection and location	

Code	Name
AS 4265–1995	Wheeled fire extinguishers

#### Table 16 Standards for industry or particular situation

Code	Name
AS 2243 (series)	Safety in laboratories
AS 2507–1998	The storage and handling of agricultural and veterinary chemicals
AS 2865–2009	Confined spaces
AS/NZS 2982–2010	Laboratory design and construction
AS 3846–2005	The handling and transport of dangerous cargoes in port areas
AS 4041–2006 (R2016)	Pressure piping
AS/NZS 4114.1–2003	Spray painting booths. designated spray painting areas and paint mixing rooms—Design, construction and testing

#### Table 17 Standards for personal protective equipment (PPE)

Code	Name
AS/NZS 1336–2014	Eye and face protection—Guidelines
AS/NZS 1337 (series)	Personal eye protection / Eye and face protection
AS/NZS 1715–2009	Selection, use and maintenance of respiratory protective equipment
AS/NZS 1716–2012	Respiratory protective devices
AS/NZS 2161 (series)	Occupational protective gloves
AS/NZS 2210.1–2010	Safety, protective and occupational footwear—Guide to selection, care and use

Code	Name
AS/NZS 2210.2–2009	Occupational protective footwear—Test methods
AS/NZS 4503 (series)	Protective clothing—Protection against liquid chemicals—Test method

Table 18 Standards for airborne contaminants—sampling and analysis

Code	Name
AS 2985–2009	Workplace atmospheres—Method for sampling and gravimetric determination of respirable dust
AS 2986.1–2003 (R2016)	Workplace air quality—Sampling and analysis of volatile organic compounds by solvent desorption/gas chromatography—Pumped sampling method
AS 2986.2–2003 (R2016)	Workplace air quality—Sampling and analysis of volatile organic compounds by solvent desorption/gas chromatography—Diffusive sampling method
AS 3640–2009	Workplace atmospheres—Method for sampling and gravimetric determination of inhalable dust
AS 3853.1–2006	Health and safety in welding and allied processes—Sampling of airborne particles and gases in the operator's breathing zone—Sampling of airborne particles
AS 3853.2–2006	Health and safety in welding and allied processed—Sampling of airborne particles and gases in the operator's breathing zone—Sampling of gases
Health and Safety Executive (UK)	<ul> <li>HSG173: Monitoring Strategies for Toxic Substances</li> <li>Methods for the Determination of Hazardous Chemicals (MDHS) (series)</li> </ul>
National Institute for Occupational Safety and Health (USA)	<ul> <li>NIOSH Manual of Analytical Methods</li> <li>Occupational Exposure Sampling Strategy Manual</li> </ul>

## Amendments

The model Code of Practice: *Preparation of safety data sheets for hazardous chemicals* has been amended since its publication in February 2016, including a number of amendments agreed to in 2017 as part of a technical and usability review of the model Code. The version dated May 2018 incorporates all of those amendments.

Additional amendments were made to this Code of Practice in December 2022 to reflect the adoption of the 7<sup>th</sup> revised edition of the GHS.